



Republic of the Philippines
UNIVERSITY OF RIZAL SYSTEM
Province of Rizal

Cp No. (63)918-9519618
urs.bacsecretariat2020@gmail.com

Date : _____

Company/Supplier Name : _____

Address : _____

Please quote your lowest price on the item/s listed below, subject to the General Conditions on the last page, stating the shortest time of delivery and submit your sealed quotation duly signed by your representative not later than _____ to URS SPMO, Morong Rizal.

ARIEL M. PLANTILLA, DBA
Chairperson, BAC

- NOTE: 1. ALL ENTRIES MUST BE TYPEWRITTEN
2. DELIVERY PERIOD WITHIN ____ CALENDAR DAYS
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE ENTITY
4. PRICE VALIDITY SHALL BE FOR A PERIOD OF 45 CALENDAR DAYS
5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION	QTY.	UNIT	BID PRICE	TOTAL BID PRICE
1	Quick Drying Enamel Royal Blue 4 liters PRINCIPAL USES: Ideal for interior and exterior wood and metal surfaces. FINISH: Gloss DRY TIME: Touch: 5 hours Recoat: 8 - 12 hours Full cure: 3 days THEORETICAL COVERAGE PER 4-LITERS: 30 - 35 sq.m.	2	container(s)		
2	Flat Latex White 4 liters 100% acrylic latex paint with excellent hiding, durability and dirt pick – up resistance. It finishes painting jobs in less coats, yet lasts longer than other brands allowing you to save a lot on time, effort, worry and money. COVERAGE: 25 to 30 square meters per 4 liters per coat DRYING TIME: 1-2 hours DRY FILM THICKNESS: 1.5 mils APPLICATION: paint brush roller, or airless spray	4	container(s)		
3	Gloss Latex White 4 liters 100% acrylic paint with excellent hiding and outstanding durability. PRINCIPAL USES: It is ideal for interior and exterior surfaces such as concrete, bricks, plaster, and drywalls. DRY TIME: Semi-Gloss and Gloss: Touch: 1 hour Recoat: 2 hours THEORETICAL COVERAGE PER 4-LITERS:	8	container(s)		
4	Paint Brush Size: 2 inches Synthetic polyester bristles Plastic handle For all paints and stains 2in. flat brush	4	pc(s)		

5	Paint Roller Size: 4 inches With handle	4	pc(s)		
6	Paint Roller Size: 7 inches with handle Made of 100% pure polyester For semi-smooth surfaces Best for high gloss paint	4	pc(s)		
7	Paint Thinner 4 liters	2	container(s)		
8	Sand Paper Features Excellent for sanding primed surfaces. Can be used wet or dry. Made with long-lasting aluminum oxide. Specifications Product form: Sheet Size: 9 x 5" x 11" Color: Black Grit: 100	5	pc(s)		
9	Paint Brush 2"	6	pc(s)		
10	Paint Remover 4L	2	gallon(s)		
11	Red Oxide Metal Primer 4L	2	gallon(s)		
12	Quick Drying Enamel 4L Color: White	1	gallon(s)		
13	Quick Drying Enamel 4L Color: Sky Blue	3	gallon(s)		
14	Paint Thinner 4L	2	gallon(s)		
15	Paint Roller w/ Handle 4" Type: Cotton	2	pc(s)		
16	Filler Cotton 4" Type: Cotton	2	pc(s)		
17	Round Rags (Trapo)	2	kilo(s)		
18	Redifix Tile adhesive additive Acrylic based polymer additive Volume: 4 liters	2	container(s)		
19	Single Flush Water Tank Fitting Set (Push Button Type S103) Push button type Comes in a box Instruction for installation included Quality plastic construction Suitable for water pressure from 5 PSI to 300 PSI. Innovative twist and lock feature for easy adjustment. Movable float cup for different water level adjustment Adjustable height for fill valve from 7.5" to 12" Fit most types of tank Working temperature: 1°C to 45°C Working pressure: 0.03MPa – 1.60MPa	10	set(s)		
20	2 way Angle Valve Stainless Steel Size: 1/2" x 1/2" x 1/2"	10	pc(s)		

	Material: Brass Application: Wall installation 1/2"X1/2" X1/2" Material: Stainless steel 304				
21	BIDET SET stainless steel with shower hose 1.2m brush color. Packaging Dimension: (L x W x H) cm: 31.5 X 19.5 X 5.5 Weight: 0.4 kgs	10	pc(s)		
22	Flexible Hose Specifications 1/2"FX1/2"FX400MM Dimensions width: 2.4 height: 2.4 length: 40.3 Weight: 0.09 kgs	3	pc(s)		
23	LED Flood Light IP65 - dust tight and watertight Wattage: 200 watts Lumen: 1900 Color Temperature: Daylight Voltage: 220-240 volts Life hours: 1500	5	pc(s)		
24	LED Flood Light IP65 - dust tight and watertight Wattage: 100 watts Lumen: 10200 Color Temperature: Daylight	5	pc(s)		
25	THHN/THWN 12/7 ELECTRICAL STRANDED WIRE # 12 AWG (3.5mm ²) 150 meters per box Insulation: Premium grade flame retardant, lead-free, UL-listed polyvinyl chloride Jacket: Tough Polyamide (Nylon)	2	box(es)		
26	Nema 3R Circuit Breaker Enclosure Plug in 2 pole Single	2	pc(s)		
27	GE Circuit Breaker 20 ampere Plug in 2 pole	2	pc(s)		
28	Surface Type PVC Junction Box with cover 4" Fire Retardant at 750C Shock Resistant Can Withstand High Impact Comes With Mounting Screws	6	pc(s)		
29	Tox wall plug #6 Quantity: 100pcs/box Material: Nylon With Stopper High Expansion Capabilities High Quality Heavy Duty	2	box(es)		
30	Black Screw 1" Phillips Drive 100pcs/box For wood	2	box(es)		
31	GI Clamp 1/2"	200	pc(s)		

	Single hole				
32	PVC electrical conduit Size: 1/2" (20mm) Length: 3 meters	15	pc(s)		
33	PVC Cement 200cc	1	can(s)		
34	Vinyl Electrical Tape Size: 0.16mm x 19mm x 16m	10	pc(s)		
35	Flexible PVC lavatory P-Trap Universal Size: 1 1/4"	6	pc(s)		
36	Wall Mounted Lavatory Faucet Stainless Steel 1/2 x 6 inches	16	pc(s)		
37	1 way Angle Valve Stainless Steel Size: 1/2" x 1/2 " Material: Stainless steel 304 Application: Wall installation	14	pc(s)		
38	Flexible Hose with spanner Size: 1/2" x 1/2" x 12"	10	pc(s)		
39	Single Flush Water Tank Fitting Set (Push Button Type S103) Push button type Comes in a box Instruction for installation included Quality plastic construction Suitable for water pressure from 5 PSI to 300 PSI. Innovative twist and lock feature for easy adjustment. Movable float cup for different water level adjustment Adjustable height for fill valve from 7.5" to 12" Fit most types of tank Working temperature: 1°C to 45°C Working pressure: 0.03MPa – 1.60MPa	14	set(s)		
40	Urinal Flush Valve Push Button Application: Wall installation Material: Brass	9	set(s)		
41	Deck Mounted Lavatory Single Faucet Stainless Steel 12 inches	2	pc(s)		
42	PVC pipe for potable water (blue) Size: 1/2" (20mm) Length: 3 meters	12	pc(s)		
43	PVC Cement 200cc	5	can(s)		
44	PVC elbow for potable water (blue) Size: 1/2" (20mm) with thread	7	pc(s)		
45	PVC Tee for potable water Size: 1/2" (20mm) with thread	6	pc(s)		
46	Equal Tee for PE hose 1/2"x1/2" (20mm x 20mm)	7	pc(s)		

47	Elbow for PE hose 1/2"x1/2"x1/2" (20mm x 20mm x 20mm)	6	pc(s)		
48	PVC COUPLING REDUCER 1" X 1/2" for potable water	3	pc(s)		
49	Teflon Tape 1/2"	20	pc(s)		
50	PVC Tee 1/2" x 1/2" x 1/2" for potable water	10	pc(s)		
51	PVC Elbow 1/2" x 1/2" for potable water	30	pc(s)		
52	PVC clamp 1/2" with nail Blue	100	pc(s)		
53	RUBBER STOP (300g) WEATHER RESISTANT SEALANT Can be used for joints in sanitary fittings, e.g. between floor or wall and shower or wash basins Particularly developed for areas exposed to high humidity where protection from water and mildew damage is essential	10	pack(s)		
54	waterstop wet and dry sealant 200 ml works on wet and dry surface	10	pack(s)		
55	HDPE pipes 1/2" (20mm) sdr-11 for potable water	20	meter(s)		
56	PVC Pipe Cutter Material: Metal 3-42mm	1	pc(s)		
57	Goose Neck Faucet Application: Deck Mounted Installation Material: Stainless 304 Finish: Satin	4	pc(s)		
58	Wall Mounted Lavatory Faucet Stainless Steel 1/2 x 6 inches	25	pc(s)		
59	1 way Angle Valve Stainless Steel Size: 1/2" x 1/2 " Material: Stainless steel 304 Application: Wall installation	20	pc(s)		
60	Flexible Hose with spanner Size: 1/2" x 1/2" x 12"	21	pc(s)		
61	PVC pipe for potable water Size: 1/2" (20mm) Length: 3 meters	15	pc(s)		
62	PVC Cement 200cc	5	can(s)		
63	PVC elbow for potable water Size: 1/2" (20mm)	20	pc(s)		

	<i>with thread</i>				
64	PVC Tee for potable water Size: 1/2" (20mm) <i>with thread</i>	25	pc(s)		
65	Equal Tee for PE hose 1/2"x1/2" (20mm x 20mm)	1	pc(s)		
66	Elbow for PE hose 1/2"x1/2"x1/2" (20mm x 20mm x 20mm)	5	pc(s)		
67	PVC Elbow reducer (blue) 3/4" x 1/2" for potable water	3	pc(s)		
68	Teflon Tape 1/2"	20	pc(s)		
69	PVC Tee 1/2" x 1/2" x 1/2" for potable water	20	pc(s)		
70	PVC Elbow 1/2" x 1/2" for potable water	10	pc(s)		
71	PVC clamp 1/2" with nail Blue	200	pc(s)		
72	HDPE pipes 1/2" (20mm) sdr-11 for potable water	25	meter(s)		
73	PVC Gate Valve 3/4"	1	pc(s)		
74	Wall Mounted Lavatory Faucet Stainless Steel 1/2 x 6 inches	20	pc(s)		
75	1 way Angle Valve Stainless Steel Size: 1/2" x 1/2 " Material: Stainless steel 304 Application: Wall installation	15	pc(s)		
76	Flexible Hose with spanner Size: 1/2" x 1/2" x 12"	15	pc(s)		
77	PVC pipe for potable water Size: 1/2" (20mm) Length: 3 meters	15	pc(s)		
78	PVC Cement 200cc	5	can(s)		
79	PVC elbow for potable water Size: 1/2" (20mm) <i>with thread</i>	15	pc(s)		
80	PVC Tee for potable water Size: 1/2" (20mm) <i>with thread</i>	20	pc(s)		

81	Equal Tee for PE hose 1/2"x1/2" (20mm x 20mm)	15	pc(s)		
82	Elbow for PE hose 1/2"x1/2"x1/2" (20mm x 20mm x 20mm)	25	pc(s)		
83	Teflon Tape 1/2"	50	pc(s)		
84	PVC Tee 1/2" x 1/2" x 1/2" for potable water	20	pc(s)		
85	PVC Elbow 1/2" x 1/2" for potable water	15	pc(s)		
86	PVC clamp 1/2" with nail Blue	200	pc(s)		
87	HDPE pipes 1/2" (20mm) sdr-11 for potable water	45	meter(s)		
88	Reflectorized Traffic Paint 4L Color: White	5	gallon(s)		
89	Reflectorized Traffic Paint 4L Color: Black	5	gallon(s)		
90	Reflectorized Traffic Paint 4L Color: Yellow	5	gallon(s)		
91	Paint Thinner 4L	4	gallon(s)		
92	Paint Brush 4"	6	pc(s)		
93	Masking Tape 1"	5	pc(s)		
94	Round Rags (Trapo)	3	kilo(s)		
95	B-800 Quick Drying Enamel Flat Wall 16L Color: White	2	pair(s)		
96	B-200 Quick Drying Enamel Semi Gloss 4L Color: White	8	gallon(s)		
97	B-690 Quick Drying Enamel Gloss 4L Color: Black	4	gallon(s)		
98	B-640 Quick Drying Enamel Gloss 4L Color: Royal Blue	7	gallon(s)		
99	B-661 Quick Drying Enamel Gloss 4L Color: Lemon Yellow	1	gallon(s)		
100	B-330 Rust Off Alkyd Metal Primer 4L Color: Gray	2	gallon(s)		

101	B-791 Permacoat Flat Latex 16L Color: Flat Black	1	pair(s)		
102	B-706 Permacoat Flat Latex 16L Color: White	10	pair(s)		
103	B-715 Permacoat Semi Gloss Latex 16L Color: White	3	pair(s)		
104	B-1404 Latex Color 1/4L Color: Thalo Blue	35	can(s)		
105	B-1490 Latex Color 1/4L Color: Lamp Black	10	can(s)		
106	Paint Brush 1"	10	pc(s)		
107	Paint Brush 2"	10	pc(s)		
108	Paint Brush 3"	10	pc(s)		
109	B-0340 Paint Thinner 4L	10	gallon(s)		
110	Paint Roller w/ Handle 4" Type: Cotton	10	pc(s)		
111	Filler Cotton 4" Type: Cotton	15	pc(s)		
112	Paint Tray 12" x 14"	4	pc(s)		
113	Masking Tape 1"	20	pc(s)		
114	Round Rags (Trapo)	5	kilo(s)		
115	Silver Finish Aluminum Paint 4L	7	gallon(s)		
116	Paint Thinner 4L	2	gallon(s)		
117	Paint Brush 2"	6	pc(s)		
118	Round Rags (Trapo)	2	kilo(s)		
119	Welding Rod Special 1 Kg. N-6013 2.5 x 325mm	3	pack(s)		
120	Stainless Steel Welding Rod 1 Kg. NSS308 2.5 x 325mm	1	pack(s)		
121	Thin Metal Cutting Disc 4"	2	pc(s)		
122	Grinding Disc 4"	1	pc(s)		
123	Japan GI Turn Buckle 25mm x 350mm Type: Eye and Eye	2	pc(s)		
124	Pillow Block Bearing P208	8	pc(s)		
125	Flat Bar 3/8" x 2 1/2" x 6m	1	pc(s)		
126	Steel Round Bar Bl. Size: 1 1/2" x 1'	3	pc(s)		

127	Steel Round Bar Bl. Size: 5/8" (16mm) x 6m	3	pc(s)		
128	Steel Round Bar Bl. Size: 1/2" (12mm) x 6m	1	pc(s)		
129	Cutting wheel 14" Diameter=355mm Bore Diameter =25.4mm Thickness = 2.8mm	1	pc(s)		
130	GI Eyelet Bolt 1" x 10"	5	pc(s)		
131	SS304 Stainless Steel Hexbolt 7/8" x 2 1/2"	10	pc(s)		
132	SS304 Stainless Steel Hexagonal Nut 7/8"	10	pc(s)		
133	SS304 Stainless Steel Lock Washer 7/8"	10	pc(s)		
134	SS304 Stainless Steel Washer 7/8"	10	pc(s)		
135	Paint Brush 2"	6	pc(s)		
136	Paint Remover 4L	2	gallon(s)		
137	Red Oxide Metal Primer 4L	2	gallon(s)		
138	Quick Drying Enamel 4L Color: White	1	gallon(s)		
139	Quick Drying Enamel 4L Color: Sky Blue	3	gallon(s)		
140	Paint Thinner 4L	2	gallon(s)		
141	Paint Roller w/ Handle 4" Type: Cotton	2	pc(s)		
142	Filler Cotton 4" Type: Cotton	2	pc(s)		
143	Round Rags (Trapo)	2	kilo(s)		
144	Cement 40Kg.	1	bag(s)		
145	Bistay Sand 13Kg.	5	bag(s)		
146	Acreex Rubberized Floor Coating 4L Color: Crystal Blue	28	gallon(s)		
147	Acreex Reducer 4L	6	gallon(s)		
148	Paint Roller w/ Handle 7" Type: Cotton	2	pc(s)		
149	Cotton Filler 7"	4	pc(s)		
150	Paint Brush 3"	4	pc(s)		
151	Round Rags (Trapo)	2	kilo(s)		
152	Quick Drying Enamel Paint 4L Finish: Gloss Color: Royal Blue	23	gallon(s)		

153	Quick Drying Enamel Paint 4L Finish: Gloss Color: Caramel Brown	2	gallon(s)		
154	Paint Thinner 4L	8	gallon(s)		
155	Self Tapping Screw 4.8mm x 50mm 250pcs. Type: Wood	1	box(es)		
156	GI Bolt and Nut Size: 1/4" x 1"	100	pc(s)		
157	GI Bolt and Nut Size: 5/16" x 1"	100	pc(s)		
158	Galvanized Iron Lock Washer 1/4"	100	pc(s)		
159	Galvanized Iron Lock Washer 5/16"	100	pc(s)		
160	Galvanized Iron Standard Flat Washer 1/4"	200	pc(s)		
161	Galvanized Iron Standard Flat Washer 5/16"	200	pc(s)		
162	Paint Brush 1"	3	pc(s)		
163	Paint Brush 2"	3	pc(s)		
164	Paint Roller w/ Handle 4" Type: Cotton	3	pc(s)		
165	Cotton Filler 4"	3	pc(s)		
166	Welding Rod Special 1 Kg. N-6013 2.5 x 325mm	1	box(es)		
167	Round Rags (Trapo)	2	kilo(s)		
168	B-800 Quick Drying Enamel Flat Wall 4L Color: White	3	gallon(s)		
169	B-200 Quick Drying Enamel Semi Gloss 4L Color: White	2	gallon(s)		
170	B-200 Quick Drying Enamel Semi Gloss 4L Color: White	2	gallon(s)		
171	B-75 Silver Finish Aluminum Paint 4L	2	gallon(s)		
172	B-706 Permacoat Flat Latex 16L Color: White	6	pair(s)		
173	B-715 Permacoat Semi Gloss Latex 16L Color: White	5	pair(s)		
174	B-1469 Latex Color 1/4L Color: Exterior Yellow	25	can(s)		

175	B-1479 Latex Color 1/4L Color: Exterior Red	16	can(s)		
176	B-1404 Latex Color 1/4L Color: Thalo Blue	4	can(s)		
177	B-1405 Latex Color 1/4L Color: Thalo Green	5	can(s)		
178	B-1490 Latex Color 1/4L Color: Lamp Black	5	can(s)		
179	Paint Brush 2	6	pc(s)		
180	Paint Brush 3"	6	pc(s)		
181	B-0340 Paint Thinner 4L	2	gallon(s)		
182	Paint Roller w/ Handle 4" Type: Cotton	4	pc(s)		
183	Filler Cotton 4" Type: Cotton	8	pc(s)		
184	Paint Tray 12" x 14"	4	pc(s)		
185	Round Rags (Trapo)	2	kilo(s)		
186	Tek Screw 2" Type: Metal	100	pc(s)		
187	Grinding Disc 4"	2	pc(s)		
188	Thin Cutting Disc 4"	5	pc(s)		
189	B-71 Metal Itching Solution/ Rust Converter 4L	3	gallon(s)		
190	Sapal 2 in 1 Acrylic Sealant and Waterproofer 4L	5	gallon(s)		
191	B-2550 Roofgard 16L	1	pair(s)		
192	Paint Roller Cotton with Handle 4" Type: Cotton	2	pc(s)		
193	Super Vulcaseal 1L	4	can(s)		
194	Filler Cotton 4"	2	pc(s)		
195	Paint Brush 2"	2	pc(s)		
196	Round Rags	1	kilo(s)		
197	Stainless Steel Plain Sheet Mirror 4'x8' x 0.7mm SS304	7	pc(s)		
198	Drill Bit 5/32" Type: Stainless steel	5	pc(s)		
199	Drill Bit 4mm x 75mm Type: Masonry	2	pc(s)		

200	Drill Bit 12mm x 150mm Type: Masonry	2	pc(s)		
201	Super Vulcaseal 1l	4	can(s)		
202	Blind Rivet 350pcs/box Size: 5/32" x 3/4"	3	box(es)		
203	Tek Screw 2" Type: Metal	400	pc(s)		
204	Marine Epoxy A&B 1 liter Set	2	set(s)		
205	Round Nail 15mm x 40mm 100pcs. Note: For Manual Nail Gun	5	pack(s)		
206	Aluminum Butyl Flashing Tape 75mmx3m/roll	8	pc(s)		
207	GI Plain Sheet 4'x 8' x 0.8mm	6	pc(s)		
208	Angle Bar 1 1/2" x 3.00mm x 6m	10	pc(s)		
209	Flat Bar 3.00mm x 1 1/2" x 6m	3	pc(s)		
210	Special Welding Rod 2.5mm N6013	6	kilo(s)		
211	Round Bar (1/2")12mm x 6m	2	pc(s)		
212	Grinding Disc 4"	1	pc(s)		
213	Thin Cutting Disc 4"	5	pc(s)		
214	Cutting wheel 14" Diameter=355mm Bore Diameter =25.4mm Thickness = 2.8mm	1	pc(s)		
215	Red Oxide Metal Primer 4l	2	gallon(s)		
216	Quick Drying Enamel 4l Color: Royal Blue	2	gallon(s)		
217	Paint Thinner 4l	1	gallon(s)		
218	Paint Roller Cotton with Handle 4" Type: Cotton	2	pc(s)		
219	Filler Cotton 4"	2	pc(s)		
220	Paint Brush 2"	2	pc(s)		
221	Round Rags	2	kilo(s)		
222	Blockout Flexicrete Flexible Cementitious Waterproofing 18kg	2	gallon(s)		
223	Paint Brush 4"	2	pc(s)		
224	Paint Roller Cotton with Handle 4" Type: Cotton	2	pc(s)		

225	Cement 40kg	2	bag(s)		
226	White Sand	4	sack(s)		
227	Gravel 3/4"	12	sack(s)		
228	Deformed Bar 12mm x 6m Grd. 40	2	pc(s)		
229	GI Wire #16 1kg	1	kilo(s)		
230	Water pump with Water Tank and Complete Accessories 1 set Material: Stainless Steel Capacity: 21 gallons Horsepower: 1 Pressure Tank Gauge: #16 With 1 year Service Warranty	1	set(s)		
231	Solenoid Valve 1" Brass Coil: AC220v Port Size: 1" Medium: Water, Air, Oil Pressure: 0-1.0MPa Orifice: 25mm Normally Closed	1	pc(s)		
232	PPR Pipes 1" x 4m PN20	4	pc(s)		
233	PPR Pipes 1/2" x 4m PN20	1	pc(s)		
234	PPR Straight Male Connector 1"	6	pc(s)		
235	PPR Straight Female Connector 1/2"	1	pc(s)		
236	PPR Elbow Male 1/2"	1	pc(s)		
237	PPR Union Patente Metal Joint 1"	2	pc(s)		
238	PPR Elbow Equal Connector 1	15	pc(s)		
239	PPR Equal Tee 1	2	pc(s)		
240	PPR Tee Reducer 1" x 1/2" x 1"	1	pc(s)		
241	PPR Stop Valve (GV) 1"	4	pc(s)		
242	PPR Stop Valve (GV) 1/2"	2	pc(s)		
243	Check Valve 1" Brass	1	pc(s)		
244	Teflon Tape 1/2	10	pc(s)		
245	Cement 40kg	2	bag(s)		
246	Sahara Cement Waterproofing Compound 908 grams	2	bag(s)		
247	Aquashield plus 2 Components Waterproofing 36kg	2	set(s)		
248	Super Vulcaseal 500ml	2	can(s)		
249	White Sand (Bistay) 13kg	20	bag(s)		
250	GI Plain Sheet 4'x8'x0.8mm	2	pc(s)		

251	Paint Brush 4"	2	pc(s)		
252	Round Nail 15mm x 40mm 100pcs. Note: For Manual Nail Gun	2	pack(s)		
253	Aluminum Butyl Flashing Tape 75mmx3m/roll	8	pc(s)		
254	Red Oxide Metal Primer 4l	1	gallon(s)		
255	Quick Drying Enamel 4l Color: Blue	1	gallon(s)		
256	Paint Thinner 1l	1	can(s)		
257	Nipple 1/4" x 4"	1	pc(s)		
258	GI Bushing Reducer 1/2" x 1/4"	1	pc(s)		
259	Pressure Gauge 100psi	1	pc(s)		
260	Galvanized Long Nut 1/4"	1	pc(s)		
261	Nema 3r Panel Enclosure	1	pc(s)		
262	Circuit Breaker 20a Bolt-On	1	pc(s)		
263	THHN/THWN Stranded Wire 3.5mm	10	meter(s)		
264	Plastic Tox w/ Metal Screw 6mm 50pcs	1	pack(s)		
265	Cable Tie 4.8mm x 300mm 100pcs.	1	pack(s)		
266	Electrical Tape Big 19mm x 16m	1	pc(s)		
267	PVC Cement 100cc	1	can(s)		
268	THHN/THWN Stranded Wire 3.5mm	4	meter(s)		
269	PVC Male Adapter w/ Lock nut 1/2" Orange	2	pc(s)		
270	PVC Short Elbow 1/2" Orange	5	pc(s)		
271	PVC Electrical Pipe 1/2" Orange	1	pc(s)		
272	PVC Clamp 1/2" Orange	10	pc(s)		
273	Waterproof Square Junction Box Enclosure Size: 100mm x 100mm x 70mm	1	pc(s)		
274	Fusion Machine/ Pipe Welding Machine Dual Set Temp. 700w/1500w CE Approved Input power: 700w/ 1500w Voltage: 220 - 240v Frequency: 50/60hz Heating sockets: 20, 25, 32, 40, 50, 63mm Thermoregulator: 0oC - 300 oC Applying to: PP-R, PB, PE, PE-RT Aluminum die casting base Plug and cable: CE approved 1.8m	1	set(s)		
275	PVC Pipes Cutter Aluminum Body 8" Size: 225mm Cutting diameter: 3-42mm 65Mn blade	1	pc(s)		

	Automatic open function Suitable: PVC, PPR, PU, PE, PEX				
276	Leather Working Gloves Material: Cow split leather Black cow split leather palm rest	1	pair(s)		
277	Acreex Rubberized Floor Coating 4L Color: Crystal Blue	3	gallon(s)		
278	Acreex Reducer 4L	1	gallon(s)		
279	Paint Roller w/ Handle 7" Type: Cotton	2	pc(s)		
280	Cotton Filler 7"	2	pc(s)		
281	Paint Brush 3"	2	pc(s)		
282	Round Rags (Trapo)	1	kilo(s)		
283	Cement 40Kg.	6	bag(s)		
284	Sand (Bistay) 13Kg.	33	bag(s)		
285	B-44 Masonry Neutralizer 4L	2	gallon(s)		
286	Acreex Rubberized Floor Coating 4L Color: Spanish Green	3	gallon(s)		
287	Acreex Reducer 4L	1	gallon(s)		
288	Paint Roller w/ Handle 4" Type: Cotton	2	pc(s)		
289	Cotton Filler 4"	2	pc(s)		
290	Paint Brush 3"	2	pc(s)		
291	Round Rags (Trapo)	1	kilo(s)		
292	H-Frame 1.7m x 1.2m B.I. - Composition: 20 pcs H-Frame 1.7m x 1.2m 20 pcs Crossbrace 1.8m x 1.7m 40 pcs Joint Pin	10	set(s)		
293	Catwalk	10	pc(s)		
294	Caster Wheel with brake 8"	8	pc(s)		
295	Adjustable Base Jack 400mm	4	pc(s)		
	nothing follows				
	-				
	LOT ABC - Php 757,895.70				
	-				

Brand and Model : _____
 Warranty : _____

Delivery Period : _____
 Price Validity : _____

After having carefully read and accepted your General Condition, I/We quote you on the items at prices noted above.

CERTIFICATION

I hereby certify that I have personally conducted this canvass and that the price(s) quoted is/are true & correct and the signature of the representative of the company who submitted the quotation(s) is/are genuine.

Printed Name & Signature of Authorized Canvasser

URS-AF-AS-PRO-F-2017-02

Rev. 00

Effectivity Date August 15, 2017

Modified version of RFQ form
(SF-GOOD-60, May 2004)

RFQ-2024-10-0770

PR-2024-09-1392

END USER: JOHN ANDREW FRANCISCO

Printed Name / Signature

Tel. No. / Cell phone No.

E-mail address

Date

Tin Number