

PHILIPPINE BIDDING DOCUMENTS

Government of the
Republic of the Philippines

Completion of One Stop Student Services Center at URS Morong

**First Edition
May 2025**

Preface

These Philippine Bidding Documents (PBD) for the procurement of Infrastructure Projects (hereinafter referred to also as the “Works”) through [*Competitive Bidding, Limited Source Bidding, or Competitive Dialogue*¹] have been prepared by the Government of the Philippines (GoP) for use by all branches, agencies, departments, bureaus, offices, or instrumentalities of the Government, including government-owned and/or -controlled corporations (GOCC), government financial institutions (GFI), state universities and colleges (SUC), local government units (LGU), and autonomous regional government. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory² use in projects that are financed in whole or in part by the GoP or any foreign government/foreign or international financing institution in accordance with the provisions of the Implementing Rules and Regulations (IRR) of Republic Act No. 12009 (RA No. 12009).

This PBD is intended as a model for admeasurements (unit prices or unit rates in a bill of quantities) types of contract, which are the most common in Works contracting.

The Bidding Documents shall clearly and adequately define, among others: (a) the objectives, scope, and expected outputs and/or results of the proposed contract; (b) the eligibility requirements of Bidders; (c) the expected contract duration; and (d) the obligations, duties, and/or functions of the winning bidder.

In order to simplify the preparation of the Bidding Documents for each procurement, the PBD groups the provisions that are intended to be used unchanged in Section II. Instructions to Bidders (ITB) and in Section IV. General Conditions of Contract (GCC). Data and provisions specific to each procurement and contract should be included in Section III. Bid Data Sheet (BDS); Section V. Special Conditions of Contract (SCC); Section VI. Specifications; Section VII. Drawings; and Section VIII. Bill of Quantities. The forms to be used are provided in Section IX. Philippine Bidding Documents Related Forms.

Prudence must be exercised to check the relevance of the provisions of the PBD against the requirements of the specific Works to be procured. In addition, each Section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents, except for the notes introducing Section IX. Philippine Bidding Documents Related Forms, where the information is useful for the Bidder. The following general directions should be observed when using the documents:

- a) All the documents listed in the Table of Contents are normally required for the procurement of Infrastructure Projects. However, they should be adapted as necessary to the circumstances of the particular Project.
- b) Specific details, such as the “name of the Procuring Entity” and “address for proposal submission,” should be furnished in the BDS and SCC. The final documents should contain neither blank spaces nor options.
- c) This Preface and the footnotes, or notes in italics included in the Invitation to Bid, BDS, SCC, Specifications, Drawings, and Bill of Quantities are not part of the text of the final document, although they contain instructions that the

¹ For Second Stage of Competitive Dialogue under Section 29.4.2 of IRR of RA No. 12009.

² Unless the Treaty or International or Executive Agreement expressly provides use of foreign government/foreign or international financing institution procurement guidelines.

Procuring Entity should strictly follow. The Bidding Documents should not contain footnotes except Section IX. Philippine Bidding Documents Related Forms since these provide important guidance to Bidders.

- d) The cover page should be modified as required to identify the Bidding Documents and date of issue.
- e) The Project title page should be modified as required to identify the Project title and number, name and address of the Procuring Entity.
- f) If modifications must be made to the bidding requirements, they can be presented in the BDS. Modifications for specific Project or Contract details should be provided in the SCC as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the BDS or SCC, these terms shall be printed in bold type face on Section II. Instructions to Bidders, and Section IV. General Conditions of Contract, respectively. To facilitate easy reference and completion, clauses from the BDS and SCC shall appear in bold type face in Sections II and IV, respectively.

UNIVERSITY OF RIZAL SYSTEM



Completion of One Stop Student Services Center at URS Morong

URS-26-13-052

TABLE OF CONTENTS

Glossary of Acronyms, Terms, and Abbreviations.....	6
Definition of Terms	8
Section I. Invitation to Bid	11
Section II. Instructions to Bidders	13
A. General	17
B. Contents of Bidding Documents.....	24
C. Preparation of Bids.....	25
D. Submission and Opening of Bids	33
E. Evaluation and Comparison of Bids	35
F. Award of Contract	40
Section III. Bid Data Sheet.....	43
Section IV. General Conditions of Contract	49
Section V. Special Conditions of Contract.....	79
Section VI. Specifications.....	85
Section VII. Drawings.....	87
Section VIII. Bill of Quantities	120
Section IX. Philippine Bidding Documents Related Forms.....	122

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

ADR – Alternative Dispute Resolution.

ARCC – Allowable Range of Contract Cost.

BAC – Bids and Awards Committee.

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

CDA – Cooperative Development Authority.

COS – Contract of Service.

CPI – Consumer Price Index.

DOLE – Department of Labor and Employment.

DTI – Department of Trade and Industry.

GCC - General Conditions of Contract.

GFI – Government Financial Institution.

GOCC – Government-Owned and/or –Controlled Corporation.

GoP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

HoPE – Head of Procuring Entity.

JO – Job Order.

IRR – Implementing Rules and Regulations.

ITB – Instructions to Bidders.

LCB- Lowest Calculated Bid.

LCRB – Lowest Calculated Responsive Bid.

LGUs – Local Government Units.

LoC – Line of Credit

MAB – Most Advantageous Bid.

MARB – Most Advantageous Responsive Bid.

MEARB – Most Economically Advantageous Responsive Bid.

MYCA – Multi-Year Contracting Authority.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PCAB – Philippine Contractors Accreditation Board.

PhilGEPS - Philippine Government Electronic Procurement System.

PSA – Philippine Statistics Authority.

RA No. – Republic Act Number.

SARB – Single Advantageous and Responsive Bid.

SCC - Special Conditions of Contract.

SCRB – Single Calculated and Responsive Bid.

SEARB – Single Economically Advantageous Responsive Bid.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

SRRB – Single Rated and Responsive Bid.

UN – United Nations.

Definition of Terms

Bid – a signed offer, proposal, or quotation submitted by a supplier, manufacturer, distributor, contractor, consultant, or service provider in response to the requirements of the Procuring Entity as stated in the Bidding Documents. (IRR of RA No. 12009, Section 5[c]).

Bidder – a supplier, manufacturer, distributor, contractor, consultant, and service provider, whether public or private, who submits a Bid in response to the requirements of the Procuring Entity as stated in the Bidding Documents. (IRR of RA No. 12009, Section 5[d]).

Bidding Documents – the documents issued by the Procuring Entity as the basis for Bids, furnishing all information necessary to prospective bidder to prepare a Bid for the Goods, Infrastructure Projects, and Consulting Services required by the Procuring Entity. (IRR of RA No. 12009, Section 5[e])

Bill of Quantities – a list of the specific items of the Work and their corresponding unit prices, lump sums, and/or provisional sums.

Consulting Services – services for Infrastructure Projects and other types of projects or activities of the government requiring adequate external technical and professional expertise that are beyond the capability or capacity of the government to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (IRR of RA No. 12009, Section 5[i]).

Contract – the agreement entered into between the Procuring Entity and the Contractor to execute, complete, and maintain the Works and as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

Contract Price – the price stated in the Notice of Award and thereafter to be paid by the Procuring Entity to the Contractor for the execution of the Works in accordance with this Contract.

Contract Time Extension (CTE) – the allowable period for the Contractor to complete the Works in addition to the original Completion Date stated in this Contract.

Contractor – a natural or juridical entity whose proposal was accepted by the Procuring Entity and to whom the Contract to execute the Work was awarded. Contractor as used in these Bidding Documents may likewise refer to a supplier, distributor, manufacturer, or consultant.

Days – refers to calendar days; months to calendar months.

Dayworks – varied work inputs subject to payment on a time basis for the Contractor's employees and Equipment, in addition to payments for associated Materials and Plant.

Defect – any part of the Works not completed in accordance with the Contract.

Defects Liability Certificate – the certificate issued by the Procuring Entity upon correction of defects by the Contractor.

Defects Liability Period – the one (1) year period between contract completion and final acceptance within which the Contractor assumes the responsibility to undertake the repair of any damage to the Works at its own expense.

Drawings – graphical presentations of the Works. They include all supplementary details, shop drawings, calculations, and other information provided or approved for the execution of this Contract.

Effective Date of the Contract – the date indicated in the contract. However, the Contractor shall commence performance of its obligations only upon receipt of the Notice to Proceed.

Foreign-funded Procurement or Foreign-Assisted Project – refers to the acquisition of Goods, Consulting Services, and the contracting for Infrastructure Projects by the Government of the Philippines which are wholly or partly funded by foreign loans or grants pursuant to a Treaty or International or Executive Agreement.

Funding Source – Organization named in the SCC.

Goods – refer to (i) all items, supplies, and materials, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity; or (ii) general support services which pertain to all types of services except Consulting Services and Infrastructure Projects, such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services. Personnel Services or individual COS or JO engagements do not fall under this definition; (IRR of RA No. 12009, Section 5[n]).

Infrastructure Projects – include the construction, improvement, rehabilitation, demolition, repair, restoration, or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as “civil works” or “works;” (IRR of RA No. 12009, Section 5[r]).

Lot – refers to one or more infrastructure projects that are grouped or bundled together based on factors, such as scope, location, or other relevant parameters, as determined by the End-User or Implementing Unit of the Procuring Entity. Each lot is distinct within the project and may be awarded as a separate contract.

MARB – refers to the award criteria in the procurement of Infrastructure where the considerations for the award of contract are the eligibility of the bidder, the responsiveness of its bid to the technical requirements, and the most advantageous bid in reference to the highest rated offer based on the quality component of the bid.

Materials – refer to all supplies, including consumables, used by the Contractor for incorporation in the Works.

MEARB – refers to the award criteria in the procurement of Infrastructure where the considerations for the award of contract are the eligibility of the bidder, the responsiveness of its bid to the technical requirements, and the determination of the most economically advantageous bid in reference to the quality-price ratio allocated to the technical and financial components of the bid.

Notice to Proceed – refers to a written notice issued by the Procuring Entity to the Contractor requiring the latter to begin the commencement of the work not later than a specified or determinable date.

Online submission – pertains to the submission of the bid for Infrastructure Projects and the bid envelopes containing the technical and financial components of the bid through electronic means or through the electronic bidding facility of the PhilGEPS, once available.

Permanent Works – refer to all permanent structures and all other project features and facilities required to be constructed and completed in accordance with this Contract which shall be delivered to the Procuring Entity, and which shall remain at the Site after the removal of all Temporary Works.

Plant – refers to the machinery, apparatus, and the like intended to form an integral part of the Permanent Works.

Procuring Entity - the organization acquiring the Infrastructure Project, as named in the SCC.

Project – refers to a specific or identified procurement covering Goods, Infrastructure Projects or Consulting Services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the Procuring Entity's Annual Procurement Plan.

Program of Work – refers to the big-picture plan and comprehensive schedule that details construction-related tasks to ensure the timely and efficient delivery of the project.

Site Investigation Reports – refers to those that were included in the Bidding Documents and are factual and interpretative reports about the surface and subsurface conditions at the Site.

Slippage – refers to a delay in work execution occurring when actual accomplishment falls below the target as measured by the difference between the scheduled and actual accomplishment of the Work by the Contractor as established from the work schedule. This is actually described as a percentage of the whole Works.

Simple Infrastructure Projects – refers to construction, improvement, rehabilitation, demolition, repair, restoration, or maintenance of structures, technical facilities and systems with an Approved Budget for the Contract (ABC) not exceeding Ten Million Pesos (PhP 10,000,000.00) built at the community level for the sustenance of lives and livelihoods of the population living in a community and built according to the needs and aspirations of the community population.

Verified Report – the report submitted by the Implementing Unit to the HoPE setting forth its findings as to the existence of grounds or causes for termination and explicitly stating its recommendation for the issuance of a Notice to Terminate.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The Invitation to Bid shall be:

- a) In line with the principles of transparency and competitiveness and to ensure the widest possible dissemination thereof, all invitations to bid shall be published continuously by the Procuring Entity, for seven (7) calendar days on the Philippine Government Electronic Procurement System (PhilGEPS) website, in any conspicuous place reserved for this purpose in the premises of the Procuring Entity, and on the website or social media platforms of the Procuring Entity, if available, or such other channels as may be authorized by the Government Procurement Policy Board (GPPB), and the website prescribed by the foreign government/foreign or international financing institution, if applicable; and
- b) For justifiable reasons, Procuring Entities that cannot publish procurement opportunities on its website, social media platform, or such other channels authorized by the GPPB shall publish its invitation to bid, at least once, in a newspaper of general nationwide circulation.

Apart from the essential items listed in the Bidding Documents, the Invitation to Bid should also indicate the following:

- a) The availability of the Bidding Documents, which shall be commence from the time the Invitation to Bid is first published until the deadline for submission and continue until the deadline for submission and receipt of bids;
- b) The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c) The deadline for the submission and receipt of bids;
- d) The procurement strategy/ies; and
- e) The bid award criterion/criteria. (e.g., the application of a margin of preference in bid evaluation)

The Invitation to Bid should be incorporated into the Bidding Documents. The information contained in the Invitation to Bid must conform to the Bidding Documents, particularly to the relevant information in the BDS.



Republic of the Philippines
UNIVERSITY OF RIZAL SYSTEM
Province of Rizal
www.urs.edu.ph
Email Address: bacsecretariat@urs.edu.ph
Tel/Fax: 8539-9950 to 9956 loc 125



**Invitation to Bid
for the
Completion of One Stop Student Services Center at URS Morong**

- 1) The **University of Rizal System**, through the **fund 052 of 2026** intends to apply the sum of **Eighteen Million Pesos and 00/100 (P18,000,000.00)** being the Approved Budget for the Contract (ABC) to payments under the contract for the **Completion of One Stop Student Services Center at URS Morong (URS-26-13-052)**. Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2) The **University of Rizal System** now invites bids for the above Procurement Project. Completion of the Works is required **One Hundred Fifty (150) calendar days**. Bidders should have completed a contract similar to the Project, within **5 years** from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders (ITB).
- 3) Bidding will be conducted through competitive bidding procedures using a non-discretionary **“pass/fail”** criterion as specified in the IRR, otherwise known as the “New Government Procurement Act (NGPA)”.

Bidding is restricted to Filipino citizens/sole proprietorships, cooperatives, and partnerships or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines.

- 4) Interested bidders may obtain further information from **University of Rizal System** and inspect the Bidding Documents at the address given below from **Monday to Thursday, 7:00 AM to 6:00 PM**.
- 5) A complete set of Bidding Documents may be acquired by interested bidders on **July 21, 2026** from given address and website/s below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of **Twenty-Five Thousand Pesos (25,000.00)**.

It may also be downloaded free of charge from the website of the Philippine Government Electronic Procurement System (PhilGEPS) and the website of the Procuring Entity, provided that bidders shall pay the applicable fee for the Bidding Documents not later than the submission of their bids.

- 6) The **University of Rizal System** will hold a Pre-Bid Conference on **July 29, 2026, 9:30 AM** at **2F BAC Conference Room, URS Morong Campus, Morong, Rizal** and via **Google Meet Videoconference** which shall be open to prospective bidders.

- 7) Bids must be duly received by the Bids and Awards Committee (BAC) Secretariat through manual submission at the address indicated below on or before **9:00 am of August 10, 2026**. Late bids shall not be accepted.
- 8) All Bids must be accompanied by a Bid Security in any of the acceptable forms and in the amount stated in **ITB** Clause 16.
- 9) Bid opening shall be on **August 10, 2026, at 9:30 AM** at **2F BAC Conference Room, URS Morong Campus, Morong, Rizal**. Bids will be opened in the presence of the Bidders' representatives who choose to attend the activity.
- 11) The **University of Rizal System** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Section 70 of R.A. No. 12009, without thereby incurring any liability to the affected bidder or bidders.
- 12) For further information, please refer to:

*BAC Secretariat
URS Morong Campus, J. Sumulong St., Brgy San Juan, Morong, Rizal
Tel. No. (02)8539-9950 to 9956 loc 125
Email: bacsecretariat@urs.edu.ph*
- 13) You may visit the following websites:
For downloading of Bidding Documents: <http://www.urs.edu.ph/bid-opportunities/>

July 21, 2026

ARIEL M. PLANTILLA, DBA
Chairperson, Bids and Awards Committee

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section of the Bidding Documents provides the information necessary for Bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on the bid submission, eligibility check, opening and evaluation of bids, post-qualification and award of contract.

This Section contains provisions that shall not be changed or modified. Any amendment shall be reflected in Section III. Bid Data Sheet which consists of provisions that supplement, amend, or specify in detail information or requirements included in this Section and which are specific to each procurement.

Matters governing performance of the Contractor, payments under the contract, or those affecting the risks, rights, and obligations of the parties under the contract are not normally included in this Section, but rather under Section IV. General Conditions of Contract (GCC), and/or Section V. Special Conditions of Contract (SCC). If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, prudence must be exercised to avoid contradictions between clauses dealing with the same matter.

TABLE OF CONTENTS

A. GENERAL.....	17
1. Scope of Bid	17
2. Source of Funds	17
3. Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices	17
4. Conflict of Interest.....	18
5. Eligible Bidders	20
6. Bidder's Responsibilities	21
7. Origin of Goods and Services	24
8. Subcontracts.....	24
B. CONTENTS OF BIDDING DOCUMENTS.....	24
9. Pre-Bid Conference	24
10. Clarification and Amendment of Bidding Documents.....	25
C. PREPARATION OF BIDS.....	25
11. Language of Bids.....	25
12. Documents Comprising the Bid: Technical and Financial Components.....	26
13. Bid Prices	27
14. Bid Currencies	28
15. Bid Validity	28
16. Bid Security	28
17. Format and Signing of Bids.....	32
18. Sealing and Marking of Bids	32
D. SUBMISSION AND OPENING OF BIDS.....	33
19. Deadline for Submission of Bids	33
20. Late Bids.....	33
21. Modification and Withdrawal of Bids	33
22. Opening and Preliminary Examination of Bids	34
E. EVALUATION AND COMPARISON OF BIDS	35
23. Process to be Confidential	35
24. Clarification of Bids	35
25. Detailed Evaluation and Comparison of Bids	35
26. Post-Qualification.....	38
27. Reservation Clause.....	39

F. AWARD OF CONTRACT	40
28. Contract Award	40
29. Signing of the Contract	41
30. Performance Security	41
31. Notice to Proceed	42
32. Protest Mechanism	42

A. General

1) Scope of Bid

- 1.1 The Procuring Entity **University of Rizal System**, invites Bids for the **Completion of One Stop Student Services Center at URS Morong** with Project Identification Number **URS-26-13-052**

The Procurement Project (referred to herein as "Project") is for the construction of Works, as described in Section VI (Specifications).

- 1.2 The winning Bidder will be expected to complete the Works by the intended completion date specified in **SCC** Clause 1.1.

2) Source of Funds

The Procuring Entity has a budget or received funds from Fund **052** and in the amount of **Eighteen Million and 00/100 Only (P18,000,000.00)**. It intends to apply part of the funds received for this Project to cover eligible payments under the contract.

3) Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices

- 3.1 Unless otherwise specified in the **BDS**, the Procuring Entity, as well as Bidders and Contractors, shall observe the highest standard of ethics during the procurement and execution of the contract. In pursuance of this policy, the Procuring Entity:

- a) defines, for purposes of this provision, the following terms under existing laws, rules, and regulations:
 - i) "corrupt practice" means an act by which officials in the public or private sectors improperly and unlawfully enrich themselves, others, or induce others to do so, by misusing the position in which they are placed, and includes the offering, giving, receiving, or soliciting of anything of value to influence the action of any such official in the procurement process or in contract execution; entering, on behalf of the government, into any contract or transaction manifestly and grossly disadvantageous to the same, whether or not the public officer profited or will profit thereby, and similar acts as provided in RA No. 3019.
 - ii) "fraudulent practice" means a misrepresentation of facts for purposes of influencing a procurement process or the execution of a contract to the detriment of the Procuring Entity, which includes collusive practices among Bidders (prior to or after bid submission) designed to establish bid prices at artificial, non-competitive levels and to deprive the Procuring Entity of the benefits of free and open competition.
 - iii) "collusive practices" means a scheme or arrangement between two or more Bidders, with or without the knowledge of the Procuring Entity, designed to establish bid prices at artificial, non-competitive levels.

iv) “coercive practices” means harming or threatening to harm, directly or indirectly, persons, or their property to influence their participation in a procurement process, or affect the execution of a contract;

v) “obstructive practice” is

a) deliberately destroying, falsifying, altering or concealing of evidence material to an administrative proceedings or investigation or making false statements to investigators in order to materially impede an administrative proceedings or investigation of the Procuring Entity or any foreign government/foreign or international financing institution relative to allegations of a corrupt, fraudulent, coercive or collusive practice; and/or threatening, harassing or intimidating any party to prevent the latter from disclosing its knowledge of matters relevant to the administrative proceedings or from pursuing such proceedings or investigation; or

b) acts intended to materially impede the exercise of the inspection and audit rights of the Procuring Entity or any foreign government/foreign or international financing institution herein.

b) Undertakes to reject a proposal for award upon *prima facie* determination that the Bidder recommended for award has engaged in any of the prohibited practices mentioned in this Clause for purposes of competing for the contract.

3.2 Further, the Procuring Entity will seek to impose the maximum civil, administrative, and/or criminal penalties available under the applicable laws on individuals and organizations deemed to be involved in any of the practices mentioned in **ITB** Clause 4.

3.3 Furthermore, the Funding Source and the Procuring Entity reserve the right to inspect and audit records and accounts of a Bidder or Contractor in the bidding for and performance of a contract themselves or through independent auditors as reflected in the **GCC** Clause 36.

4) **Conflict of Interest**

4.1 All Bidders found to have conflicting interests shall be disqualified to participate in the procurement at hand, without prejudice to the imposition of appropriate administrative, civil, and criminal sanctions. A Bidder may be considered to have conflicting interests with another Bidder in any of the events described in paragraphs (a) through (c) and a general conflict of interest in any of the circumstances set out in paragraphs (d) through (f) below:

a) A Bidder has controlling shareholders or beneficial owners in common with another Bidder;

b) A Bidder receives or has received any direct or indirect subsidy from any other Bidder;

- c) A bidder has the same legally authorized representative as that of another Bidder for purposes of this Bid;
 - d) A bidder has a relationship, directly or through third parties, that puts them in a position to have access to information about or influence on the bid of another Bidder or influence the decisions of the Procuring Entity regarding this bidding process. This may include a firm or an organization that lends, or temporarily seconds, its personnel to firms or organizations that are engaged in consulting services for the preparation related to procurement for or implementation of the project if the personnel would be involved in any capacity on the same project;
 - e) A bidder who participated as a consultant in the preparation of the design or technical specifications of the goods and related services that are the subject of the bid; or
 - f) A bidder who lends, or temporarily seconds, its personnel to firms or organizations which are engaged in consulting services for the preparation related to procurement for or implementation of the project, if the personnel would be involved in any capacity on the same project.
- 4.2 All Bidding Documents shall be accompanied by an Omnibus Sworn Statement of the Bidder that it is not related, by consanguinity or affinity up to the third civil degree, to the HoPE, Procurement Agent (if engaged), the head of the Project Management Office (PMO), the End-User or Implementing Unit or any members of the Bids and Awards Committee (BAC), Technical Working Group (TWG), and BAC Secretariat.³
- 4.3 The Bidder shall also disclose the ultimate beneficial ownership of the entity it represents. Failure to comply shall be a ground for the automatic disqualification of the bid in consonance with Section 59 of the IRR. For this reason, relationship to the aforementioned persons within the third civil degree of consanguinity or affinity shall automatically disqualify the Bidder from participating in the procurement of contracts of the Procuring Entity notwithstanding the act of such persons inhibiting themselves from the procurement process. This Clause shall apply to the following persons and affiliates:
- a) In the case of individuals or sole proprietorships, to the Bidders and their spouses;
 - b) In the case of partnerships, to the partnership itself and its partners;
 - c) In the case of cooperatives, to the cooperative itself and members of the board of directors, general manager or chief executive officer;
 - d) In the case of a partnership, joint venture, or consortium, to the entity itself, its members or partners, as well as any person or entity that is a member of a blacklisted partnership, joint venture, or consortium; and
 - e) In the case of corporations, a single stockholder, together with their relatives up to the third civil degree of consanguinity or affinity, and their

³ Section 81.1 of the IRR.

assignees, holding at least twenty percent (20%) of the shares therein, its chairperson and president, shall be blacklisted after they have been determined to hold the same controlling interest in a previously blacklisted corporation or in two corporations that have been blacklisted; the corporations of which they are part shall also be blacklisted.

5) Eligible Bidders

- 5.1 Only Bids found to be legally, technically, and financially eligible will be evaluated. For procurement of Infrastructure Projects, the following persons shall be eligible to participate in this bidding:
- a) Duly licensed Filipino citizens or sole proprietorships;
 - b) Partnerships duly organized under the laws of the Philippines and of which at least sixty percent (60%) of the interest belongs to citizens of the Philippines;
 - c) Corporations duly organized under the laws of the Philippines, and of which at least sixty percent (60%) of the outstanding capital stock belongs to citizens of the Philippines;
 - d) Cooperatives duly organized under the laws of the Philippines; and
 - e) Persons or entities forming themselves into a Joint Venture (JV), i.e., a group of two (2) or more persons or entities that intend to be jointly and severally responsible or liable for a particular contract; Provided, however, that in accordance with relevant laws, rules, and regulations, Filipino ownership or interest of the joint venture concerned shall be at least sixty percent (60%); Provided, further, that joint ventures in which Filipino ownership or interest is less than sixty percent (60%) may be eligible where the structures to be built require the application of techniques or technologies which are not adequately possessed by a person or entity meeting the sixty percent (60%) Filipino ownership requirement; Provided, furthermore, that in the latter case, Filipino ownership or interest shall not be less than twenty-five percent (25%). For this purpose, Filipino ownership or interest shall be based on the contributions of each of the member of the joint venture as specified in their Joint Venture Agreement (JVA); Provided, finally, that the primary purpose of each member of the joint venture must be similar or related to the requirement of the project to be bid out.
- 5.2 The Procuring Entity may also invite foreign bidders when provided for under any Treaty or International or Executive Agreement as specified in the **BDS**.
- 5.3 In accordance with RA No. 4566 or the "Contractors' License Law" as amended by RA No. 11711 or "An Act Further Amending Republic Act No. 4566", the persons or entities enumerated in Section 52 of the IRR may participate in the procurement of Infrastructure Projects if it has been issued a license by the Philippine Contractors Accreditation Board (PCAB) to engage or act as a contractor.
- 5.4 The Bidder must have completed an SLCC that is similar to the procurement project to be bid, and whose value must be equivalent to at least fifty percent

(50%) of the ABC, adjusted to current prices using the Philippine Statistics Authority (PSA) consumer price indices; Provided, that any change to the fifty percent (50%) requirement may be allowed, subject to the recommendation of the Procuring Entity, which shall be submitted to the GPPB for consideration; Provided, further, that contractors under Small A and Small B categories without similar experience on the procurement project to be bid may be allowed to bid if the cost of such contract is not more than the Allowable Range of Contract Cost of their registration based on the guidelines as prescribed by the PCAB.

For foreign-funded procurement, the GoP and the foreign government, or foreign or international financing institution may agree on another track record requirement, as specified in the **BDS**.

Moreover, a contract shall be considered similar to the procurement project if it has the same major categories of work. The Procuring Entity may clarify in the Bidding Documents what is regarded as major categories of work, guided by the principle of proportionality and Fit-for-Purpose approach.

- 5.5 The SLCC shall be supported by an Owner's Certificate of Final Acceptance issued by the project owner other than the Contractor, or a final rating of at least Satisfactory in the Constructors Performance Evaluation System (CPES), or a similar performance and monitoring system. In the case of contracts with the private sector, an equivalent document shall be submitted.
- 5.6 The computation of a bidder's NFCC must be at least equal to the ABC to be bid, calculated as follows:

$$\text{NFCC} = [(\text{Current assets minus current liabilities}) (15)] \text{ minus the value of all outstanding or uncompleted portions of the projects under ongoing contracts, including awarded contracts yet to be started, coinciding with the procurement project to be bid; Provided, That a different formula may be adopted subject to the recommendation of the Procuring Entity, which shall be submitted to the GPPB for consideration.}$$

The value of the domestic bidder's current assets and current liabilities shall be based on the latest AFS submitted to the BIR.

For purposes of computing the foreign bidders' NFCC, the value of the current assets and current liabilities shall be based on their latest AFS prepared in accordance with international financial reporting standards.

6) Bidder's Responsibilities

- 6.1 The Bidder or its duly authorized representative shall submit a sworn statement in the form prescribed in Section IX. Philippine Bidding Documents Related Forms as required in **ITB** Clause 12.1(h)(iv).
- 6.2 Before submitting their bids, the Bidders are deemed to be knowledgeable of all existing laws, decrees, ordinances, acts and regulations of the Philippines which may affect this Project in any way.
- 6.3 The Bidder undertook the following responsibilities:

- a) Took steps to carefully examine and ensure full understanding and comprehension of the Bidding Document, its requirements, clauses, and provisions;
- b) Acknowledged all conditions, local or otherwise, affecting the implementation of the contract;
- c) Made an estimate of the facilities available and needed for the contract to be bid, if any;
- d) Complied with its responsibility to inquire or secure Supplemental Bid Bulletin(s);
- e) Ensured that it is not “blacklisted” or barred from bidding by the Government of the Philippines (GoP) or any of its agencies, offices, corporations, or LGUs, including foreign government, or foreign/ international financing institutions whose blacklisting rules have been recognized by the GPPB; by itself or by reason of its relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity;
- f) Ensured that each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and that all statements and information provided therein are true and correct;
- g) Authorized the HoPE or its duly authorized representative/s to verify all the documents submitted;
- h) Ensured that the signatory is the duly authorized representative of the Bidder, and granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, to sign, and execute the ensuing contract, accompanied by the duly notarized Special Power of Attorney, Board or Partnership Resolution, or Secretary’s Certificate, whichever is applicable;
- i) Complied with the disclosure provision under Section 81 and 82 of RA No. 12009 and its IRR in relation to other provisions of RA No. 3019;
- j) Complied with existing labor laws and standards. Moreover, the Bidder undertakes to:
 - i) Ensure the entitlement of workers to wages, hours of work, safety and health and other prevailing conditions of work as established by national laws, rules and regulations; or Collective Bargaining Agreement (CBA) or arbitration award, if and when applicable.

In case there is a finding by the Procuring Entity or the Department of Labor and Employment (DOLE) of underpayment or non-payment of workers’ wages and wage-related benefits, the Bidder agrees that the performance security or portion of the contract amount shall be withheld in favor of the complaining workers pursuant to appropriate provisions of RA No. 12009,

without prejudice to the institution of appropriate actions under the Labor Code, as amended, and other social legislations;

- ii) Comply with Occupational Safety and Health Standards (OSHS) and correct deficiencies, if any.

In case of imminent danger, injury or death of the worker, the Bidder undertakes to suspend contract implementation pending clearance to resume from the DOLE Regional Office, in compliance with the Work Stoppage Order; and

- iii) Inform the workers of their conditions of work, labor clauses under the contract specifying wages, hours of work and other benefits under prevailing national laws, rules and regulations; or CBA or arbitration award, if and when applicable, through posting in two (2) conspicuous places in the establishment's premises.
- k) Ensured that it did not give or pay, directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity;
 - l) Examined all instructions, forms, terms, and specifications in the Bidding Documents;
 - m) Determined and complied with all matters pertaining to the contract to be bid, including but not limited to: (i) the location and the nature of the contract, project, or work; (ii) climatic conditions; (iii) transportation facilities; (iv) nature and condition of the terrain, geological conditions at the site communication facilities, requirements, location and availability of construction aggregates and other materials, labor, water, electric power and access roads; and (v) other factors that may affect the cost, duration and execution or implementation of the contract, project, or work; and
 - n) Ensured that all information in the Bidding Documents, including bid or supplemental bid bulletin(s) issued, are correct and consistent. The Procuring Entity shall not assume any responsibility regarding erroneous interpretations or conclusions by the prospective or eligible Bidder out of the data furnished by the Procuring Entity.

Failure to observe any of the above responsibilities shall be at the risk of the Bidder concerned;

- 6.4 The Bidder, by the act of submitting its bid, shall be deemed to have inspected the site, determined the general characteristics of the contract works and the conditions for this Project and examine all instructions, forms, terms, and project requirements in the Bidding Documents.
- 6.5 Further, the Bidder shall bear all costs associated with the preparation and submission of its bid, and the Procuring Entity shall in no case be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.

In case of failure of bidding, the Bidding Documents fee may be applied in the re-bidding for the same Project.

- 6.6 Furthermore, the Bidder should be aware that the Procuring Entity will accept bids only from those that have paid the applicable fee for the Bidding Documents at the office indicated in the Invitation to Bid.

7) **Origin of Goods and Services**

Unless otherwise indicated in the **BDS**, there is no restriction on the origin of Goods, or Contracting of Works or Services other than those prohibited by a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations.

8) **Subcontracts**

- 8.1 The Bidder may subcontract portions of the Works to an extent as may be approved by the HoPE and as stated in the **BDS**. However, the subcontracted portion shall not exceed fifty (50%), or a different percentage of the ABC, on a per project basis, as approved by the GPPB.

The Procuring Entity has prescribed that:

Subcontracting is not allowed.

- 8.2 Subcontracting of any portion of the Project shall not relieve the Bidder from any liability or obligation that may arise from the contract.
- 8.3 Subcontractors must meet the eligibility criteria as stated in the **BDS** and shall submit the same eligibility documents as the general contractor. Failure of a subcontractor to meet the eligibility criteria does not affect the eligibility of the general contractor for the procurement project. In such case, the portion intended to be subcontracted to the ineligible subcontractor shall be assumed by the general contractor.
- 8.4 Subcontracting arrangement, if allowed, including the time of submission of the eligibility documents of the subcontractor, shall be disclosed in the **BDS**.

B. Contents of Bidding Documents

9) **Pre-Bid Conference**

- 9.1 If so specified in the **BDS**, a pre-bid conference shall be held either at the Procuring Entity's physical address and/or online through videoconferencing, webcasting, or similar technology, or a combination thereof, on the date indicated therein, to clarify and address the Bidders' questions on the technical and financial components of this Project.
- 9.2 The pre-bid conference shall be held at least twelve (12) calendar days before the deadline for the submission of and receipt of bids, but not earlier than seven (7) calendar days from the posting of the invitation to bid and other bidding documents on the PhilGEPS website.
- 9.3 Bidders are highly encouraged to attend the pre-bid conference to fully understand the Procuring Entity's requirements. While non-attendance of the

Bidder will in no way prejudice its bid, the Bidder is deemed to know any changes and/or amendments to the Bidding Documents, as may be provided in the Supplemental Bid Bulletin.

The proceedings of the pre-bid conference shall be recorded, and the corresponding minutes shall be prepared not later than five (5) calendar days after the pre-bid conference. The minutes shall be made available to prospective Bidders not later than five (5) days upon written request.

- 9.4 Decisions of the BAC amending any provision of the Bidding Documents shall be issued in writing through a Supplemental Bid Bulletin at least seven (7) calendar days before the deadline for the submission and receipt of bids.

10) Clarification and Amendment of Bidding Documents

- 10.1 Prospective bidders may request for clarification(s) on and/or interpretation of any part of the Bidding Documents. Such a request must be in writing and submitted to the BAC of the Procuring Entity at the address or electronic mail indicated in the **BDS** or through the electronic bidding facility of PhilGEPS, as may be applicable, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.
- 10.2 The BAC shall respond to the said request by issuing a Supplemental Bid Bulletin duly signed by the BAC Chairperson. It shall be made available to all those who have properly secured the Bidding Documents, at least seven (7) calendar days before the deadline for the submission and receipt of Bids.
- 10.3 Supplemental Bid Bulletins may also be issued upon the Procuring Entity's initiative for purposes of clarifying or modifying any provision of the Bidding Documents not later than seven (7) calendar days before the deadline for the submission and receipt of Bids. Any modification to the Bidding Documents shall be identified as an amendment.
- 10.4 Any Supplemental Bid Bulletin issued by the BAC shall also be posted on the PhilGEPS website, in any conspicuous place in the premises of the Procuring Entity, and on the website or social media platforms of the Procuring Entity, if available, or such other channels as may be authorized by the GPPB. It shall be the responsibility of all prospective bidders, including those who have properly secured the Bidding Documents, to inquire and secure Supplemental Bid Bulletins that may be issued by the BAC. However, Bidders who have submitted bids before the issuance of the Supplemental Bid Bulletin must be accordingly informed by the BAC, and be allowed to modify or withdraw their bids prior to the deadline for the submission and receipt of bids in accordance with ITB Clause 21.

C. Preparation of Bids

11) Language of Bids

The eligibility requirements or statements, the bids, and all other documents to be submitted to the BAC must be in English. If the eligibility requirements or statements, the bids, and all other documents submitted to the BAC are in foreign language other than English, it must be accompanied by a translation of the documents in English. The documents shall be translated by the relevant foreign government agency, the foreign government agency authorized to translate documents, or a registered

translator in the foreign bidder's country. The Bidder shall cause the authentication of the translated documents and shall be authenticated by the appropriate Philippine foreign service establishment or post or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. However, for Contracting Parties to the Apostille Convention, the documents shall be authenticated through an apostille by the Competent Authority, as defined in Section 20.2.9.2 of the IRR, except for countries identified by the DFA that will still require legalization (red ribbon) by the relevant Embassy or Consulate. The English translation shall govern, for purposes of interpretation of the bid.

12) Documents Comprising the Bid: Technical and Financial Components

12.1 The first bid envelope shall contain the following technical documents, including the eligibility documents:

- a) PhilGEPS Certificate of Registration (Platinum Membership) in accordance with Section 20 of the IRR;
- b) PCAB License and Registration, in case of Joint Venture (JV);
- c) Statement of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid;
- d) Statement of the Bidder's SLCC, in accordance with **ITB** Clause 5.5.

The SLCC shall be supported by an Owner's Certificate of Final Acceptance issued by the project owner other than the Contractor, or a final rating of at least satisfactory in the CPES, or a similar performance and monitoring system. In case of contracts with the private sector, an equivalent document shall be submitted;

- e) NFCC computation in accordance with **ITB** Clause 5.6;
- f) Joint Venture Agreement (JVA), if applicable;
- g) Bid Security in the prescribed form and amount in accordance with **ITB** Clause 16, and validity period under **ITB** Clause 15;
- h) Project Requirements, which shall include the following:
 - i) Organizational chart of the personnel to be deployed for the procurement project to be bid;
 - ii) List of Contractor's personnel (e.g., Project Manager, Project Engineers, Materials Engineers, and Foremen), to be assigned to the procurement project to be bid, with their complete qualifications and experience data. These personnel must meet the required minimum years of experience set in the **BDS**;
 - iii) List of Contractor's major equipment units which are owned, leased, or under purchase agreements, supported by proof of ownership or certification of availability of equipment from the equipment lessor or vendor for the duration of the project, as the

case may be, which must meet the minimum requirements for the contract set in the **BDS**; and

- iv) Omnibus Sworn Statement in accordance with Section 54.3 of the IRR.
- 12.2 The second bid envelope shall contain the Financial Bid Form, which includes the bid prices and the bill of quantities, in accordance with **ITB** Clauses 13.1.
- 12.3 Whenever necessary, modifications may be made to the foregoing provisions specifically for major and specialized procurement to suit the particular needs of the Procuring Entity, subject to the approval of the GPPB.
- 12.4 All bids that exceed the ABC shall not be accepted. Unless otherwise indicated in the **BDS**, for foreign-funded procurement, the ABC shall be applied as the ceiling to bid prices provided the following conditions are met:
- a) Bidding Documents are obtainable free of charge on a freely accessible website. If payment of Bidding Documents is required by the Procuring Entity, payment could be made upon the submission of bids.
 - b) The Procuring Entity has procedures in place to ensure that the ABC is based on recent estimates made by the engineer or the responsible unit of the Procuring Entity and that the estimates are based on adequate detailed engineering and reflect the quality, supervision and risk, and inflationary factors, as well as prevailing market prices, associated with the types of works or goods to be procured.
 - c) The Procuring Entity has trained cost estimators on estimating prices and analyzing bid variances. In the case of Infrastructure Projects, the Procuring Entity must also have trained quantity surveyors.
 - d) The Procuring Entity has established a system to monitor and report bid prices relative to ABC and engineer's or Procuring Entity's estimate.
 - e) The Procuring Entity has established a monitoring and evaluation system for contract implementation to provide feedback on actual total costs of goods and works.

However, the GoP and the foreign government, or foreign or international financing institutions may agree to waive the foregoing conditions.

13) Bid Prices

- 13.1 The contract shall be for the whole Works, as described in the Bidding Documents, based on the priced Bill of Quantities submitted by the Bidder.
- 13.2 The Bidder shall fill in rates and prices for all items of the Works described in the Bill of Quantities. In case partial bids are allowed in the ITB, bids not addressing or providing all of the required items in the Bidding Documents including, where applicable, the Bill of Quantities, shall be considered non-responsive and shall be automatically disqualified. In this regard, where a required item is provided, but no price is indicated, the same shall be considered as non-responsive, but specifying a zero (0) or a dash (-) for the

said item would mean that it is being offered for free to the Government, except those required by law or regulations to be provided for.

- 13.3 For the given scope of work in the contract as awarded, all bid prices shall be considered as fixed prices, and therefore not subject to price escalation during contract implementation, except under extraordinary circumstances as specified in GCC Clause 45.

14) Bid Currencies

- 14.1 All bid prices shall be quoted in Philippine Peso unless otherwise provided in the **BDS**. However, for purposes of bid evaluation, bids denominated in foreign currencies shall be converted to Philippine currency based on the exchange rate as published in the BSP Daily Reference Exchange Rate Bulletin on the day of the bid opening.⁴
- 14.2 If so, allowed in accordance with **ITB** Clause 14.1, the Procuring Entity, for purposes of bid evaluation and comparing the bid prices, will convert the currencies in which the bid price is expressed to Philippine Peso at the foreign exchange rates.
- 14.3 Unless otherwise specified in the **BDS**, payment of the contract price shall be made in Philippine Peso.

15) Bid Validity

- 15.1 Bids shall remain valid for the period specified in the **BDS** which shall not exceed one hundred twenty (120) calendar days from the date of the opening of bids.
- 15.2 Should it become necessary to extend the validity of the bids and the bid securities beyond one hundred twenty (120) calendar days, the Procuring Entity concerned shall request in writing all those who submitted bids for such extension before the expiration date therefor. Bidders, however, shall have the right to refuse to grant such extension without forfeiting their Bid Security.

16) Bid Security

- 16.1 The Bidder, at its option, shall submit a Bid Security in the form and amount as stated in the **BDS**, which may include the following:

Form of Bid Security	Amount of Bid Security (Not less than the required Percentage of the ABC)
(a) Cash or cashier's/manager's check issued by a bank. <i>For biddings conducted by LGUs, the Cashier's or Manager's check may be issued by other banks</i>	Two percent (2%)

⁴ RA No. 8183 or "An Act to Assure Uniform Value to Philippine Coin and Currency."

<i>certified by the BSP as authorized to issue such financial instrument.</i>	
(b) Bank draft/guarantee or irrevocable Letter of Credit issued by a bank; Provided, however, that it shall be confirmed or authenticated by a local bank, if issued by a foreign bank. <i>For biddings conducted by LGUs, the Bank Draft/ Guarantee, or irrevocable letter of credit may be issued by other banks certified by the BSP as authorized to issue such financial instrument.</i>	Five percent (5%)
(c) Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance on as authorized to issue such security.	Five percent (5%)
(d) Bid Securing Declaration	Not Applicable

The Bid Security shall be denominated in Philippine Peso and posted in favor of the Procuring Entity.

- 16.2 The Bid Security should be valid until **December 8, 2026**. Any bid not accompanied by an acceptable Bid Security shall be considered as non-responsive and rejected by the Procuring Entity.
- 16.3 In no case shall the Bid Security be returned later than the expiration of the bid validity period indicated in the Bidding Documents, unless it has been extended in accordance with Section 57.2 of the IRR. In case the bidder is required to extend its bid validity, the bidder may, at its discretion, substitute a Bid Securing Declaration for the extended period as a replacement of its Bid Security; Provided, that the option to substitute is indicated in the **BDS**.
- 16.4 Upon signing and execution of the contract, pursuant to **ITB** Clause 29, and the posting of the performance security pursuant to **ITB** Clause 30, the Bid Security of the successful Bidder's Bid Security will be discharged, but in no case later than its validity period as indicated in **ITB** Clause 15.
- 16.5 The Bid Security may be forfeited based on any of the following grounds, as provided under Rule VIII, X, XI, and XXI of the IRR:
- a) If a Bidder:
 - i) With the Lowest Calculated Responsive Bid (LCRB), Most Economically Advantageous Responsive Bid (MEARB), Most Advantageous Responsive Bid (MARB), Single Calculated and Responsive Bid (SCRB), Single Economically Advantageous Responsive Bid (SEARB), or Single Advantageous Responsive

Bid (SARB) withdraws, fails, refuses or is unable to: (i) submit the documents required under Section 66.5 of the IRR; (ii) enter into contract with the Procuring Entity; or (iii) post the required performance security within the period stipulated in the IRR and in accordance with **ITB** Clause 30;

- ii) Causes the delay, without justifiable cause, of the screening for eligibility, opening of bids, evaluation and post evaluation of Bids, and awarding of contracts;
- iii) Refuses to clarify or validate in writing its bid during post-qualification within a period of seven (7) calendar days from receipt of the request for clarification;
- iv) Withdraws a bid, or refuses to accept an award, or refuses or fails to enter into contract with the Procuring Entity without justifiable cause, after the approval of the HoPE for having been the declared LCRB or MEARB, as the case may be;
- v) Refuses or fails to furnish performance security within the prescribed time;
- vi) Commits of three (3) or more of any of the acts imposed with suspension, as provided under Section 99 of the IRR;
- vii) Uses force, fraudulent machinations, coercion, undue influence or pressure on any member of the BAC or any officer or employee of the Procuring Entity to take a particular action for its own favor or gain, or to the advantage of a particular bidder;
- viii) Colludes with one (1) or more bidders and submitting different bids as if they were bona fide, when they knew that one or more of them was so much higher than the other that it could not be honestly accepted and that the contract will surely be awarded to the pre-arranged lowest bid;
- ix) Maliciously submits different bids through two (2) or more persons, corporations, partnerships, or any other business entity in which it has interest, to create the appearance of competition that does not in fact exist so as to be declared as the winning bidder;
- x) Enters into an agreement with other bidder/s which call upon one to refrain from bidding for procurement contracts, or which call for withdrawal of bids already submitted, or which are otherwise intended to secure an undue advantage to any of the bidders;
- xi) Fails to faithfully disclose its relationship, regardless of the time of its discovery, with the HoPE, members of the BAC, the TWG, and the BAC Secretariat, the head of the PMO or the End-User or Implementing Unit, and the project consultants of the Procuring Entity, or of the procurement agent, whichever is applicable, by consanguinity or affinity up to the third civil degree pursuant to Section 81 of the IRR;

- xii) Submits beneficial ownership information containing false entries;
 - xiii) Allows the use of one's name or uses the name of another for purposes of public bidding;
 - xiv) Submits eligibility requirements and bids containing false information or falsified documents or the concealment of such information that will materially alter the outcome of eligibility screening or any stage of the procurement;
 - xv) Accesses the contents of any Bid submitted to the Procuring Entity before the opening of bids, without authorization;
 - xvi) Has any documented attempt to unduly influence the outcome of the bidding;
 - xv) Employs schemes which stifle or suppress any procurement activity; or
 - xvi) Commits a third offense imposed with blacklisting under the Act by the same Procuring Entity, or a combination of three (3) violations imposed with blacklisting by the Procuring Entity and other Procuring Entities, as posted on the GPPB portal;
- b) If a Winning Bidder:
- i) Conducts poor performance or unsatisfactory quality and/or progress of work. Poor performance shall be as follows:
 - i.i) Negative slippage of fifteen percent (15%) and above within the critical path of the project due entirely to the fault or negligence of the winning bidder; or
 - i.ii) Non-compliance of the materials and workmanship with the approved specifications arising from the fault or negligence of the winning bidder.
 - ii) In case it is determined prima facie that the winning bidder has engaged, before or during the implementation of the contract, in the following unlawful deeds and behaviors relative to contract acquisition and implementation:
 - ii.i) Corrupt, fraudulent, collusive and coercive practices;
 - ii.ii) Drawing up or using forged documents; or
 - ii.iii) Using adulterated materials, means or methods, or engaging in production contrary to rules of science or trade.
 - iii) Assigns or subcontracts the contract or any part thereof or substituting key personnel named in the proposal without prior written approval by the Procuring Entity;

- iv) Willfully or deliberately abandons or does not perform the project or contract by the winning bidder resulting in substantial breach thereof without lawful and/or just cause;
- v) Has its contract terminated due to its default or unlawful acts; or
- vi) Fails to comply with the provision on warranty that requires to repair any noted defect or damage to the Infrastructure Project due to the use of materials of inferior quality within ninety (90) calendar days from the issuance of the order by the HoPE to undertake such repairs.

17) Format and Signing of Bids

- 17.1 Bidders shall submit their bids through their duly authorized representative using the appropriate forms provided in Section IX. Philippine Bidding Documents Related Forms on or before the deadline specified in the **ITB** Clause 19 in two (2) separate sealed bid envelopes which shall be submitted simultaneously, whether through manual or online submission. The first shall contain the technical component of the bid, including the eligibility requirements under **ITB** Clause 12, and the second shall contain the financial component of the bid.
- 17.2 Forms as mentioned in **ITB** Clause 17.1 must be completed without any alterations to their format. No substitute form shall be accepted.
- 17.3 Each and every page of the Bid Form, including the Bill of Quantities, under Section IX hereof, shall be signed by the duly authorized representative/s of the Bidder. Failure to do so shall be a ground for the rejection of the bid.
- 17.4 Any insertions, erasures, or overwriting shall be valid only if they are signed or initialed by the duly authorized representative/s of the Bidder.

18) Sealing and Marking of Bids

- 18.1 Bidders shall enclose their technical documents described in **ITB** Clause 12 in one sealed envelope marked "TECHNICAL COMPONENT," and the financial component in another sealed envelope marked "FINANCIAL COMPONENT," sealing them all in an outer envelope marked "BID."
- 18.2 The Bid shall be typed or written in ink and shall be signed by the Bidder or its duly authorized representative/s.
- 18.3 All envelopes shall:
 - a) contain the name of the contract to be bid in capital letters;
 - b) bear the name and address of the Bidder in capital letters;
 - c) be addressed to the Procuring Entity's BAC in accordance with **ITB** Clause 18.1;
 - d) bear the specific identification of this bidding process indicated in the **ITB** Clause 1.1; and

- e) bear a warning “DO NOT OPEN BEFORE...” the date and time for the opening of bids, in accordance with **ITB** Clause 19.
- 18.4 For manually submitted bid envelopes that are not properly sealed and marked, as required in the Bidding Documents, the same shall be accepted; Provided, That the bidder or its duly authorized representative shall acknowledge such condition of the bid as submitted. On the other hand, unsealed or unmarked bid envelopes, or bids that cannot be opened or corrupted in case of online submission, shall be rejected.

The BAC shall assume no responsibility for misplaced or lost contents of the improperly sealed or marked bid, or for its premature opening.

D. Submission and Opening of Bids

19) Deadline for Submission of Bids

Bids must be received by the Procuring Entity’s BAC at the address indicated in the **Invitation to Bid**, on or before **9:00 am of April 6, 2026**.

20) Late Bids

Bids, including the eligibility requirements, submitted after the deadline shall be rejected by the BAC. The BAC shall record in the Minutes of the Meeting the submission and opening of bids, the Bidder’s name, its representative, and the time the late bid was submitted.

21) Modification and Withdrawal of Bids

21.1 Bidders may modify their bids before the deadline for the submission and receipt of bids.

- a) For manual submission and receipt of bids, the Bidders shall not be allowed to retrieve their original bid, but shall only be allowed to submit the bid modification by sending another bid, equally sealed, properly identified, linked to its original bid, and marked as a “modification,” thereof, and stamped “received” by the BAC. Bid modifications received after the applicable deadline shall not be considered and shall be returned to the bidder unopened.
- b) For online submission of bids, the Bidders shall not be allowed to retrieve their original Bid, but shall only be allowed to submit the bid modification, send another Bid equally secured, properly identified labelled as a “modification” of the one previously submitted. The time indicated in the latest bid receipt page generated shall be the official time of submission. Bids modification submitted after the applicable deadline shall not be accepted.

21.2 Bidders may withdraw their bids in writing before the deadline for submission and receipt of bids. Withdrawal of bids after the applicable deadline shall be subject to appropriate sanctions as prescribed in the IRR.

Bidders may also express their intention not to participate in the bidding in writing, which should be received by the BAC before the deadline for

submission and receipt of bids. Bidders that withdraw their bids shall no longer be allowed to submit another bid for the same contract, directly or indirectly.

- 21.3 No bid may be modified after the deadline for submission and receipt of bids. Further, no bid may be withdrawn in the interval between the deadline for submission and receipt of bids, and the expiration of bid validity specified by the Bidder in the Financial Bid Form. Withdrawal of bid during this interval shall result in the forfeiture of the Bidder's Bid Security pursuant to **ITB** Clause 16.5, and the imposition of administrative sanctions as prescribed by RA No. 12009 and without prejudice to the imposition of civil and criminal sanctions as provided under applicable laws.

Alternative Bids shall be rejected. For this purpose, Alternative Bid shall pertain to an offer made by a bidder in addition or as a substitute to its original bid, which may be included as part of its original bid or submitted separately. A bid with options shall likewise be considered an Alternative Bid regardless of whether said bid proposal is contained in a single envelope or submitted in two (2) or more separate bid envelopes.

Bidders shall submit offers that comply with the requirements of the Bidding Documents, including the basic technical design as indicated in the drawings and specifications. Unless there is a value engineering clause in the **BDS**, alternative bids shall not be accepted.

Each Bidder shall submit only one Bid, either individually or as a partner in a JV. A Bidder who submits or participates in more than one bid (other than as a subcontractor if a subcontractor is permitted to participate in more than one bid) will cause all the proposals with the Bidder's participation to be disqualified. This shall be without prejudice to any applicable criminal, civil and administrative penalties that may be imposed upon the persons and entities concerned.

22) Opening and Preliminary Examination of Bids

- 22.1 The BAC shall open the bids in public, immediately after the deadline for submission and receipt of bids, as specified in the **BDS**. In case the Bids cannot be opened as scheduled due to justifiable reasons, the BAC shall take custody of the submitted Bids and reschedule the opening of Bids on the next working day or at the soonest possible time, through the issuance of a Notice of Postponement to be posted on the PhilGEPS website and the website of the Procuring Entity concerned.
- 22.2 The manner of opening of the bids for Infrastructure Projects shall depend on the award criterion to be adopted, as follows:
- a) For LCRB and MEARB, the BAC shall open the technical and financial proposals on the same day; and
 - b) For MARB, only the technical proposals shall be opened while the financial proposals shall remain unopened and shall be kept securely by the BAC until the specified time of their opening as indicated in the **BDS**. Only the financial proposals of the bidders who have met the highest technical score for MAB shall be opened.

- 22.3 The Procuring Entity shall prepare the minutes of the proceedings of the bid opening that shall include, as a minimum: (a) names of Bidders, their bid price (per lot, if applicable, and/or including discount, if any), bid security, findings of preliminary examination, and whether there is a withdrawal or modification; and (b) attendance sheet. The BAC members shall sign the abstract of bids as read.
- 22.4 The Bidders or their duly authorized representatives may attend the opening of bids. The BAC shall ensure the integrity, security, and confidentiality of all submitted bids. The Abstract of bids, as read, and the minutes of the bid opening shall be made available to the public, upon written request and payment of a specified fee to recover the cost of materials.
- 22.5 To ensure transparency and accurate representation of the bid submission, the BAC Secretariat shall notify in writing all bidders whose bids it has received through mail at its PhilGEPS-registered physical address or official e-mail address. The said notice shall be issued within seven (7) calendar days from the date of the bid opening.

E. Evaluation and Comparison of Bids

23) Process to be Confidential

- 23.1 Members of the BAC, its staff and personnel, Secretariat, and TWG, as well as Observers, are prohibited from making or accepting any communication with any bidder regarding the evaluation of their bids until the issuance of the Notice of Award, unless otherwise allowed in the case of **ITB** Clause 24.
- 23.2 Any effort by a Bidder to influence the Procuring Entity in the Procuring Entity's decision in respect of bid evaluation, bid comparison or contract award will result in the rejection of the bid.

24) Clarification of Bids

To assist in the evaluation, comparison, and post-qualification of the bids, the Procuring Entity may ask in writing any Bidder for a clarification of its bid. All responses to requests for clarification shall be in writing. Any clarification submitted by a Bidder in respect to its bid that is not in response to the request of the Procuring Entity shall not be considered.

25) Detailed Evaluation and Comparison of Bids

- 25.1 The Procuring Entity's evaluation of bids shall be based on the bid price quoted in the Bid Form, which includes the Bill of Quantities.
- 25.2 The Procuring Entity will undertake the detailed evaluation and comparison of the bids which have passed the opening and preliminary examination of bids, pursuant to **ITB** Clause 22, to determine the Lowest Calculated Bid (LCB), Most Economically Advantageous Bid (MEAB), and Most Advantageous Bid (MAB).
- 25.3 The award criterion shall be determined as follows:
- a) For LCB:
- i) The detailed evaluation of the financial component of the bids, to establish the correct calculated prices of the bids; and

- ii) The ranking of the total bid prices as so calculated from the lowest to highest, where the bid with the lowest price shall be identified as the LCB.
- b) For MEAB, the BAC shall evaluate the quality and price proposals to determine the MEAB using the following steps:
- i) The quality proposal together with the price proposal shall be considered in the evaluation of bids. The quality proposals shall be evaluated first using the criteria in the **BDS**. The price proposals of the bids that meet the minimum quality score shall then be opened.
 - ii) The price and quality proposals shall be given corresponding weights with the price proposal given a minimum weight of fifteen percent (15%) up to a maximum of forty percent (40%). The weight of the quality criteria shall be adjusted accordingly such that their total weight in percent together with the weight given to the price proposal shall be equal to one hundred percent (100%).
 - iii) To further promote green public procurement, the sustainability of materials or structures with green specifications shall be given greater weight in the evaluation of bids. As approved by the BAC, the exact weights shall be indicated in the **BDS**. The BAC shall rank the bidders in descending order based on the combined numerical ratings of their quality and price proposals. The bidder with the best overall score using the quality-price ratio shall be referred to as the MEAB.
 - iv) The HoPE shall approve or disapprove the recommendations of the BAC within two (2) calendar days after receipt of the results of the evaluation from the BAC.

The quality component shall be assessed on the basis of criteria with corresponding numerical weights indicated in the **BDS**, which may include qualitative, environmental, or social aspects linked to the subject matter of the contract. These may include any or a combination of the following:

- a) Quality and technical merit, including technical competence and a credible track record;
- b) Aesthetic and functional design and characteristics;
- c) Approach and methodology;
- d) Accessibility;
- e) Tools and equipment;
- f) Social, environmental, economic, and innovative characteristics;
- g) Organization, qualification, and experience of employees or staff assigned to perform the contract;
- h) Ongoing contracts and work commitments; or

- i) Other relevant criteria in relation to the subject Infrastructure Projects to be procured.
- c) For MAB
 - i) The BAC shall evaluate the quality proposals to determine the MAB using the quality components. The quality components shall be assessed on the basis of the criteria with corresponding numerical weights indicated in the **BDS** to determine the bidder with the highest technical rating.
 - ii) The second bid envelope of the bidder obtaining the highest technical rating shall be opened. If the financial proposal is equal to or lower than the ABC, the bid shall be accepted and determined as the MAB; otherwise, the same shall be rejected and the bidder will be disqualified.
- 25.4 In order to eliminate bias in evaluating the quality proposals, it is recommended that the highest and lowest scores for each bidder for each criterion shall not be considered in determining the average scores of the bidders, except when the evaluation is conducted in a collegial manner.
- 25.5 The BAC shall immediately conduct a detailed evaluation of all bids using non-discretionary criteria in considering the following:
 - a) Completeness of the bid. Unless the **BDS** allows partial bids, bids not addressing or providing all of the required items in the BDS shall be considered non-responsive and, thus, automatically disqualified.

However, when no price or a zero (0) or a dash (-) is indicated in a required item in the bid form, the same shall be construed that it is being offered for free to the Government, except those required by law or regulations to be provided for; and
 - b) Arithmetical corrections. The BAC shall consider computational errors and omissions to enable proper comparison of all eligible bids. It may also consider bid correction if expressly allowed in the **BDS**. Any adjustment shall be calculated in monetary terms to determine the calculated prices.
- 25.6 Based on the detailed evaluation of bids, those that comply with the above-mentioned requirements shall be ranked in the ascending order of their total calculated bid prices, as evaluated and corrected for computational errors, discounts and other modifications, to identify the LCB, MEAB, or MAB. Total calculated bid prices, as evaluated and corrected for computational errors, discounts and other modifications, which exceed the ABC shall not be considered, unless otherwise indicated in the **BDS**.
- 25.7 The BAC shall evaluate all bids on an equal footing to ensure fair and competitive bid comparison. For this purpose, all bidders shall be required to include in their bids the cost of all taxes, such as, but not limited to, value-added tax (VAT), income tax, local taxes, and other fiscal levies and duties. Such bids, including said taxes, shall be the basis for the bid evaluation and comparison.
- 25.8 If so indicated pursuant to **ITB** Clause 1.1, bids may be submitted for individual lots, or for any combination thereof, provided that all bids and combinations of

bids shall be received by the same deadline and opened and evaluated simultaneously so as to determine the bid or combination of bids offering the lowest calculated cost to the Procuring Entity. Bid prices quoted shall correspond to all of the requirements specified for each lot. Bid Security as required by **ITB** Clause 16 shall be submitted for each contract (lot) separately. The basis for evaluation of lots is specified in **BDS** Clause 25.5 (a).

26) Post - Qualification

- 26.1 The BAC shall determine to its satisfaction whether the Bidder that is evaluated as having submitted the LCB, MEAB, or MAB, as the case may be, complies with and is responsive to all the requirements and conditions specified in **ITB** Clauses 5 and 12. The Bidder, within a non-extendible period of five (5) calendar days from receipt of notice from the BAC that it submitted the LCB, MEAB, or MAB, shall submit all the eligibility documents supporting its PhilGEPS Certificate of Registration (Platinum Membership), its latest income and business tax returns filed for the preceding quarter which should not be earlier than two (2) quarters from the date of submission and receipt of bid, and other appropriate licenses and permits required by law and stated in the **BDS**.
- 26.2 Failure to submit any of the post-qualification requirements on time, or a finding against the veracity thereof, shall disqualify the Bidder for award; Provided, That in the event that a finding against the veracity of any of the documents submitted is made, it shall cause the forfeiture of the Bid Security.
- 26.3 The determination shall be based upon an examination of the documentary evidence of the Bidder's qualifications submitted pursuant to **ITB** Clause 12, as well as other information as the Procuring Entity deems necessary and appropriate, using a non-discretionary "pass/fail" criterion, which shall be completed within a period of twelve (12) calendar days.
- 26.4 If the BAC determines that the bidder with the LCB, MEAB, or MAB passes all the criteria for post-qualification, it shall declare the said bid as the LCRB, MEARB, MARB, SCB, SEAB, or Single Advantageous Bid (SAB) and recommend to the HoPE the award of contract to the said bidder at its submitted bid price or its calculated bid price, whichever is lower or, in the case of quality-based evaluation procedure, submitted bid price or its negotiated price, whichever is lower.
- If, however, the BAC determines that the bidder with the LCB, MEAB, MAB, SCB, SEAB, or SAB fails to meet the post-qualification criteria, it shall immediately notify the Bidder in writing of its post-disqualification and the grounds for such determination.⁵
- 26.5 Immediately after the BAC has notified the first bidder of its post-disqualification, and notwithstanding any pending request for reconsideration thereof, the BAC shall initiate and complete the same post-qualification process on the bidder with the second LCB, MEAB, or MAB. If the second bidder passes the post-qualification and provided that the request for reconsideration of the first bidder has been denied, the second bidder shall be post-qualified as the bidder with the LCB, MEAB, or MAB.

⁵ Sec 63.5 of the IRR.

- 26.6 If the second bidder, however, fails the post-qualification, the procedure for post-qualification shall be repeated for the bidder with the next LCB, MEAB, or MAB and so on, until the LCRB, MEARB, or MARB, as the case may be, is determined for award, subject to the procedure of Notice and Execution of Award.
- 26.7 Within a period not exceeding ten (10) calendar days from the determination by the BAC of the LCRB, MEARB, MARB, SCRB, SEARB, or SARB and the recommendation to award the contract, the HoPE or its duly authorized representative shall approve or disapprove the said recommendation.
- 26.8 In case of approval, the HoPE or its duly authorized representative shall immediately issue the Notice of Award to the bidder with the LCRB, MEARB, MARB, SCRB, SEARB, or SARB, as the case may be.

In the event that the approving authority shall disapprove the resolution on the award of the contract, such disapproval shall be based only on valid, reasonable, and justifiable grounds as enumerated under Section 70 of the IRR to be expressed in writing. A copy of the decision disapproving the resolution shall be furnished to the BAC and the bidder.

27) Reservation Clause

- 27.1 Notwithstanding the eligibility or post-qualification of a bidder and without incurring any liability, the HoPE or its duly authorized representative at any stage of the procurement, reserves the right to review its qualifications, reject any and all bids, declare a failure of bidding or not award the contract in the following situations:

- a) If it has reasonable grounds to believe that a misrepresentation has been made by the said bidder; or
- b) If it has reasonable grounds to believe that there has been a change in the bidder's capability to undertake the project from the time it submitted its eligibility requirements.

Should such review uncover any misrepresentation made in the eligibility and bidding requirements, statements or documents, or any changes in the situation of the Bidder which will adversely affect its capability to undertake the Project so that it no longer meets the prescribed eligibility or bid evaluation criteria, the Procuring Entity shall consider the said Bidder as ineligible and disqualify it from participating further in the bidding process or being awarded the contract.

- 27.2 Based on the following grounds, the HoPE or its duly authorized representative reserves the right to reject any and all Bids, declare a Failure of Bidding at any time prior to the contract award, or not to award the contract, without thereby incurring any liability, and make no assurance that a contract shall be entered into as a result of the bidding:
- a) If there is *prima facie* evidence of collusion between appropriate public officers or employees of the Procuring Entity, or between the BAC and any of the bidders, or if the collusion is between or among the bidders themselves, or between a bidder and a third party, including any act which restricts, suppresses or nullifies or tends to restrict, suppress or

nullify competition or influences or tends to influence the bidding process;

- b) If the BAC is found to have failed in complying with the applicable law or in following the prescribed bidding procedures; or
- c) If there are any justifiable and reasonable ground where the award of the contract will not redound to the benefit of the government, in instances where (i) the physical and economic conditions have significantly changed so as to render the project no longer economically, financially or technically feasible as determined by the HoPE; (ii) the Project is no longer necessary as determined by the HoPE; and (iii) the source of funds for the Project has been withheld or reduced through no fault of the Procuring Entity.

F. Award of Contract

28) Contract Award

- 28.1 Subject to **ITB** Clause 26, the HoPE or its duly authorized representative shall award the contract to the Bidder whose bid has been determined to be the LCRB, MEARB, MARB, SCRB, SEARB, or SARB, as the case may be.
- 28.2 Prior to the expiration of the period of bid validity, the Procuring Entity shall notify the winning Bidder in writing that its bid has been accepted, through a Notice of Award duly received by the Bidder or its representative personally or by registered mail or electronically, receipt of which must be confirmed in writing within two (2) days by the Bidder with the LCRB, MEARB, MARB, SCRB, SEARB, or SARB, as applicable, and submitted personally or sent by registered mail or electronically to the Procuring Entity.
- 28.3 Within ten (10) calendar days from receipt by the winning bidder of the Notice of Award, the following conditions should be complied with before the contract may be awarded:
 - a) Submission of the following documents:
 - i) Valid JVA, if applicable;
 - ii) The SEC Certificate of Registration of the foreign corporation, if applicable; or
 - iii) Valid PCAB license and registration for the type and cost of the Project for foreign bidders when the Treaty or International or Executive Agreement expressly allows submission of such license and registration as a pre-condition to the Notice of Award.
 - b) Posting of the performance security in accordance with **ITB** Clause 30; and
 - c) Signing of the contract as provided in **ITB** Clause 29.

29) Signing of the Contract

- 29.1 Within ten (10) calendar days from receipt of the Notice of Award, the winning Bidder shall post the required performance security, sign and date the contract, and return it to the Procuring Entity.
- 29.2 The Procuring Entity shall enter into a contract with the successful Bidder within the same ten (10) calendar day period provided that all the documentary requirements are complied with.
- 29.3 The following documents shall form part of the contract:
- a) Contract Agreement;
 - b) Bidding Documents;
 - c) Winning Bidder's bid, including the technical and financial proposals, and all other documents/statements submitted (e.g., Bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;
 - d) Performance Security;
 - e) Notice of Award of Contract; and
 - f) Other contract documents that may be required by existing laws and/or specified in the **BDS**.

30) Performance Security

- 30.1 To guarantee the faithful performance by the winning bidder of its obligations under the contract, it shall post a performance security prior to the signing of the contract. Furthermore, the successful bidder shall be required to update the performance security posted before to the issuance of a variation order, if any.
- 30.2 Sectors enumerated under Section 76.1⁶ of the IRR may be allowed to post Performance Securing Declaration (PSD) as specified in the **BDS**.

⁶ Section 76.1. *The GPPB, once data is available from relevant agencies, shall maintain a registry of entities belonging to the following sectors:*

a) Farmers as certified by the Department of Agriculture (DA);
b) Fisherfolk as certified by the Bureau of Fisheries and Aquatic Resources (BFAR);
c) Persons with disabilities as certified by the National Council for Disability Affairs (NCDA) pursuant to RA No. 7277, otherwise known as the Magna Carta for Disabled Persons, as amended;
d) Solo parents as certified by the Department of Social Welfare and Development (DSWD); e) Microenterprises and social enterprises as certified by the MSME Council;
f) Startups, spin-offs, and other forms of entity involved in science, technology, and innovation activities as certified by the DTI, DICT, NIC or the Department of Science and Technology (DOST), as may be applicable;
g) Cooperatives duly registered with the CDA pursuant to RA No. 6938, otherwise known as the Cooperative Code of the Philippines, as amended; and
h) Other relevant sectors as may be determined by the GPPB to ensure inclusivity and diversity in the procurement process.

- 30.3 The performance security shall be in a form selected by the Procuring Entity in the amount indicated in the **BDS**, which shall not be less than the percentage of the total contract price in accordance with the following price schedule:

Form of Performance Security	Amount of Performance Security (Not less than the Percentage of the Total Contract Price)
a) Cash or Cashier's or Manager's check issued by a bank. <i>For biddings conducted by LGUs, the cashier's or manager's check may be issued by other banks certified by the BSP as authorized to issue such financial instrument.</i>	Ten percent (10%)
b) Bank draft or guarantee or irrevocable Letter of Credit issued by a local bank. If issued by a foreign bank, it shall be confirmed or authenticated by a local bank.	
c) Surety bond callable upon demand issued by a surety or insurance company duly certified by the IC as authorized to issue such security.	Thirty Percent (30%)

- 30.4 The performance security shall be denominated in Philippine Peso and posted in favor of the Procuring Entity, which shall be forfeited in the event it is established that the winning bidder is in default in any of its obligations under the contract.

31) Notice to Proceed

The Procuring Entity shall issue the Notice to Proceed to the winning Bidder not later than three (3) calendar days from the date of approval of the contract by the appropriate signatories. All notices called for by the terms of the contract shall be effective only at the time of receipt thereof by the successful Bidder.

32) Protest Mechanism

Decisions of the BAC in all stages of procurement may be protested to the HoPE in accordance with Section 83 of the IRR.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet

This Section is intended to assist the Procuring Entity in providing specific information relative to corresponding clauses in the ITB included in Section II. Instructions to Bidders, and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS the information and requirements relevant to the circumstances of the Procuring Entity, including procurement processing details; the applicable rules regarding bid price and currency; and the bid evaluation criteria that will apply to the bids. In preparing Section III, the following aspects should be checked:

- a) Information that specifies and complements provisions of Section II. Instructions to Bidders must be incorporated; and
- b) Amendments and/or supplements, if any, to provisions of Section II. Instructions to Bidders as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITB Clause	
1.1	The Procuring Entity is UNIVERSITY OF RIZAL SYSTEM The Project title is Completion of One Stop Student Services Center at URS Morong The identification number of the Contract is URS-26-13-052.
2	The Funding Source is: 2.1 The GOP through the fund 052 of 2026 in the amount of Eighteen Million Pesos and 00/100 Only. (₱18,000,000.00). 2.2 The source of funding is: a. NGA, the General Appropriations Act or Special Appropriations.
3.1	No further instructions.
5.2	Bidding is restricted to eligible bidders as defined in ITB Clause 5.2.
5.4	Contracts similar to the Project shall be those described as follows: A contract shall be considered similar to the procurement project if it involves the construction of a building or facility with substantially the same major categories of work, such as <i>structural works</i> (reinforced concrete), <i>architectural finishes</i>, <i>electrical works</i>, and <i>mechanical/sanitary plumbing works</i>, comparable in nature and complexity to the Completion of One Stop Student Services Center at URS Morong. The determination of similarity shall be guided by the principles of proportionality and Fit-for-Purpose, and the contract need not be identical in size or exact design, provided that the required technical capability is demonstrated.
7	No further instructions.
8.1	“Subcontracting is not allowed.”
9.1	The Procuring Entity will hold a pre-bid conference for this Project on July 29, 2026, 9:30 AM at 2F BAC Conference Room, URS Morong Campus, Morong Rizal and/or through video-conferencing, webcasting, or similar technology, or a combination thereof via Google Meet Conference.
10.1	The Procuring Entity’s address is: <i>BAC Secretariat</i> <i>URS Morong Campus, J. Sumulong St., Brgy San Juan, Morong, Rizal</i> <i>Tel. No. (02)8539-9950 to 9956 loc 125</i> <i>Email: bacsecretariat@urs.edu.ph</i>

12.1(h)(ii)	The minimum work experience requirements for key personnel are the following: <table><tr><th><u>Key Personnel</u></th><th><u>General Experience</u></th><th><u>Relevant Experience</u></th></tr><tr><td>1. Project-In-Charge</td><td>At least five (5) years</td><td>At least five (5) years</td></tr><tr><td>2. Registered Electrical Engineer</td><td>At least five (5) years</td><td>Not required</td></tr><tr><td>3. Registered Mechanical Engineer</td><td>At least five (5) years</td><td>Not required</td></tr><tr><td>4. Registered Master Plumber or Sanitary Engineer</td><td>At least five (5) years</td><td>Not required</td></tr><tr><td>5. Electrical Foreman</td><td>At least five (5) years</td><td>Not required</td></tr><tr><td>6. General Foreman</td><td>At least five (5) years</td><td>At least one (1) year</td></tr><tr><td>7. Draftsman</td><td>At least five (5) years</td><td>Not required</td></tr><tr><td>8. Materials Engineer 1</td><td>At least five (5) years</td><td>Not required</td></tr><tr><td>9. Safety Officer (SO2)</td><td>At least three (3) years</td><td>Not required</td></tr></table> Note: • General Experience – shall refer to the accumulated years of experience in the field of building construction. • Relevant Experience – shall refer to the accumulated years of experience in projects of similar nature, involving repair, maintenance, renovation, or rehabilitation of building/s. • For licensed professionals, such experience shall be counted from the date of issuance of their professional license, for skilled workers and key personnel with certificates, from the date of issuance of the relevant certificate	<u>Key Personnel</u>	<u>General Experience</u>	<u>Relevant Experience</u>	1. Project-In-Charge	At least five (5) years	At least five (5) years	2. Registered Electrical Engineer	At least five (5) years	Not required	3. Registered Mechanical Engineer	At least five (5) years	Not required	4. Registered Master Plumber or Sanitary Engineer	At least five (5) years	Not required	5. Electrical Foreman	At least five (5) years	Not required	6. General Foreman	At least five (5) years	At least one (1) year	7. Draftsman	At least five (5) years	Not required	8. Materials Engineer 1	At least five (5) years	Not required	9. Safety Officer (SO2)	At least three (3) years	Not required
<u>Key Personnel</u>	<u>General Experience</u>	<u>Relevant Experience</u>																													
1. Project-In-Charge	At least five (5) years	At least five (5) years																													
2. Registered Electrical Engineer	At least five (5) years	Not required																													
3. Registered Mechanical Engineer	At least five (5) years	Not required																													
4. Registered Master Plumber or Sanitary Engineer	At least five (5) years	Not required																													
5. Electrical Foreman	At least five (5) years	Not required																													
6. General Foreman	At least five (5) years	At least one (1) year																													
7. Draftsman	At least five (5) years	Not required																													
8. Materials Engineer 1	At least five (5) years	Not required																													
9. Safety Officer (SO2)	At least three (3) years	Not required																													
12.1(h)(iii)	The minimum major equipment requirements are the following: <table><tr><th><u>Equipment</u></th><th><u>Capacity</u></th><th><u>Number of Units</u></th></tr></table>	<u>Equipment</u>	<u>Capacity</u>	<u>Number of Units</u>																											
<u>Equipment</u>	<u>Capacity</u>	<u>Number of Units</u>																													

	1. Rebar cutter	-	At least 1 unit
	2. Insulation resistance tester	1000 volts	At least 1 unit
	3. Multi tester with clamp meter	1000 volts	At least 1 unit
	4. Continuity tester/Test lamp	-	At least 1 unit
	5. Scaffolding systems	-	varies
	6. Tile cutter and grinder	-	At least 1 unit
	7. Welding machine	-	At least 1 unit
	8. Hand drill	-	At least 1 unit
	9. Other equipment as may be identified by the bidder	-	1 Lot
12.4	The ABC is Eighteen Million pesos (₱18,000,000.00). Any bid with a financial component exceeding this amount shall not be accepted.		
14.1	The bid prices shall be quoted in Philippine Peso.		
14.3	Payment shall be made in Philippine Peso.		
15.1	Bids will be valid for one hundred twenty (120) <i>calendar days</i> from bid opening.		
16.1	The Bid Security shall be in the form of a Bid Securing Declaration, or choose from any of the following: 1. The amount of not less than _____ ₱360,000.00, if bid security is in cash, and 2. The amount of not less than _____ ₱900,000.00, if Surety Bond.		
16.2	The Bid Security shall be valid until December 8, 2026 .		

16.3	<i>In case of extension of bid validity and bid security validity period,</i> Substitution of the bid security form is allowed. Bid Securing Declaration and the following forms may be used: a) Cash or Cashier's or Manager's Check issued by a Bank. b) Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security. "
19	The address for submission of bids is <i>BAC Secretariat Office, URS Morong Campus, Morong Rizal</i> The deadline for submission of bids is 9:00 AM, August 10, 2026.
21.5	"No further instructions."
22.1	The date and time of bid opening is 9:30 AM, August 10, 2026. The place of bid opening is 2F BAC Conference Room, URS Morong Campus, Morong Rizal.
22.2(b)	"Not Applicable"
25.3 (b)(i)	"Not Applicable" <i>The contract shall be awarded to the Lowest Calculated and Responsive Bid(LCRB). The bid evaluation and award process shall be conducted using the Lowest Calculated Bid (LCB) methodology, wherein the bid with the lowest calculated price shall undergo post-qualification to determine its responsiveness. The bidder whose bid is determined as the LCRB after post qualification shall be recommended for award of contract.</i>
25.3 (b)(iii)	"Not applicable"
25.3(b)	"Not applicable"
25.3 (c)(i)	"Not applicable"
25.5 (a)	Partial bid is not allowed. The infrastructure project is packaged in a single lot and the lot shall not be divided into sub-lots for the purpose of bidding, evaluation, and contract award.
25.5 (b)	Bid correction shall be allowed.
25.6	No further instructions.

26.1	<i>"None." Permits shall be secured by the Contractor after Notice of Award and prior to construction.</i>
29.3(f)	"The following documents shall be submitted by the winning bidder after issuance of Notice of Award and prior to start of construction." a. Approved Construction Schedule and corresponding S-Curve; b. Program Evaluation Review Technique (PERT), Critical Path Method (CPM), or other acceptable project scheduling tools; c. Manpower Schedule; d. Equipment Utilization Schedule; e. Detailed Construction Methodology / Method Statements; f. Construction Safety and Health Program (CSHP); g. Quality Control Program and/or Inspection and Test Plan (ITP); h. Environmental Management Plan, if applicable; i. Traffic Management Plan, if applicable; and j. Other documents that may be required by existing laws, rules and regulations, and/or Procuring Entity
30.2	Posting Performance Securing Declaration in lieu of performance security may be allowed in this Project.
30.3	The Performance Security shall be in the form: 1) The amount of not less than _____ P5,400,000.00, if performance security is Surety Bond.

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The GCC in Section IV, read in conjunction with the SCC in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

The GCC herein shall not be altered. Any changes and complementary information which may be needed shall be introduced only through the SCC in Section V.

TABLE OF CONTENTS

1. General Terms	52
2. Interpretation	52
3. Governing Language and Law	53
4. Communications	53
5. Possession of Site	53
6. The Contractor's Obligations	54
7. Subcontracting	54
8. Advance Payment	56
9. Progress Payments	56
10. Payment Documents	57
11. Retention	58
12. Performance Security	58
13. Detailed Engineering and Site Investigation Reports	59
14. Licenses and Permits	60
15. Contractor's Risk and Warranty Security	60
16. Procuring Entity's Risk	63
17. Insurance	63
18. Liquidated Damages	64
19. Settlement of Disputes	65
20. Liability of the Contractor	65
21. Termination for Breach of Contract	65
22. Termination Due to Force Majeure	66
23. Termination by Contractor	67
24. Termination for Convenience	67
25. Termination for Unlawful Acts	68
26. Termination for Other Causes	68
27. Procedures for Termination of Contracts	69
28. Approval of Drawings and Temporary Works by the Procuring Entity	70
29. Acceleration and Delays Ordered by the Procuring Entity	71
30. Contractor's Right to Claim	71
31. Dayworks	71
32. Early Warning	71

33. Program of Work	71
34. Management Conferences.....	72
35. Bill of Quantities.....	72
36. Instructions, Inspections and Audits.....	73
37. Identifying Defects	73
38. Correction of Defects.....	73
39. Uncorrected Defects	73
40. Variation Orders	74
41. Contract Completion.....	75
42. Suspension of Work.....	76
43. Payment on Termination	76
44. Extension of Contract Time.....	77
45. Price Escalation	78
46. Completion	78
47. Taking Over	78
48. Operating and Maintenance Manuals	78

1) General Terms

In this Contract, the following terms shall be interpreted as indicated:

- 1.1 The **Intended Completion Date** refers to the date specified in the **SCC** when the Contractor is expected to have completed the Works. The intended Completion Date may be revised only by the Procuring Entity by issuing an extension of time or an acceleration order.
- 1.2 The **Procuring Entity** is the party who employs the Contractor to carry out the Works stated in the **SCC**.
- 1.3 The **Site** is the place provided by the Procuring Entity where the Works shall be executed and any other place or places which may be designated in the **SCC**, or notified to the Contractor by the Procuring Entity as forming part of the Site.
- 1.4 The **Start Date**, as specified in the **SCC**, is the date when the Contractor is obliged to commence execution of the Works. It does not necessarily coincide with any of the Site Possession Dates.
- 1.5 **Work(s)** refer to the Permanent Works and Temporary Works to be executed by the Contractor in accordance with this Contract, including (i) the furnishing of all labor, materials, equipment and others incidental, necessary or convenient to the complete execution of the Works; (ii) the passing of any tests before acceptance by the Procuring Entity; (iii) and the carrying out of all duties and obligations of the Contractor imposed by this Contract as described in the **SCC**. In line with this, Temporary Works are works designed, constructed, and installed by the Contractor that are needed for construction or installation of the Permanent Works, which are subsequently removed.

2) Interpretation

- 2.1 In interpreting the Conditions of Contract, singular also means plural, male also means female or neuter, and the other way around. Headings have no significance. Words have their normal meaning under the language of this Contract unless specifically defined. The Procuring Entity will provide instructions clarifying queries about the Conditions of Contract.
- 2.2 If sectional completion is specified in the **SCC**, references in the Conditions of Contract to the Works, the Completion Date, and the Intended Completion Date apply to any Section of the Works (other than references to the Completion Date and Intended Completion Date for the whole of the Works).
- 2.3 The documents forming this Contract shall be interpreted in the following order of priority:
 - a) Contract Agreement;
 - b) Bid Data Sheet;
 - c) Instructions to Bidders;
 - d) Addenda to the Bidding Documents;

- e) Special Conditions of Contract;
- f) General Conditions of Contract;
- g) Specifications;
- h) Bill of Quantities; and
- i) Drawings.

3) **Governing Language and Law**

- 3.1 This Contract shall be interpreted in accordance with the laws of the Republic of the Philippines.
- 3.2 This Contract has been executed in the English language, which shall be the binding and controlling language for all matters relating to the meaning or interpretation of this Contract. All correspondence and other documents pertaining to this Contract which are exchanged by the parties shall be written in English.

4) **Communications**

Communications between parties that are referred to in the Conditions shall be effective only if made in writing. A notice shall be effective only when it is received by the concerned party.

5) **Possession of Site**

- 5.1 On the date specified in the **SCC**, the Procuring Entity shall grant the Contractor possession of so much of the Site as may be required to enable it to proceed with the execution of the Works. If the Contractor suffers delay or incurs cost from failure on the part of the Procuring Entity to give possession in accordance with the terms of this clause, the Procuring Entity shall give the Contractor a Contract Time Extension and certify such sum as fair to cover the cost incurred, which sum shall be paid by Procuring Entity.
- 5.2 If possession of a portion is not given by the date stated in the **SCC** Clause 1.3, the Procuring Entity will be deemed to have delayed the start of the relevant activities. The resulting adjustments in contract time to address such delay shall be in accordance with **GCC** Clause 44.
- 5.3 The Contractor shall bear all costs and charges for special or temporary right-of-way required by it in connection with access to the Site. The Contractor shall also provide at its own cost any additional facilities outside the Site required by it for purposes of the Works.
- 5.4 The Contractor shall allow the Procuring Entity and any person authorized by the Procuring Entity access to the Site and to any place where work in connection with this Contract is being carried out or is intended to be carried out.

6) The Contractor's Obligations

- 6.1 The Contractor shall carry out the Works properly and in accordance with this Contract. The Contractor shall provide all supervision, labor, Materials, Plant and Contractor's Equipment, which may be required. All Materials and Plant on Site shall be deemed to be the property of the Procuring Entity.
- 6.2 The Contractor shall commence execution of the Works on the Start Date and shall carry out the Works in accordance with the Program of Work submitted by the Contractor, as updated with the approval of the Procuring Entity, and complete them by the Intended Completion Date.
- 6.3 The Contractor shall be responsible for the safety of all activities on the Site.
- 6.4 The Contractor shall carry out all instructions of the Procuring Entity that comply with the applicable laws where the Site is located.
- 6.5 The Contractor shall employ the key personnel named in the Schedule of Key Personnel, as referred to in the **SCC**, to carry out the supervision of the Works. The Procuring Entity will approve any proposed replacement of key personnel only if their relevant qualifications and abilities are equal to or better than those of the personnel listed in the Schedule.
- 6.6 If the Procuring Entity asks the Contractor to remove a member of the Contractor's staff or work force, for justifiable cause, the Contractor shall ensure that the person leaves the Site within seven (7) days and has no further connection with the Work in this Contract.
- 6.7 During Contract implementation, the Contractor and its subcontractors shall abide at all times by all labor laws, including child labor related enactments, and other relevant rules.
- 6.8 The Contractor shall submit to the Procuring Entity for consent the name and particulars of the person authorized to receive instructions on behalf of the Contractor.
- 6.9 The Contractor shall cooperate and share the Site with other contractors, public authorities, utilities, and the Procuring Entity between the dates given in the schedule of other contractors particularly when they shall require access to the Site. The Contractor shall also provide facilities and services for them during this period. The Procuring Entity may modify the schedule of other contractors, and shall notify the Contractor of any such modification thereto.
- 6.10 Should anything of historical or other interest or of significant value be unexpectedly discovered on the Site, it shall be the property of the Procuring Entity. The Contractor shall notify the Procuring Entity of such discoveries and carry out the Procuring Entity's instructions in dealing with them.

7) Subcontracting

- 7.1 Unless otherwise indicated in the **SCC**, the Contractor shall not subcontract portions of the Works beyond the percentage specified in **BDS** Clause 8.1. If subcontracting is allowed, the arrangement, including the timing for submission of the subcontractor's eligibility documents, shall be disclosed.

7.2 For subcontracting arrangements, the following rules shall apply for both locally-funded projects and to projects financed through Official Development Assistance, except those covered by treaty, or international, or executive agreements:

- a) The subcontracted portion of the contract shall be subject to the approval of the HoPE and the following conditions:
 - i) The subcontracted portion shall not exceed fifty percent (50%), or a different percentage on a per project basis as approved by the GPPB. The threshold percentages fixed herein shall be subject to the periodic review and adjustments as may be deemed appropriate by the GPPB; and
 - ii) The subcontracted portion shall be limited to components that are not deemed "significant or material" to the project as determined by the Procuring Entity.
- b) Subcontracting arrangement, if allowed, including the time of submission of the eligibility documents of the subcontractor, shall be disclosed in the Bidding Documents;
- c) Subcontractors must meet the eligibility criteria and shall submit the same eligibility documents as the general contractor.

Failure of a subcontractor to meet the eligibility criteria does not affect the eligibility of the general contractor for the procurement project. In such case, the portion intended to be subcontracted to the ineligible subcontractor shall be assumed by the general contractor;
- d) The general contractor shall remain liable for the subcontractor's actions, defaults, delays, and negligence;
- e) The general contractor and the subcontractor are obliged to comply with the provisions of the contract and shall share liability, jointly and severally, in cases of violation of safety standards or other labor standards insofar as the subcontracted portion is concerned; and
- f) For purposes of post-qualification in accordance with its objective and process under the IRR, the value of the entire completed and accepted Project, including the subcontracted portion, shall be credited as experience of the general contractor. In the case of the subcontractor, the following rules shall apply:
 - i) The subcontractor shall get credit for one hundred percent (100%) of the value of the subcontracted portion of the project performed;
 - ii) Subcontractors shall be eligible to concessional windows of GFIs that treat receivables from the government as loan security; the receivables of subcontractors due from their general contractor shall similarly be accepted as loan security by GFIs; and

- iii) Contract performance monitoring, such as the use of CPES, among others, shall also be mandatorily applied to the work experience of the subcontractors.

8) Advance Payment

- 8.1 The Procuring Entity shall make an advance payment on the Contract Price to the Contractor in an amount not exceeding fifteen percent (15%) of the total contract price to be made in lump sum or, at the most, two installments according to a schedule specified in the **SCC**.
- 8.2 The advance payment shall be made only upon:
 - i) Written request of the contractor which shall form part of the contract document; and
 - ii) Submission of an irrevocable standby Letter of Credit of equivalent value from a bank as confirmed by the Procuring Entity; a bank guarantee; or a surety bond callable upon demand issued by a duly licensed surety or insurance company, at the option of the Procuring Entity.
- 8.3 The advance payment shall be recovered from the Contractor through deductions in amounts equivalent to the percentage of the total contract price that corresponds to the value of the advance payment granted.
- 8.4 Once a month, Contractors may submit documents, such as Monthly Certificates,⁷ to show the progress or partial completion of a project. The Contractor may reduce its standby letter of credit or guarantee instrument by the amounts refunded by the Monthly Certificates, or any equivalent document subject to auditing and accounting rules, in the advance payment.

9) Progress Payments

- 9.1 Once a month, the Contractor may submit a statement of work accomplished (SWA) or progress billing and corresponding request for progress payment for work accomplished. The SWA should show the amounts which the Contractor considers itself to be entitled to up to the end of the month, to cover (i) the cumulative value of the Works it executed to date, based on the items in the Bill of Quantities, and (ii) adjustments made for approved Variation Orders executed. Alternatively, the Procuring Entity may require in the Bidding Documents that the SWA or progress billing and the corresponding request for progress payment may only be submitted upon actual completion of the Infrastructure Project or a specific portion, segment, milestone or phase thereof.

The Procuring Entity or Project Engineer shall check the Contractor's SWA and certify the amount to be paid to the Contractor as progress payment. Materials and equipment delivered onsite but not yet incorporated in the Works shall not be included for payment, except as otherwise stipulated in the **SCC**.

⁷ Commission on Audit (COA) Circular 2012-001.

- 9.2 The Procuring Entity shall deduct the following from the certified gross amounts to be paid to the Contractor as progress payment:
- a) Cumulative value of the work previously certified and paid for.
 - b) Portion of the advance payment to be recouped.
 - c) Retention money in accordance with the conditions of the contract.
 - d) Amount to cover third-party liabilities.
 - e) Amount to cover uncorrected discovered defects in the Works.
- 9.3 Payments shall be adjusted by deducting therefrom the amounts for advance payments and retention. The Procuring Entity shall pay the Contractor the amounts certified by the Procuring Entity within twenty-eight (28) days from the date each certificate was issued. No payment of interest for delayed payments and adjustments shall be made by the Procuring Entity.
- 9.4 The first progress payment may be paid by the Procuring Entity to the Contractor, as indicated in the **SCC**; Provided, That at least a percentage of the Works has been accomplished as certified by the Procuring Entity and as indicated in the **SCC**.
- 9.5 Items of the Works for which a price of "0" (zero) has been entered will not be paid for by the Procuring Entity and shall be deemed covered by other rates and prices in the Contract.

10) Payment Documents

- 10.1 Subject to existing accounting and auditing rules and regulations,⁸ the Contractor shall submit to the Procuring Entity monthly statements of the estimated value of the work executed less the cumulative amount certified previously.
- 10.2 The Procuring Entity shall check the Contractor's monthly statement and certify the amount to be paid to the Contractor.
- 10.3 The value of Work executed shall:
- a) be determined by the Procuring Entity;
 - b) comprise the value of the quantities of the items in the Bill of Quantities completed; and
 - c) include the valuations of approved variations.
- 10.4 The Procuring Entity may exclude any item certified in a previous certificate or reduce the proportion of any item previously certified in any certificate in the light of later information.

⁸ COA Circular No. 2012-001.

11) Retention

- 11.1 The Procuring Entity shall retain from each payment due to the Contractor an amount equal to a percentage thereof using the rate as specified in GCC Clause 11.2. The said amount will serve to guarantee indemnity for uncorrected discovered defects and third-party liabilities arising from this Contract. This retention money shall be utilized if the contractor fails to repair the discovered defects. Should the retention money be insufficient, the PE may forfeit the performance security, which may ultimately lead to the termination of the contract.⁹
- 11.2 Progress payments are subject to retention of ten percent (10%) referred to as the retention money. Such retention shall be based on the total amount due to the Contractor prior to any deduction and shall be retained from every progress payment until fifty percent (50%) of the value of the Works, as determined by the Procuring Entity, are completed.
- If, after fifty percent (50%) completion, the work is satisfactorily done and on schedule, no additional retention shall be made; otherwise, the ten percent (10%) retention shall be imposed, which may be decreased to 5 percent (5%) by the Procuring Entity based on justifiable causes.¹⁰
- 11.3 The total retention money shall be due for release upon final acceptance of the Works. The Contractor may, however, request the substitution of the retention money for each progress billing with irrevocable standby Letters of Credit from a bank, bank guarantees or surety bonds callable on demand, of amounts equivalent to the retention money substituted for and acceptable to Government; Provided, That the project is on schedule and is satisfactorily undertaken. Otherwise, the ten (10%) percent retention shall be made. Said irrevocable standby letters of credit, bank guarantees and/or surety bonds, to be posted in favor of the Government shall be valid for a duration to be determined by the concerned implementing office/agency or Procuring Entity and will answer for the purpose for which the ten (10%) percent retention is intended, *i.e.*, to cover uncorrected discovered defects and third party liabilities.
- 11.4 On completion of the whole Works, the Contractor may substitute retention money with an “on demand” Bank guarantee in a form acceptable to the Procuring Entity.

12) Performance Security

- 12.1 Within ten (10) calendar days from receipt of the Notice of Award from the Procuring Entity, but in no case later than the signing of the contract by both parties, the winning Contractor shall furnish the performance security in any of the forms prescribed in **ITB** Clause 30 in relation to **BDS** Clause 30.2 and 30.3.

⁹ Supreme Court rulings (e.g. New Bian Yek Commercial, Inc. vs. Office of the Ombudsman, et. al., GR No. 169338[2009], and Tondo Medical Center vs. Rante, G.R. No. 230645 [2019] have affirmed this purpose, stating that retention money is a form of security to ensure the satisfactory completion of works and to cover any defects or third-party claims that may arise after project completion.

¹⁰ Section 71.2.8 of the IRR.

- 12.2 The performance security posted in favor of the Procuring Entity shall be forfeited in the event it is established that the Contractor is in default in any of its obligations under the contract.
- 12.3 The performance security shall remain valid until issuance by the Procuring Entity of the Certificate of Final Acceptance. In case the performance security issued is valid for a specific period shorter than the term of the contract, including the defects liability period, the same shall be renewed or extended as often as necessary and immediately submitted to the Procuring Entity. In case of approved contract time extensions, the Contractor shall cause the extension of the validity of the performance security to cover the said extensions.
- 12.4 The performance security may be released by the Procuring Entity after the issuance of the Certificate of Final Acceptance; Provided, That the Procuring Entity has no claims filed against the performance security.
- 12.5 The Contractor shall post an additional performance security following the amount and form specified in **ITB** Clause 30 to cover any cumulative increase of more than ten percent (10%) over the original value of the contract as a result of change orders, extra work orders and supplemental agreements, as the case may be.
- 12.6 In case of a reduction in the contract value or for partially completed Works under the contract which are usable and accepted by the Procuring Entity the use of which, in the judgment of the implementing agency or the Procuring Entity, will not affect the structural integrity of the entire project, the Procuring Entity shall allow a proportional reduction in the original performance security, provided that any such reduction is more than ten percent (10%) and that the aggregate of such reductions is not more than fifty percent (50%) of the original performance security.
- 12.7 Unless otherwise indicated in the **SCC**, the Contractor, by entering into the Contract with the Procuring Entity, acknowledges the right of the Procuring Entity to institute action pursuant to Act No. 3688¹¹ against any subcontractor be they an individual, firm, partnership, corporation, or association supplying the Contractor with labor, materials and/or equipment for the performance of this Contract.

13) Detailed Engineering and Site Investigation Reports

- 13.1 The Contractor, in preparing the Bid, shall rely on all Site Investigation Reports referred to in the **SCC** supplemented by any information obtained by the Contractor.
- 13.2 Detailed engineering shall proceed only on the basis of the feasibility or preliminary engineering study made which establishes the technical viability of the project and conformance to land use and zoning guidelines prescribed by existing laws. The findings contained in the feasibility study, if undertaken for the project, shall be examined. If, in the course of this exercise, it is found that amendments would be desirable in the design standards of principal features, as proposed, specific recommendations for such changes shall be supported

¹¹ Also known as "An Act for the Protection of Persons Furnishing Material and Labor for the Construction Of Public Works".

by detailed justifications, including their effects on the cost, and the economic justifications, if necessary.

13.3 A schedule of detailed engineering activities shall include the following:

- a) Survey;
- b) Site Investigation;
- c) Soils and Foundation Investigation;
- d) Construction Materials Investigation;
- e) Preparation of Design Plans;
- f) Preparation of Technical Specifications;
- g) Preparation of Quantity and Cost Estimates;
- h) Preparation of Scope of Work;
- i) Preparation of Proposed Construction Schedule (and estimated Cash Flow for projects with Schedule over six (6) months);
- j) Preparation of Site or Right-of-Way Plans including Schedule of Acquisition;
- k) Preparation of Utility Relocation Plan;
- l) Preparation and Submission of Design Report;
- m) Environmental Impact Statement for critical project, as defined by the Department of Environment and Natural Resources;
- n) Preparation of minimum requirements for a Construction Safety and Health Program for the project being considered;
- o) Value Engineering Studies; and
- p) Preparation of report on asset climate hazards, risk assessment, disaster response strategies, and readiness planning.

13.4 Work under detailed architectural and engineering design shall include, among others, the items stated in Section 8.3 of the IRR.

14) Licenses and Permits

The Procuring Entity may, if requested by the Contractor, assist him in applying for permits, licenses or approvals, which are required for the Works.

15) Contractor's Risk and Warranty Security

15.1 From the time project construction commenced up to final acceptance, the Contractor shall assume full responsibility for any damage or destruction of the works, except those occasioned by force majeure; and the safety, protection, security, and convenience of its personnel, third parties, and the public at large,

as well as the works, equipment, installation and the like to be affected by its construction work.

- 15.2 The defects liability period for infrastructure projects shall be one (1) year from project completion up to final acceptance by the Procuring Entity. During this period, the Contractor shall undertake the repair works, at its own expense, of any damage to the Works on account of the use of materials of inferior quality, defects in the construction, or due to any violation of the terms of the contract, within ninety (90) calendar days from the time the HoPE has issued an order to undertake repair. In case of failure or refusal to comply with this mandate, the Procuring Entity shall undertake such repair works and shall be entitled to full reimbursement of expenses incurred therein upon demand.
- 15.3 The defects liability period shall be covered by the performance security of the Contractor required in Section 68 of the IRR, which shall guarantee that the Contractor performs its responsibilities stated in **GCC** Clause 15.1 Unless otherwise indicated in the **SCC**, in case the Contractor fails to comply with the preceding paragraph, the Procuring Entity shall forfeit its performance security, subject its properties to attachment or garnishment proceedings, and may impose the appropriate penalty under Sections 99, 100, and 101 of the IRR. All payables of the GoP in its favor shall be offset to recover the costs.
- 15.4 The following persons shall be held responsible for “Structural Defects,” i.e., major faults or flaws or deficiencies in one or more key structural elements of the project which may lead to structural failure of the completed elements or structure, or “Structural Failures,” i.e., where one or more key structural elements in an infrastructure facility fails or collapses, thereby rendering the facility or part thereof incapable of withstanding the design loads, and/or endangering the safety of the users or the general public:
- a) Contractor – Where Structural Defects or Failures arise due to faults attributable to improper construction, use of inferior quality/substandard materials, and any violation of the contract plans and specifications, the Contractor shall be held liable;
 - b) Consultants – Where Structural Defects or Failures arise due to faulty and/or inadequate design and specifications as well as construction supervision, then the consultant who prepared the design or undertook construction supervision for the project shall be held liable;
 - c) Procuring Entity’s Representatives or Project Manager or Construction Managers and Supervisors – The project owner’s representative, project manager, construction manager, and supervisor shall be held liable in cases where the Structural Defects or Failures are due to their willful intervention in altering the designs and other specifications; negligence or omission in not approving or acting on proposed changes to noted defects or deficiencies in the design and/or specifications and the use of substandard construction materials in the project;
 - d) Third Parties - Third Parties shall be held liable in cases where Structural Defects or Failures are caused by work undertaken by them such as leaking pipes, diggings or excavations, underground cables and electrical wires, underground tunnel, mining shaft and the like, in which case the applicable warranty to such structure should be levied to third parties for their construction or restoration works; and

- e) Users - In cases where Structural Defects or Failures are due to abuse or misuse by the End-User or Implementing Unit of the constructed facility and/or non-compliance by a user with the technical design limits and/or intended purpose of the same, then the user concerned shall be held liable.

- 15.5 The warranty against Structural Defects or Failures, except those occasioned by force majeure, shall cover the period specified in the **SCC** reckoned from the date of issuance of the Certificate of Final Acceptance by the Procuring Entity. On the other hand, such warranty shall likewise be applied against non-structural defects for instances that pertain to faults or deficiencies in non-load bearing components or finishes of the Project, such as minor cracks, leaks, or defects in workmanship or materials, which do not affect the stability or safety of the structure but may impact its appearance, functionality, or usability.
- 15.6 To guarantee that the Contractor shall perform its responsibilities, it shall be required to post a warranty security, which shall be stated in Philippine Peso, in the form chosen by the Procuring Entity in accordance with the following schedule:

Form of Warranty	Amount of Warranty Security Not less than the Percentage (%) of Total Contract Price
(a) Cash or letter of credit issued by bank; Provided, however, that the letter of credit shall be confirmed or authenticated by a local bank, if issued by a foreign bank. For biddings conducted by LGUs, the Letter of Credit may be issued by other banks certified by the BSP as authorized to issue such financial instrument.	Five Percent (5%)
(b) Bank guarantee confirmed by bank. For biddings conducted by LGUs, the bank draft/guarantee may be issued by other banks certified by the BSP as authorized to issue such financial instrument.	Ten Percent (10%)
(c) Surety bond callable upon demand issued by GSIS or any surety or insurance company duly certified by the Insurance Commission	Thirty Percent (30%)

- 15.7 The warranty security shall be stated in Philippine Peso and shall remain effective within one (1) year from the date of issuance of the Certificate of Final Acceptance by the Procuring Entity, and returned only after the lapse of the said one (1) year period. This one (1) year period shall cover both structural and non-structural defects or failures; Provided, That in cases of structural defects or failures, warranties beyond the one (1) year period shall be subject to applicable laws, rules, and regulations such as the New Civil Code of the Philippines.

- 15.8 In case of structural/non-structural defects or failure occurring during the applicable warranty period provided in **GCC** Clause 15.5, the Procuring Entity shall undertake the necessary restoration or reconstruction works and shall be entitled to full reimbursement by the parties found to be liable for expenses incurred therein upon demand, without prejudice to the imposition of administrative sanctions as prescribed by RA No. 12009 and without prejudice to the imposition of civil and criminal sanctions as provided under applicable laws against the responsible persons as well as the forfeiture of the warranty security posted in favor of the Procuring Entity.

16) Procuring Entity's Risk

- 16.1 From the Start Date until the Certificate of Final Acceptance has been issued, the following are risks of the Procuring Entity:
- a) The risk of personal injury, death, or loss of or damage to property (excluding the Works, Plant, Materials, and Equipment), which are due to:
 - i) any type of use or occupation of the Site authorized by the Procuring Entity after the official acceptance of the Works; or
 - ii) negligence, breach of statutory duty, or interference with any legal right by the Procuring Entity or by any person employed or contracted by it, except the Contractor.
 - b) The risk of damage to the Works, Plant, Materials, and Equipment to the extent that it is due to a fault of the Procuring Entity or in the Procuring Entity's design, or due to war or radioactive contamination directly affecting the country where the Works are to be executed.

17) Insurance

- 17.1 The Contractor shall, under its name and at its own expense, obtain and maintain, for the duration of this Contract, the following insurance coverage:
- a) Contractor's All Risk Insurance, with an exception for Simple Infrastructure Projects, as applicable;
 - b) Transportation to the project Site of Equipment, Machinery, and Supplies owned by the Contractor;
 - c) Personal injury or death of Contractor's employees; and
 - d) Comprehensive insurance for third party liability to Contractor's direct or indirect act or omission causing damage to third persons.
- 17.2 The Contractor shall provide evidence to the Procuring Entity that the insurances required under this Contract have been effected and shall, within a reasonable time, provide copies of the insurance policies to the Procuring Entity.
- 17.3 The Contractor shall notify the insurers of changes in the nature, extent, or program for the execution of the Works and ensure the adequacy of the insurances at all times in accordance with the terms of this Contract and shall

produce to the Procuring Entity the insurance policies in force including the receipts for payment of the current premiums.

The above insurance policies shall be obtained from any reputable insurance company approved by the Procuring Entity.

- 17.4 If the Contractor fails to obtain and keep in force the insurances referred to herein or any other insurance required to be obtained under the terms of this Contract, the Procuring Entity may obtain and keep in force any such insurances and pay such premiums as may be necessary for the purpose. From time to time, the Procuring Entity may deduct the amount it shall pay for said premiums including twenty five percent (25%) therein from any monies due, or which may become due, to the Contractor, without prejudice to the Procuring Entity exercising its right to impose other sanctions against the Contractor pursuant to the provisions of this Contract.
- 17.5 In the event the Contractor fails to observe the above safeguards, the Procuring Entity may, at the Contractor's expense, take whatever measure is deemed necessary for its protection and that of the Contractor's personnel and third parties, and/or order the interruption of dangerous Works. In addition, the Procuring Entity may refuse to make the payments under **GCC** Clause 9 until the Contractor complies with this Clause.
- 17.6 The Contractor shall immediately replace the insurance policy obtained as required in this Contract, without need of the Procuring Entity's demand, with a new policy issued by a new insurance company acceptable to the Procuring Entity for any of the following grounds:
- a) The issuer of the insurance policy to be replaced has:
 - i) become bankrupt;
 - ii) been placed under receivership or under a management committee;
 - iii) been sued for suspension of payment;
 - iv) been suspended by the Insurance Commission and its license to engage in business or its authority to issue insurance policies has been cancelled; or
 - v) Where reasonable grounds exist that the insurer may not be able, fully and promptly, to fulfill its obligation under the insurance policy.

18) Liquidated Damages

- 18.1 When the Contractor fails to satisfactorily complete the Works under the contract within the specified contract duration, inclusive of duly granted time extensions, if any, the Contractor shall be liable for liquidated damages in an amount equal to at least one-tenth (1/10) of one percent (1%) of the cost of the unperformed portion of the Works for every day of delay.
- 18.2 In computing liquidated damages, the Procuring Entity shall determine the usability of the project. A project or a portion thereof may be deemed usable

when it starts to provide the desired benefits as certified by the End-User or Implementing Unit and approved by the HoPE.

- 18.3 To be entitled to liquidated damages, the Procuring Entity does not have to prove that it has incurred actual damages. Such amount shall be deducted from any money due, or which may become due the Contractor under the contract, collected from the retention money or other securities posted by the Contractor, or a combination thereof, whichever is convenient to the Procuring Entity.
- 18.4 In case the total sum of liquidated damages reaches ten percent (10%) of the total contract price, the Procuring Entity may rescind or terminate the contract, without prejudice to other courses of action and remedies available under the circumstances.
- 18.5 If the Intended Completion Date is extended after liquidated damages have been paid, the Procuring Entity shall correct any overpayment of liquidated damages by the Contractor by adjusting the next payment schedule.

19) Settlement of Disputes

- 19.1 Any dispute arising from the implementation of a contract covered by the Act and the IRR shall primarily be resolved and settled amicably by mutual consultation or agreement.
- 19.2 In case of failure to settle the dispute amicably, the parties may mutually agree in writing to resort to other modes of alternative dispute resolution (ADR) to promote efficiency in the procurement process. Accordingly, they are encouraged to select the most expeditious mode of ADR available.

If arbitration is chosen as the ADR method, this shall be incorporated as a provision in the contract and referred to the Arbitrator specified in the **SCC**.

- 19.3 If the dispute remains unresolved after exhausting the remedies provided above, it may be submitted to other forms of ADR, such as mediation, conciliation, early neutral evaluation, mini-trial, or any combination thereof, in accordance with RA No. 9285, otherwise known as the "Alternative Dispute Resolution Act of 2004". However, disputes that are within the competence or jurisdiction of the Construction Industry Arbitration Commission shall be referred to the same for resolution.¹²

20) Liability of the Contractor

Subject to additional provisions, if any, set forth in the **SCC**, the Contractor's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

21) Termination for Breach of Contract

- 21.1 The Procuring Entity shall terminate the contract for breach thereof when any of the following conditions are present:

¹² Executive Order No. 1008 (Construction Industry Arbitration Law); and Construction Industry Arbitration Commission Revised Rules of Procedure.

- a) Due to the Contractor's fault and while the project is on-going, it has incurred negative slippage of fifteen percent (15%) or more in accordance with Presidential Decree No. 1870, s. 1983;
- b) Due to the Contractor's fault and after the contract time has expired, it has incurred a negative slippage of ten percent (10%) or more in the completion of the work;
- c) The Contractor abandons the contract works, plainly demonstrates an intention not to continue the performance of the Contractor's obligations under the contract, refuses or fails to comply with the Procuring Entity's instructions, or fails to proceed expeditiously and without delay despite a written notice by the Procuring Entity;
- d) When the Contractor, without reasonable excuse, fails to comply with the Notice of Rejection given by the Project Engineer that, after examination therein, the Infrastructure Project is found to be defective or otherwise not in accordance with the Contract, or a Project Engineer's instruction to conduct remedial work, within 30 days after receiving the said notice;
- e) The Contractor does not actually have on the project site the minimum essential equipment listed on the Bid necessary to prosecute the Works in accordance with the approved work plan and equipment deployment schedule as required for the project;
- f) The Contractor does not execute the Works in accordance with the contract or persistently or flagrantly neglects to carry out its obligations under the contract;
- g) The Contractor neglects or refuses to remove materials or to perform a new work that has been rejected as defective or unsuitable;
- h) The Contractor subcontracts any part of the contract works without approval by the Procuring Entity; or
- i) The Contractor becomes bankrupt or insolvent; goes into liquidation, administration, reorganization, winding-up, or dissolution; becomes subject to the appointment of a liquidator, receiver, administrator, manager, or trustee; enters into a composition or arrangement with the Contractor's creditors; or any act is done or any event occurs which is analogous to or has a similar effect to any of these acts or events under applicable laws.

21.2 All materials on the Site, Plant, Works, including Equipment paid under this Contract, including those identified by the Procuring Entity in the **SCC** pursuant to GCC Clause 9.1, shall be deemed to be the property of the Procuring Entity if this Contract is terminated because of the Contractor's breach.

22) Termination Due to Force Majeure

22.1 For purposes of this Contract the terms "*force majeure*" and "fortuitous event" may be used interchangeably. In this regard, a fortuitous event or *force majeure* shall be interpreted to mean an event which could not have been foreseen, or though foreseen, was inevitable. It shall not include ordinary

unfavorable weather conditions, and any other cause the effects of which could have been avoided with the exercise of reasonable diligence by the Contractor.

- 22.2 If this Contract is discontinued by an outbreak of war or by any other similar event entirely outside the control of either the Procuring Entity or the Contractor, the Procuring Entity shall certify that this Contract has been discontinued. The Contractor shall make the Site safe and stop work as quickly as possible after receiving the certificate and shall be paid for all Works carried out before receiving it and for any Work carried out afterwards to which a commitment was made by the Procuring Entity.
- 22.3 If the event continues for a period of eighty-four (84) days, either party may then give notice of termination, which shall take effect twenty-eight (28) days after the giving of the notice.
- 22.4 After termination, the Contractor shall be entitled to payment of the unpaid balance of the value of the Works executed and of the materials and Plant, in relation to GCC Clause 9.1 and 21.2, adjusted by the following:
- (a) any sum to which the Contractor is entitled under **GCC** Clause 30; and
 - (b) any sum to which the Procuring Entity is entitled.
- 22.5 The net balance due shall be paid or repaid within a reasonable time period from the time of the notice of termination.

23) Termination by Contractor

The Contractor may terminate this Contract with the Procuring Entity if the Works are completely stopped for a continuous period of at least sixty (60) calendar days through no fault of its own, due to any of the following reasons:

- a) Failure of the Procuring Entity to deliver, within a reasonable time, supplies, materials, right-of-way, or other items it is obligated to furnish under the terms of this Contract;
- b) Substantial failure of the Procuring Entity to perform its obligations under the contract, and such failure constitutes a material breach of the Procuring Entity's obligations under the contract;
- c) Prolonged suspension by the Procuring Entity, through no fault of the Contractor, which affects the substantial part of the Infrastructure Project; or
- d) The prosecution of the Work is disrupted by the adverse peace and order situation, as certified by the Armed Forces of the Philippines Provincial Commander and approved by the Secretary of National Defense.

24) Termination for Convenience

The Procuring Entity, by notice sent to the Contractor, may terminate the Contract, in whole or in part, at any time, if it has determined the existence of any of the following conditions that make contract implementation economically, financially, or technically impractical or unnecessary:

- a) If physical and economic conditions have significantly changed so as to render the project no longer economically, financially, or technically feasible, as determined by the HoPE; or
- b) The HoPE has determined the existence of conditions that make project implementation impractical or unnecessary, such as, but not limited to, fortuitous events, changes in laws and government policies.

25) Termination for Unlawful Acts

The Procuring Entity may terminate the contract in case it is determined prima facie that the Contractor, including any joint venture partner therein, has engaged, before or during the implementation of the contract, in unlawful deeds and behaviors relative to contract acquisition and implementation. These unlawful acts include, but are not limited to, the following:

- a) Corrupt, fraudulent, collusive, coercive, and obstructive practices as defined in **ITB** Clause 3.1, unless otherwise specified in the **SCC**;
- b) Drawing up or using forged documents;
- c) Using adulterated materials, means, or methods, or engaging in production contrary to rules of science or trade; or
- d) Any other act analogous to the foregoing.

26) Termination for Other Causes

- 26.1 The Procuring Entity may terminate this Contract, in whole or in part, at any time for its convenience. The HoPE may terminate this Contract for the convenience of the Procuring Entity if physical and economic conditions have significantly changed so as to render the project no longer economically, financially, or technically feasible, as determined by the HoPE; or if the HoPE has determined the existence of conditions that make project implementation impractical or unnecessary, such as, but not limited to, fortuitous events, changes in laws and government policies.
- 26.2 The Procuring Entity or the Contractor may terminate this Contract if the other party causes a fundamental breach of this Contract.
- 26.3 Other breaches of Contract shall include, but shall not be limited to, the following:
 - a) The Contractor stops work for twenty-eight (28) days when no stoppage of work is shown on the current Program of Work and the stoppage has not been authorized by the Procuring Entity;
 - b) The Procuring Entity instructs the Contractor to delay the progress of the Works, and the instruction is not withdrawn within twenty-eight (28) days;
 - c) A payment certified by the Procuring Entity is not paid to the Contractor within eighty-four (84) days from the date of the Procuring Entity's certificate;

- d) The Procuring Entity gives Notice that failure to correct a particular Defect is a fundamental breach of Contract and the Contractor fails to correct it within a reasonable period of time determined by the Procuring Entity;
 - e) The Contractor does not maintain a Security, which is required; and
 - f) The Contractor has delayed the completion of the Works by the number of days for which the maximum amount of liquidated damages can be paid, as defined in the **GCC** 18.
- 26.4 The Funding Source or the Procuring Entity, as appropriate, will seek the imposition of administrative sanctions as prescribed by RA No. 12009 and without prejudice to the imposition of civil and criminal sanctions as provided under applicable against individuals and organizations deemed to be involved with corrupt, fraudulent, or coercive practices.
- 26.5 When persons from either party to this Contract gives notice of a fundamental breach to the Procuring Entity in order to terminate the existing contract for a cause other than those listed under **GCC** Clause 26.3, the Procuring Entity shall decide whether the breach is fundamental or not.
- 26.6 If this Contract is terminated, the Contractor shall stop work immediately, make the Site safe and secure, and leave the Site as soon as reasonably possible.

27) Procedures for Termination of Contracts

- 27.1 The following provisions shall govern the procedures for the termination of this Contract:
- a) **Verification** - Upon receipt of a written report of acts or causes which may constitute grounds for termination as aforementioned, or upon its own initiative, the End-User or Implementing Unit shall, within a period of seven (7) calendar days, verify the existence of such grounds and cause the execution of a Verified Report, with all relevant evidence attached;
 - b) **Notice to Terminate** - Upon recommendation by the End-User or Implementing Unit, the HoPE shall terminate contracts only by written notice to the Contractor conveying the termination of the contract. The notice shall state:
 - (i) that the Contract is being terminated for any of the grounds aforementioned, and a statement of the acts that constitute the grounds constituting the same;
 - (ii) the extent of termination, whether in whole or in part;
 - (iii) an instruction to the Contractor to show cause as to why this contract should not be terminated; and
 - (iv) special instructions of the Procuring Entity, if any.

The Notice to Terminate shall be accompanied by a copy of the Verified Report;

- c) **Show Cause** - Within a period of seven (7) calendar days from receipt of the Notice of Termination, the Contractor shall submit to the HoPE a verified position paper stating why the contract should not be terminated. If the Contractor fails to show cause after the lapse of the seven (7) day period, either by inaction or by default, the HoPE shall issue an order terminating the contract;
- d) **Rescission of Notice of Termination** - The Procuring Entity may, at any time before receipt of the Contractor's verified position paper, withdraw the Notice to Terminate if it is determined that certain items or works subject of the notice had been completed, delivered, or performed before the Contractor's receipt of the notice;
- e) **Decision** - Within a non-extendible period of ten (10) calendar days from receipt of the verified position paper, the HoPE shall decide whether or not to terminate the contract. It shall serve a written notice to the Contractor of its decision and, unless otherwise provided, the contract is deemed terminated from receipt of the Contractor of the notice of the decision. The termination shall only be based on the grounds stated in the Notice to Terminate.
- f) **Contract Termination Review Committee (CTRC)** - The HoPE may create a committee to assist him in the discharge of its functions under the IRR. All decisions recommended by the CTRC shall be subject to the approval of the HoPE
- g) **Take-over of Contracts** - If a Procuring Entity terminates the contract due to default, insolvency, or for cause, it may enter into a Negotiated Procurement (Take-over of Contracts) pursuant to Section 35.3 of the IRR.
- h) **Notice by Contractor** - The Contractor must serve a written notice to the Procuring Entity of its intention to terminate the contract at least thirty (30) calendar days before its intended termination. The contract is deemed terminated if it is not resumed in thirty (30) calendar days after the receipt of such notice by the Procuring Entity.

27.2 Notwithstanding Section 99 of RA No. 12009 and as provided by applicable laws, the Procuring Entity shall impose on Contractors after the termination of the contract, the penalty of suspension for one (1) year for the first offense, suspension for two (2) years for the second offense from participating in the public bidding process, for violations committed during the contract implementation stage, as stated in the **SCC**.

28) Approval of Drawings and Temporary Works by the Procuring Entity

- 28.1 All Drawings prepared by the Contractor for the execution of the Temporary Works, are subject to prior approval by the Procuring Entity before its use.
- 28.2 The Contractor shall be responsible for design of Temporary Works.
- 28.3 The Procuring Entity's approval shall not alter the Contractor's responsibility for design of the Temporary Works.

- 28.4 The Contractor shall obtain approval of third parties to the design of the Temporary Works, when required by the Procuring Entity.

29) Acceleration and Delays Ordered by the Procuring Entity

- 29.1 When the Procuring Entity wants the Contractor to finish before the Intended Completion Date, the Procuring Entity will obtain priced proposals for achieving the necessary acceleration from the Contractor. If the Procuring Entity accepts these proposals, the Intended Completion Date will be adjusted accordingly and confirmed by both the Procuring Entity and the Contractor.
- 29.2 If the Contractor's Financial Proposals for an acceleration are accepted by the Procuring Entity, they are incorporated in the Contract Price and treated as a Variation.

30) Contractor's Right to Claim

If the Contractor incurs cost as a result of any of the events under **GCC** Clauses 22, 23 and 24 in relation to **GCC** Clause 20, the Contractor shall be entitled to the amount of such cost. If as a result of any of the said events, it is necessary to change the Works, this shall be dealt with as a Variation.

31) Dayworks

- 31.1 Subject to **GCC** Clause 40 on Variation Order, and if applicable as indicated in the **SCC**, the Contractor shall determine the Dayworks rates to be included or indicated in the Bid. The Dayworks rates in the Contractor's bid shall be used for small additional amounts of work only when the Procuring Entity has given written instructions in advance for additional work to be paid for in that way.
- 31.2 All work to be paid for as Dayworks shall be recorded by the Contractor on forms approved by the Procuring Entity. Each completed form shall be verified and signed by the Procuring Entity within two (2) days of the work being done.
- 31.3 The Contractor shall be paid for Dayworks subject to obtaining signed Dayworks forms from both the Procuring Entity and Contractor.

32) Early Warning

- 32.1 The Contractor shall warn the Procuring Entity at the earliest opportunity of specific likely future events or circumstances that may adversely affect the quality of the work, increase the Contract Price, or delay the execution of the Works.
- 32.2 The Contractor shall cooperate with the Procuring Entity in making and considering proposals for how the effect of such an event or circumstance can be avoided or reduced by anyone involved in the work and in carrying out any resulting instruction of the Procuring Entity. Should such events or circumstances arise which increase the Contract price or delay the execution of Works, the provisions on variation order shall apply.

33) Program of Work

- 33.1 Within the time stated in the **SCC**, the Contractor shall submit to the Procuring Entity for approval a Program of Work showing the general methods, arrangements, order, and timing for all the activities in the Works.

- 33.2 An update of the Program of Work shall show the actual progress achieved on each activity and the effect of the progress achieved on the timing of the remaining work, including any changes to the sequence of the activities.
- 33.3 The Contractor shall submit to the Procuring Entity for approval an updated Program of Work at intervals no longer than the period stated in the **SCC**. If the Contractor does not submit an updated Program of Work within this period, the Procuring Entity may withhold the amount stated in the **SCC** from the next payment schedule and continue to withhold this amount until the next payment after the date on which the overdue Program of Work has been submitted.
- 33.4 The Procuring Entity's approval of the Program of Work shall not alter the Contractor's obligations. A revised Program of Work produced by the Contractor shall show the effect of any approved Variations, and shall include all Variations. The Contractor may revise the Program of Work, based on the Variation Order, and submit it to the Procuring Entity again.
- 33.5 When the Program of Work is updated, the Contractor shall provide the Procuring Entity with an updated cash flow forecast. The cash flow forecast shall include different currencies, as defined in the Contract, converted as necessary using the Contract exchange rates.

34) Management Conferences

- 34.1 Either the Procuring Entity or the Contractor may require the other to attend a Management Conference. The Management Conference shall review the plans for remaining work and deal with matters raised in accordance with the early warning procedure.
- 34.2 The Procuring Entity shall record the business of Management Conferences and provide copies of the record to those attending the Conference and to the Procuring Entity. The responsibility of the parties for the actions to be taken shall be decided by the Procuring Entity either at the Management Conference or after the Management Conference. The Procuring Entity shall communicate these responsibilities in writing to all who attended the Conference.

35) Bill of Quantities

- 35.1 The Bill of Quantities shall contain items of work for the construction, installation, testing, commissioning of work, materials, and labor among others, to be done by the Contractor.
- 35.2 The Bill of Quantities is used to calculate the Contract Price. The Contractor is paid for the quantity of the work done at the rate in the Bill of Quantities for each item.
- 35.3 If the final quantity of any work item completed differs from the quantity indicated in the Bill of Quantities, and the difference does not exceed twenty-five percent (25%) of the original quantity for that item, the Procuring Entity shall adjust the Contract accordingly.

This shall be allowed only if the total amount of all such changes does not go beyond ten percent (10%) of the total Contract price, subject to applicable laws, rules, and regulations.

- 35.4 If requested by the Procuring Entity, the Contractor shall provide the Procuring Entity with a detailed cost breakdown of any rate in the Bill of Quantities.

36) Instructions, Inspections and Audits

- 36.1 The Procuring Entity shall at all reasonable times during construction of the Works be entitled to examine, inspect, measure and test the materials and workmanship, and to check the progress of the construction.
- 36.2 If the Procuring Entity instructs the Contractor to carry out a test not specified in the Specification to check whether any work has a defect and the test shows that it does, the Contractor shall pay for the test and any samples. In the absence of any defect, the test shall be a compensation event with no adverse consequences to the contractor.
- 36.3 The Contractor shall permit the Funding Source named in the **SCC** to inspect the Contractor's accounts and records relating to the performance of the Contractor and to have them audited by auditors appointed by the Funding Source, if so required by the Funding Source.

37) Identifying Defects

The Procuring Entity shall check the Contractor's work and notify the Contractor of any defects that are found. Such checking shall not affect the Contractor's responsibilities. The Procuring Entity may instruct the Contractor to check noted defects and test any work that the Procuring Entity considers as substandard and/or defective.

38) Correction of Defects

- 38.1 The Procuring Entity shall give notice to the Contractor of any defects before the end of the Defects Liability Period, which is one (1) year from project completion up to final acceptance by the Procuring Entity.
- 38.2 Every time notice of a defect is given, the Contractor shall correct the notified defect within ninety (90) calendar days from the time the HoPE has issued an order to undertake repair.
- 38.3 The Contractor shall correct the defects which they notice themselves before the end of the Defects Liability Period.
- 38.4 The Procuring Entity shall certify that all defects have been duly corrected.

39) Uncorrected Defects

- 39.1 The Procuring Entity shall give the Contractor at least fourteen (14) days' notice of its intention to use a third party to correct a Defect. If the Contractor does not correct the Defect himself within the period, the Procuring Entity may have the Defect corrected by the third party. The cost of the correction will be deducted from the Contract Price.
- 39.2 The use of a third party to correct defects that are uncorrected by the Contractor will in no way relieve the Contractor of its liabilities and warranties under the Contract.

40) Variation Orders

- 40.1 Variation Orders may be issued by the Procuring Entity to cover any increase or decrease in quantities, including the introduction of new work items that are not included in the original contract or reclassification of work items that are either due to change of plans, design or alignment to suit actual field conditions resulting in disparity between the preconstruction plans used for purposes of bidding and the "as staked plans" or construction drawings prepared after a joint survey by the Contractor and the Government after award of the contract.

Provided, That in case of positive or additive Variation Order/s, the cumulative amount thereof shall not exceed ten percent (10%) of the original contract price; Provided, further, That the scope of works shall not be reduced as to accommodate a positive Variation Order. In all cases, the addition of works under Variation Orders should be within the general scope of the project as bid and awarded.

- 40.2 Any cumulative positive Variation Order beyond ten percent (10%) of the original contract price shall be the subject of another procurement project to be bid out if the Works are separable from the original contract. In exceptional cases where it is urgently necessary to complete the original scope of work, the HoPE, upon the recommendation of the End-User or Implementing Unit, may authorize positive Variation Order/s resulting to a cumulative value of the positive Variation Orders beyond ten percent (10%) but not more than twenty percent (20%) of the original contract price.

All progress payments shall first be charged against the advance payment until the latter has been fully exhausted, at the option of the Procuring Entity.

- 40.3 A Variation Order may either be in the form of a Change Order or Extra Work Order:

- a) A Change Order may be issued by the HoPE or duly authorized representative to cover any increase or decrease in quantities of original work items in the contract.
- b) An Extra Work Order may be issued by the implementing official to cover the introduction of new work necessary for the completion, improvement or protection of the project which was not included as items of work in the original contract, such as, where there are subsurface or latent physical conditions at the site differing materially from those indicated in the contract, or where there are duly unknown physical conditions at the site of an unusual nature differing materially from those ordinarily encountered and generally recognized as inherent in the work or character provided for in the contract.

- 40.4 For Variation Orders, the Contractor shall be paid for additional work items whose unit prices shall be derived based on the following:

- a) For additional or extra works duly covered by Change Orders involving work items which are exactly the same or similar to those in the original contract, the applicable unit prices of work items original contract shall be used.

- b) For additional or extra works duly covered by Extra Work Orders involving new work items that are not in the original contract, the unit prices of the new work items shall be based on the direct unit costs used in the original contract (e.g., unit cost of cement, rebars, form lumber, labor rate, equipment rental, etc.). All new components of the new work item shall be fixed prices; Provided, The same is acceptable to both the Government and the Contractor; Provided further, That the direct unit costs of new components shall be based on the Contractor's estimate as validated by the Procuring Entity concerned via documented canvass in accordance with existing rules and regulations. The direct cost of the new work item shall then be combined with the mark-up factor (i.e., taxes and profit) used by the Contractor in its bid to determine the unit price of the new work item.

40.5 Under no circumstances shall a Contractor proceed to commence work under any Change Order or Extra Work Order unless it has been approved by the HoPE or its duly authorized representative. However, under any of the following conditions, the Procuring Entity's representative or Project Engineer may, subject to the availability of funds and within the limits of its delegated authority, allow the immediate start of work under any Change Order or Extra Work Order:

- a) In the event of an emergency where the prosecution of the work is urgent to avoid detriment to public service, or damage to life and/or property; and/or
- b) When time is of the essence;

Provided, however, That such approval is valid on work done up to the point where the cumulative increase in value of work on the project which has not yet been duly fully approved does not exceed five percent (5%) of the adjusted original contract price.

Provided, further, That immediately after the start of work, the corresponding Change Order or Extra Work Order shall be prepared and submitted for approval in accordance with the abovementioned rules. Payments for Works satisfactorily accomplished on any Change Order or Extra Work Order may be made only after approval of the same by the HoPE or its duly authorized representative.

Provided, finally, That for a Change Order or Extra Work Order involving a cumulative amount exceeding five percent (5%) of the original contract price, no work thereon may be commenced unless said Change Order or Extra Work Order has been approved by the HoPE or its duly authorized representative.

41) Contract Completion

Once the project reaches an accomplishment of ninety-five percent (95%) of the total contract amount, the Procuring Entity may constitute an inspectorate team to conduct preliminary inspection and submit a punch-list to the Contractor in preparation for the final turnover of the project. Said punch-list will contain, among others, the remaining Works, Work deficiencies for necessary corrections, and the specific duration/time to fully complete the project within the approved remaining contract time. This, however, shall not preclude the claim of the Procuring Entity for liquidated damages, if applicable.

42) Suspension of Work

- 42.1 The Procuring Entity shall have the authority to suspend the work wholly or partly by written order for such period as may be deemed necessary, due to *force majeure* or any fortuitous event or for failure on the part of the Contractor to correct bad conditions which are unsafe for workers or for the general public, to carry out valid orders given by the Procuring Entity or to perform any provisions of the contract, or due to adjustment of plans to suit field conditions as found necessary during construction. The Contractor shall immediately comply with such order to suspend the work wholly or partly.
- 42.2 The Contractor or its duly authorized representative shall have the right to suspend work operation on any or all projects or activities along the critical path of activities after fifteen (15) calendar days from date of receipt of written notice from the Contractor to the district engineer, regional director, consultant or equivalent official, as the case may be, due to the following:
- a) There exist right-of-way problems which prohibit the Contractor from performing work in accordance with the approved construction schedule.
 - b) Requisite construction plans which must be owner furnished are not issued to the Contractor precluding any work called for by such plans.
 - c) Peace and order conditions that make it extremely dangerous, if not possible, to work. However, this condition must be certified in writing by the Philippine National Police station which has responsibility over the affected area and confirmed by the Department of the Interior and Local Government (DILG) Regional Director.
 - d) There was a failure on the part of the Procuring Entity to deliver government-furnished materials and equipment as stipulated in the contract.
 - e) Delay in the payment of Contractor's claim for progress billing beyond forty-five (45) calendar days from the time the Contractor's claim has been certified by the Procuring Entity's authorized representative that the documents are complete, unless there are justifiable reasons for the delay in payment which shall be communicated in writing to the Contractor.
- 42.3 In case of total suspension, or suspension of activities along the critical path, which is not due to any fault of the Contractor, the elapsed time between the effectivity of the order suspending operation and the order to resume work shall be allowed to the Contractor by adjusting the contract time accordingly.

43) Payment on Termination

- 43.1 If the Contract is terminated because of a breach of Contract by the Contractor, the Procuring Entity shall issue a certificate for the value of the work done and Materials ordered less advance payments received up to the date of the issue of the certificate, and less the percentage to apply to the value of the work not completed, as indicated in the **SCC**. Additional liquidated damages shall not apply. If the total amount due to the Procuring Entity exceeds any payment

due to the Contractor, the difference shall be a debt payable to the Procuring Entity.

- 43.2 If the Contract is terminated for the Procuring Entity's convenience, or due to a breach of Contract by the Procuring Entity, the Procuring Entity shall issue a certificate for the value of the work done, Materials ordered, the reasonable cost of removal of Equipment, repatriation of the Contractor's personnel employed solely on the Works, and the Contractor's costs of protecting and securing the Works, and less advance payments received up to the date of the certificate.
- 43.3 The net balance due shall be paid or repaid within twenty-eight (28) days from the notice of termination.
- 43.4 If the Contractor has terminated the Contract under **GCC** Clauses 23 to 24, the Procuring Entity shall promptly return the Performance Security to the Contractor.

44) Extension of Contract Time

- 44.1 Should the amount of additional work or other special circumstances warrant the entitlement of the Contractor to an extension of contract time, the Procuring Entity shall determine the amount of such extension; Provided, That the Contractor has notified the Procuring Entity of its claim for extension of contract time prior to the expiration of the contract time, and within thirty (30) calendar days after the additional work has been commenced or the circumstances leading to such claim have arisen, as the case may be, in order to give the Procuring Entity the opportunity to investigate the claim. Failure to provide such notice shall constitute a waiver of such a claim by the Contractor. Upon receipt of full and detailed particulars, the Procuring Entity shall examine the facts and extent of the delay and shall extend the contract time to complete the contract work when, in the Procuring Entity's opinion, the findings of facts justify an extension.
- 44.2 No extension of contract time shall be granted to the Contractor due to ordinary unfavorable weather conditions and inexcusable negligence of the Contractor to provide the required equipment, supplies, or materials.
- 44.3 Extension of contract time may be granted only when the affected activities fall within the critical path of the PERT, CPM, Precedence Diagram Method or any other project management tool.
- 44.4 No extension of contract time shall be granted when the reason given to support the request for extension was already considered in the determination of the original contract time during the conduct of detailed engineering and in the preparation of the contract documents as agreed upon by the parties before contract perfection.
- 44.5 Extension of contract time may be granted in the cases indicated in the **SCC**.
- 44.6 The written consent of the bank, or surety or insurance company, as the case may be, must be attached to any request of the Contractor for extension of contract time and submitted to the Procuring Entity for consideration and the validity of the Performance Security shall be correspondingly extended.

- 44.7 The Procuring Entity shall extend the Intended Completion Date if a Variation is issued which makes it impossible for the Intended Completion Date to be achieved by the Contractor without taking steps to accelerate the remaining work, which would cause the Contractor to incur additional costs. No payment shall be made for any event which may warrant the extension of the Intended Completion Date.
- 44.8 The Procuring Entity shall decide whether and by how much to extend the Intended Completion Date within twenty (20) days of the Contractor asking the Procuring Entity for a decision thereto after fully submitting all supporting information. If the Contractor has failed to give early warning of a delay or has failed to cooperate in dealing with a delay, the delay by this failure shall not be considered in assessing the new Intended Completion Date.

45) Price Escalation

In the event of an extraordinary increase in prices of specific components of the Infrastructure Project, price escalation may be considered, subject to prior approval of the GPPB. If the cost of construction components increases by more than ten percent (10%) of the unit price of work items, as determined against the prevailing price indices of the PSA, a price escalation may be authorized at a no-loss, no-gain basis, using the appropriate formula prescribed by the GPPB. For the purpose of this Section, the PSA shall ensure that its price indices are region-specific and updated on a monthly basis

46) Completion

The Contractor shall request the Procuring Entity to issue a Certificate of Completion of the Works, and the Procuring Entity will do so upon determining that the work is completed.

47) Taking Over

The Procuring Entity shall take over the Site and the Works within seven (7) days from the date of issuance of a Certificate of Completion; Provided, That it shall not release the Contractor of its responsibilities within the defects liability period.

48) Operating and Maintenance Manuals

- 48.1 If "as built" Drawings and/or operating and maintenance manuals are required, the Contractor shall supply them by the dates stated in the **SCC**.
- 48.2 If the Contractor does not supply the Drawings and/or manuals by the dates stated in the **SCC**, or they do not receive the Procuring Entity's approval, the Procuring Entity shall withhold the amount stated in the **SCC** from payments due to the Contractor.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC.

The provisions of this Section complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Works procured. In preparing this Section, the following aspects should be checked:

- a) Information that complements provisions of Section IV. General Conditions of Contract must be incorporated.
- b) Amendments and/or supplements to provisions of Section IV. General Conditions of Contract, as necessitated by the circumstances of the specific project, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of Section IV. General Conditions of Contract should be incorporated herein.

Special Conditions of Contract

GCC Clause	
1.1	The Intended Completion Date shall be the date falling one hundred fifty (150) calendar days from the Start Date indicated in the Notice to Proceed. <i>NOTE: The contract duration shall be reckoned from the start date and not from contract effectivity date.</i>
1.2	The Procuring Entity is University of Rizal System J. Sumulong St., Brgy San Juan, Morong, Rizal
1.3	The Site is located at <i>University of Rizal System Morong Campus, J. Sumulong St., Brgy San Juan, Morong Rizal.</i> <i>For reference only, the general location of the Project Site may be viewed at;</i> <u>https://www.google.com/maps/place/University+of+Rizal+System+-+Morong+Campus/@14.5161255,121.2335043,17.25z/data=!4m6!3m5!1s0x3397c120ba63a7ab:0x71c25c4105bf1c5b!8m2!3d14.516689!4d121.2356227!16s%2Fq%2F11g0ttjlf2?entry=ttu&q_ep=EgoyMDI2MDYxMy4wIjKXMDSoASAFQAw%3D%3D</u> <i>The foregoing link is provided for informational purposes only and shall not supersede the Contract Drawings and Specifications.</i>
1.4	The Start Date shall be the date of receipt by the Contractor of the Notice to Proceed, which date shall be inserted upon issuance thereof. <i>NOTE: The start date shall be the date of receipt of the Notice to Proceed.</i>
1.5	The Works consist of the Completion of One Stop Student Services Center at URS Morong including the scaffolding works, civil and masonry works, construction of electrical and genset room, waterproofing works, ceiling works, tile works, doors, windows, glass partition works, stainless steel railings, signages and markers, toilet cubicle and urinals partitions, cabinetries, plumbing works, electrical works, FDAS, and fire protection works together with all incidental works necessary for the completion of the Project, in accordance with the Contract Drawings and Technical Specifications. There are no other related or concurrent contracts under this Project.
2.2	<i>“Not applicable”. The Works shall be completed as a single whole within one hundred fifty (150) calendar days from the Start Date. No sectional completion is required under this Contract.</i>
5.1	The Procuring Entity shall give possession of all parts of the Site to the Contractor upon the Contractor’s receipt of the Notice to Proceed.
6.5	The Contractor shall employ the Key Personnel as proposed in its Bid and confirmed during post-qualification, subject to the approval of the Procuring Entity.

	Any substitution of Key Personnel shall be in accordance with Section 6.5 of the General Conditions of Contract and shall require prior written approval of the Procuring Entity. The level of deployment of the Key Personnel shall be commensurate with the nature, scope, and complexity of the Works. Note: Key technical personnel qualifications is included in the Terms of Reference
7.1	No further instructions.
8.1	The amount of the advance payment shall be fifteen percent (15%) of the Contract Price, to be made in lump sum. The advance payment shall be released upon submission by the Contractor of an irrevocable and unconditional advance payment security equivalent to the full amount of the advance, in a form acceptable to the Procuring Entity, and upon execution of the Contract. The advance payment shall be subject to the provisions of RA 12009 and its Implementing Rules and Regulations. The advance payment shall be offset from the interim payment claims as the Works progress.
9.1	No further instructions.
9.4	The advance payment shall be repaid by the contractor by deducting fifteen percent (15%) from his periodic progress payments, a percentage equal to the percentage of the total contract price used for the advance payment. The first progress payment may be paid by the Procuring Entity to the Contractor; Provided, that at least fifteen percent (15%) of the Works has been accomplished as certified by the Procuring Entity.
12.7	No further instructions.
13.1	The prospective bidder shall conduct a site inspection of the One Stop Student Services Center Building located at URS Morong Campus, Brgy. San Juan, Morong, Rizal. Conduct of ocular inspection shall be made on July xx, 2026 (Day) to xx July 2026 (Day), 9:00 A.M. to 12:00 NN/ 2:00 PM to 4:00 PM. Must secure Certificate of Site Inspection duly signed by any of the following:

	❖ BILL CESAR P. RAMOS, REE / PROJECT DEVELOPMENT OFFICER I, PMU ❖ JOAN MARIE F. TIBURCIO, RCE/ PROJECT DEVELOPMENT OFFICER I, PMU ❖ JEFREY M. LAWAS, RCE / HEAD, PMU
15.3	No further instructions.
15.5	<i>In case of permanent structures, such as buildings of types 4 and 5 as classified under the National Building Code of the Philippines and other structures made of steel, iron, or concrete which comply with relevant structural codes (e.g., DPWH Standard Specifications), such as, but not limited to, steel/concrete bridges, flyovers, aircraft movement areas, ports, dams, tunnels, filtration and treatment plants, sewerage systems, power plants, transmission and communication towers, railway system, and other similar permanent structures: Fifteen (15) years.</i>
19.2	The Arbitrator shall be a neutral and competent professional jointly appointed by the Procuring Entity and the Contractor, who has experience in construction dispute resolution and is independent of both parties.
20	"No additional provision."
25(a)	No further instructions.
27.2	"The Contractor acknowledges that the Procuring Entity may suspend the Works, in whole or in part, for any failure to comply with the Contract or lawful instructions of the Procuring Entity, including but not limited to the violations listed below." a) Failure of the Contractor, due solely to its fault or negligence, to mobilize and start work or performance within the specified period in the Notice to Proceed ("NTP"); b) Failure by the Contractor to fully and faithfully comply with its contractual obligations without valid cause, or failure by the Contractor to comply with any written lawful instruction of the Procuring Entity or its representative(s) pursuant to the implementation of the contract. For the procurement of infrastructure projects or consultancy contracts, lawful instructions include but are not limited to the following: i) Employment of competent technical personnel, competent engineers and/or work supervisors; ii) Provision of warning signs and barricades in accordance with approved plans and specifications and contract provisions; iii) Stockpiling in proper places of all materials and removal from the project site of waste and excess materials, including broken pavement and excavated debris in accordance with approved plans and specifications and contract provisions;

	iv) Deployment of committed equipment, facilities, support staff and manpower; and v) Renewal of the effectivity dates of the performance security after its expiration during the course of contract implementation. c) Assignment and subcontracting of the contract or any part thereof or substitution of key personnel named in the proposal without prior written approval by the Procuring Entity. d) Poor performance by the Contractor or unsatisfactory quality and/or progress of work arising from its fault or negligence as reflected in the CPES rating sheet. In the absence of the CPES rating sheet, the existing performance monitoring system of the Procuring Entity shall be applied. Any of the following acts by the Contractor shall be construed as poor performance: i) Negative slippage of fifteen (15%) and above within the critical path of the project due entirely to the fault or negligence of the Contractor; and ii) Quality of materials and workmanship not complying with the approved specifications arising from the Contractor's fault or negligence. e) Willful or deliberate abandonment or non-performance of the project or contract by the Contractor resulting to substantial breach thereof without lawful and/or just cause. In addition to the penalty of suspension, the performance security posted by the Contractor shall also be forfeited.]
31.1	No dayworks are applicable to the contract.
33.1	The Contractor shall submit the Program of Work to the Procuring Entity within <i>twenty-one (21) calendar</i> days of delivery from the Notice of Award. The Program of Work shall include the construction schedule, manpower deployment, equipment utilization, and all other details necessary for review and approval by the Procuring Entity.
33.3	The period between Program of Work updates is every <i>thirty (30) calendar</i> days. The amount to be withheld for late submission of an updated Program of Work is <i>0.1% of the Contract Price</i>.
36.3	The Funding Source is the <i>Government of the Philippines</i> .
43.1	The percentage to apply to the value of the work not completed is <i>ten percent (10%)</i> .

44.5	Extension of Contract Time may be granted by the Procuring Entity in the following cases: a) rainy/unworkable days considered unfavorable for the prosecution of the Works at the site, based on the actual conditions obtained at the site, in excess of the number of rainy/unworkable days pre-determined by the Procuring Entity in relation to the original contract time during the conduct of detailed engineering and in the preparation of the contract documents as agreed upon by the parties before contract perfection, and/or b) major calamities such as exceptionally destructive typhoons, floods and earthquakes, and epidemics, c) delays attributable to the Procuring Entity, such as non-delivery on time of materials, working drawings, or written information to be furnished by the Procuring Entity, non-acquisition of permit to enter private properties or non-execution of deed of sale or donation within the right-of-way resulting in complete paralyzation of construction activities, and d) other meritorious causes as determined by the Procuring Entity and approved by the HoPE such as shortage of construction materials, general labor strikes, and peace and order problems that disrupt construction operations through no fault of the Contractor may be considered as additional grounds for extension of contract time provided they are publicly felt and certified by appropriate government agencies such as DTI, DOLE, DILG, and DND, among others.
48.1	The Contractor shall submit the Operating and Maintenance (O&M) Manuals and 'As-Built' Drawings to the Procuring Entity is within fifteen (15) calendar days after project completion (as duly accepted by the Procuring Entity). The O&M Manuals and 'As-Built' Drawings (ABD) shall be submitted in both hard and soft copies, and shall be complete, accurate, and approved by the Procuring Entity before final payment is processed.
48.2	Release of Final Payment shall be made only upon the submission of the ABD and Operating and Maintenance Manuals by the Contractor, and issuance of Certificate of Completion of the Works, and other documentary requirements as stipulated in the Terms of Reference as evaluated by the Project Management Unit for the approval of the URS Management.

Section VI. Specifications

Notes on Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying or conditioning their Bids. In the context of Competitive Bidding, Limited Source Bidding, or Competitive Dialogue, the specifications must be drafted to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of economy, efficiency, and fairness in procurement be realized, responsiveness of Bids be ensured, and the subsequent task of bid evaluation facilitated. The specifications should require that all goods and materials to be incorporated in the Works be new, unused, of the most recent or current models, and incorporate all recent improvements in design and materials unless provided otherwise in the Contract.

Samples of specifications from previous similar projects are useful in this respect. The use of metric units is mandatory. Most specifications are normally written specially by the Procuring Entity or its representative to suit the Works at hand. There is no standard set of Specifications for universal application in all sectors in all regions, but there are established principles and practices, which are reflected in these PBD.

There are considerable advantages in standardizing General Specifications for repetitive Works in recognized public sectors, such as highways, ports, railways, urban housing, irrigation, and water supply, in the same country or region where similar conditions prevail. The General Specifications should cover all classes of workmanship, materials, and equipment commonly involved in construction, although not necessarily to be used in a particular Works Contract. Deletions or addenda should then adapt the General Specifications to the particular Works.

Prudence must be exercised in drafting specifications to ensure that they are not restrictive. In the specification of standards for goods, materials, and workmanship, recognized international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that goods, materials, and workmanship that meet other authoritative standards, and which ensure substantially equal or higher quality than the standards mentioned, will also be acceptable.

The following clause may be inserted in the SCC:

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Contract to specific standards and codes to be met by the goods and materials to be furnished, and work performed or tested, the provisions of the latest current edition or revision of the relevant standards and codes in effect shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national, or relate to a particular country or region, other authoritative standards that ensure a substantially equal or higher quality than the standards and codes specified will be accepted subject to the Procuring Entity's prior review and written consent. Differences between the standards specified and the proposed alternative standards shall be fully described in writing by the Contractor and submitted to the Procuring Entity at least twenty-eight (28) days prior to the date when the Contractor desires the Procuring Entity's consent.

In the event the Procuring Entity determines that such proposed deviations do not ensure substantially equal or higher quality, the Contractor shall comply with the standards specified in the documents.

These notes are intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They should not be included in the final Bidding Documents.

TERMS OF REFERENCE

FOR THE

COMPLETION OF ONE STOP STUDENT SERVICES CENTER AT URS MORONG

1. INTRODUCTION

The University of Rizal System (URS) Morong Campus located at J. Sumulong St., Brgy. San Juan, Morong, Rizal is in need of a One Stop Student Services Center Building.

The proposed project will help the university in attaining its vision as “The leading university in human resource development, knowledge and technology generation and environmental stewardship”. The presence of a One Stop Student Services Center will further enhance the efficiency and fast delivery of student services and other stakeholders as context allows. Infrastructure development not only provides physical facilities, but it is also a potential source of job creation.

The proposed building will house at the ground floor the Registrar Office, CBA, OSDS Office, and comfort rooms for male, female, PWD. The second floor will be allotted for the use of Finance Office, with comfort rooms. The third floor will house the offices under the Office of the President.

The Approved Budget for the Contract (ABC) for this project is ***Eighteen Million Pesos (₱18,000,000.00)***, covering all necessary works to achieve the required minimum performance standards and specifications.

2. OBJECTIVE:

- Improve services that URS Morong can deliver to students and other stakeholders as context allows.
- Acquire extension of the administration building by completing a one stop student services.
- Streamline student services system in the campus

3. SCOPE OF THE PROJECT

The project shall cover all necessary work, materials, equipment, labor, and incidentals required to complete the Completion of One Stop Student Services Center Building.

3.1 Preliminaries

- The contracting firm shall submit the following documents prior to the start of actual construction:
 1. Contracting Firm's Project Organizational Structure
 2. Construction Schedule (PERT/CPM)
 3. Construction Methodology
 4. Manpower and Equipment Schedule
 5. Temporary Permits for utilities (optional)
 6. GANNT Chart
 7. Cash Flow/ Schedule of Payment
- The contracting firm shall install a sub meter for both power and water supply to properly monitor their consumption, which shall be at their own expense.
- The contractor shall provide a proper and secure enclosure of the construction site to ensure the safety of students, staff, and other stakeholders within the campus vicinity. The enclosure shall be made of durable materials that can withstand weather conditions and prevent unauthorized entry into the site. Appropriate safety and informational signages shall be installed in conspicuous areas around the perimeter,

including warnings on potential hazards, restricted access notices, and directional signs for alternative pedestrian pathways. Signages must be clear, visible, and compliant with occupational safety standards. The contractor shall regularly maintain the enclosure and signages throughout the duration of the project to ensure continuous protection and awareness of the campus community.

3.2 Project Billboard and Signboard

The work shall consist of the fabrication, installation, and maintenance of the Project Billboard and Signboard in accordance with government procurement guidelines. This shall include, but not be limited to, the following:

- Preparation of layout, design, and text content of the Project Billboard and Signboard, subject to approval of the Procuring Entity prior to fabrication.
- Fabrication of the billboard using durable and weather-resistant materials, ensuring structural stability and legibility of content.
- Installation of the Project Billboard in a prominent and visible location at the project site as required under Annex 3 of the IRR of RA 9184.
- Installation of safety and directional signboards in conspicuous areas around the site to ensure the safety and awareness of students, staff, and stakeholders.
- Regular inspection and maintenance of the billboard and signboards throughout the project duration to ensure they remain legible and properly secured.
- Removal of the Project Billboard and Signboards after project completion, with proper disposal of materials.

Specifications:

- *The Project Billboard shall be 4 ft. x 8 ft. in size, made of marine plywood or equivalent durable material, framed with angle bars, and painted with weather-resistant enamel paint.*
- *The content shall strictly follow the required format under RA 9184, including the name of the project, location, project cost, contract duration, contractor, and funding source.*
- *Signboards shall be of adequate size, made of durable materials, and shall bear safety messages such as "Construction Ongoing – Keep Out," "Wear PPE Beyond This Point," and other hazard-specific warnings.*
- *Lettering shall be clear and legible from a distance of at least 10 meters.*

3.3 Earthworks

The Earthworks shall include all necessary activities to prepare the site. The work shall cover, but not be limited to, the following:

- Clearing, grubbing, and removal of vegetation, roots, debris, and other unsuitable materials from the construction area.
- Excavation for foundations, footings, trenches, and other substructures as indicated in the approved plans.
- Backfilling and compaction of excavated areas using approved fill materials to achieve the required soil bearing capacity.
- Hauling, disposal, or stockpiling of excavated materials, as directed by the Procuring Entity. Unsuitable materials shall be properly disposed of at an approved dumpsite.
- Provision of temporary drainage measures to prevent flooding, ponding, or erosion within the construction site during earthworks.
- Grading and leveling of the site to the specified elevations and slopes in accordance with the approved plans.
- Conduct of field density testing, compaction tests, and other quality control tests to ensure compliance with the required specifications.

Specifications:

- *All earthworks shall conform to the latest edition of the DPWH Standard Specifications (Blue Book) and the approved project design.*

- *Excavations shall be carried out to the correct lines, grades, and depths indicated in the drawings.*
- *Fill materials shall be free from organic matter, debris, or oversized particles and shall be approved by the Engineer-in-Charge prior to use.*
- *Compaction shall be performed in layers not exceeding 300 mm and shall attain at least 95% of Maximum Dry Density (MDD) as per Modified Proctor Test (ASTM D1557).*
- *Temporary shoring, bracing, or slope protection shall be provided to prevent cave-ins and ensure worker safety.*

3.4 Gravel Bedding

The Gravel Bedding works shall include the supply, placement, leveling, and compaction of gravel bedding as foundation preparation for concrete footings, slabs-on-grade, and other structural elements. The work shall cover, but not be limited to, the following:

- Supply and delivery of approved gravel materials to the project site.
- Spreading of gravel bedding to the specified thickness, grades, and elevations as shown in the approved drawings.
- Proper watering, leveling, and compaction of gravel bedding to achieve the required density and uniform surface.
- Trimming and shaping of the bedding layer to ensure accurate alignment and thickness prior to concrete pouring.
- Disposal of excess or unsuitable materials to an approved dumpsite.

Specifications:

- *Gravel bedding material shall be well-graded, clean, hard, and durable crushed gravel free from organic matter, clay lumps, or deleterious substances.*
- *Maximum particle size: 50 mm; Minimum particle size: 10 mm, unless otherwise specified in the plans.*
- *Thickness of gravel bedding shall be as indicated in the structural drawings (typically 100 mm to 150 mm).*
- *Compaction shall be performed in layers not exceeding 150 mm and shall achieve at least 95% of Maximum Dry Density (MDD) in accordance with ASTM D1557 (Modified Proctor Test).*
- *Final surface shall be level, firm, and true to the required grade, within ± 10 mm tolerance.*

3.5 Soil Poisoning

The Soil Poisoning works shall consist of the supply, application, and treatment of soil with an approved termiticide or chemical to protect the building against subterranean termite infestation. The work shall include, but not be limited to, the following:

- Application of chemical treatment to the entire building footprint, including perimeters, foundations, column footings, slab-on-grade areas, and other designated locations.
- Spraying or drenching of termiticide solution in trenches and around foundation walls prior to backfilling.
- Treatment of soil below floor slabs, concrete foundations, and other horizontal surfaces as specified in the approved drawings.
- Ensuring even distribution of the chemical solution at the correct dosage and concentration recommended by the manufacturer.
- Provision of safety measures and protective equipment to applicators during the execution of works.
- Submission of a warranty certificate for the termite control treatment, valid for a minimum of five (5) years.

Specifications:

- *The termiticide shall be an approved, registered chemical with the Fertilizer and Pesticide Authority (FPA) of the Philippines.*
- *Application rate shall be in accordance with the manufacturer's specifications (e.g., 4 liters of solution per linear meter of trench at 150 mm depth).*
- *The chemical shall be mixed and applied uniformly to achieve continuous treated barriers against termite infestation.*
- *Equipment for spraying and mixing shall be appropriate for ensuring consistent coverage and dosage.*
- *Application shall be carried out only during favorable weather conditions (no rain within 24 hours after treatment).*

3.6 Rebar Works

The Rebar Works shall cover the supply, delivery, cutting, bending, fabrication, installation, and securing of reinforcing steel bars for all structural elements of the One Stop Student Services Center. The work shall include, but not be limited to, the following:

- Supply and delivery of reinforcing steel bars in accordance with the specified grades and sizes indicated in the approved structural drawings.
- Cutting, bending, and fabrication of rebars to the required lengths and shapes based on approved bar bending schedules.
- Placement, tying, and securing of rebars in their correct positions as shown in the structural drawings.
- Provision of adequate bar spacers, chairs, and supports to maintain required concrete cover.
- Overlapping and splicing of rebars in accordance with NSCP requirements and project specifications.
- Coordination with formworks and concreting teams to ensure accurate alignment and secure reinforcement placement prior to pouring.
- Cleaning of rebars from oil, dirt, loose rust, or other materials that may impair bond with concrete.
- Conduct of inspection and approval by the Engineer prior to concreting.

Specifications:

- *Reinforcing steel bars shall conform to ASTM A615 / A615M and National Structural Code of the Philippines (NSCP) standards.*
- *For bars 12 mm diameter and below, use Grade 40 steel.*
- *For bars 16 mm diameter and above, use Grade 60 steel.*
- *Bar bending shall conform to the approved Bar Bending Schedule (BBS) and structural drawings.*
- *Minimum concrete covers shall be followed as per structural design (e.g., 40 mm for slabs, 50 mm for beams, 75 mm for footings).*
- *Wire ties shall be annealed tie wire, gauge #16 or as specified.*
- *Splicing of rebars shall be Class B tension lap splice unless otherwise detailed in the drawings.*

- *Welding of rebars shall not be permitted unless specifically indicated in the design and approved by the Engineer.*

3.7 Concrete Works

The Concreting Works shall include all labor, materials, equipment, and supervision necessary for batching, mixing, placing, finishing, and curing of concrete for all structural and non-structural components of the One Stop Student Services Center. The work shall include, but not be limited to, the following:

- Supply and delivery of concrete materials (cement, aggregates, water, admixtures, if applicable) meeting project specifications.

- Batching and mixing of concrete in proper proportions as approved in the design mix.
- Placement of concrete for footings, columns, beams, slabs, walls, and other structural elements as indicated in the approved drawings.
- Use of proper vibrators and compaction techniques to eliminate voids and honeycombing.
- Provision of required construction joints, expansion joints, and contraction joints in accordance with the drawings.
- Surface finishing of concrete (trowel finish, broom finish, or other specified finish).
- Proper curing of concrete through approved methods (water curing, curing compounds, or wet coverings) for the prescribed duration.
- Protection of fresh concrete from premature drying, rain, vibration, impact, or any other adverse conditions during curing.
- Removal of formworks and shoring at the prescribed time, ensuring no damage to the finished concrete surface.
- Conduct of slump tests, compressive strength tests, and other quality control measures as required.

Specifications:

- *Concrete strength shall strictly conform to the values specified in the approved structural plans (e.g., $f'_c = 21 \text{ MPa}$, 28 MPa , or higher as indicated).*
- *Cement shall conform to ASTM C150 (Type I Portland Cement) or equivalent standards.*
- *Coarse and fine aggregates shall meet ASTM C33 standards.*
- *Maximum water-cement ratio: as specified in approved mix design.*
- *Reinforcement cover, placement, and embedment shall be maintained during concreting.*
- *Slump limits shall be as per design requirements (typically 75 mm to 100 mm, unless otherwise approved).*
- *Admixtures (if used) shall be approved by the Engineer prior to application.*
- *Curing period shall not be less than 14 days for normal Portland cement, or as specified in the plans.*

3.8 Masonry Works

This item shall consist of furnishing all labor, materials, tools, equipment, and supervision necessary for the construction of masonry walls using Autoclaved Aerated Concrete (AAC) Blocks, complete with adhesives, reinforcement, anchors, and accessories, in accordance with the approved plans and these specifications.

Materials:

a. AAC Blocks

- *Sizes: 600mm x 200mm x 150mm and 600mm x 200mm x 100mm*
- *Compressive Strength: Minimum 650 psi (4.5 MPa)*
- *Density: As recommended by the manufacturer for non-load bearing and partition wall applications.*
- *Blocks shall be factory-manufactured, machine-cut, dimensionally accurate, with smooth surfaces, and free from cracks, chips, or defects that may impair their structural integrity or appearance.*
- *All AAC blocks shall be from a single manufacturer to ensure uniformity in color, density, and performance.*

b. AAC Adhesive Mortar

- *Use factory-prepared thin-bed adhesive mortar specifically formulated for AAC blocks.*
- *The adhesives shall be mixed strictly in accordance with the manufacturer's recommendations.*
- *Ordinary cement-sand mortar shall not be used unless specifically indicated in the plans or approved by the Engineer.*

c. Reinforcement and Anchors

- Reinforcement bars, dowels, wall ties, and anchors shall conform to the approved plans and shall be securely anchored to the adjoining structural members.
- Corrosion-resistant anchors or galvanized steel connectors shall be used where AAC walls are connected to reinforced concrete or steel framing.

Performance Standards:

- Masonry walls shall be erected plumb, level, square, and true to line with a tolerance not exceeding 3mm in 3.0 meters.
- The finished wall shall exhibit a smooth and even surface suitable for direct application of skim coat, plaster, or paint finish as indicated in the plans.
- The AAC wall system shall provide adequate thermal insulation, fire resistance, and sound insulation in accordance with the manufacturer's performance specifications.
- Walls shall be free from cracks, bulging, misalignment, and loose blocks after installation.

Installation Requirements

- Layout and alignment shall be established before commencement of masonry works.
- The first course of AAC blocks shall be laid on a leveled cement mortar bed to ensure proper alignment.
- Succeeding courses shall be laid using thin-bed AAC adhesive with a joint thickness of approximately 2mm to 3mm, or as recommended by the manufacturer.
- Vertical joints shall be staggered with a minimum overlap of 100mm.
- AAC blocks shall be cut only with appropriate cutting tools recommended by the manufacturer to ensure clean and accurate edges.
- Openings for doors, windows, and embedded utilities shall be accurately formed and reinforced as required.
- Chases for electrical and plumbing lines shall be carefully cut using appropriate tools to avoid cracking or weakening of the wall.

Reinforcement and Anchorage

- AAC walls shall be properly anchored to columns, beams, and slabs using approved wall ties, dowels, or steel anchors at intervals indicated in the plans.
- Horizontal reinforcement or reinforcement mesh shall be provided where specified.
- Reinforcements shall be installed securely and protected from corrosion.

Finishing

- Surfaces shall be cleaned and free from dust, laitance, and loose materials before application of any finishing material.
- Minor surface imperfections shall be repaired using AAC repair mortar or skim coat materials compatible with AAC substrates.
- Finished walls shall be uniform in appearance, smooth, and ready to receive the specified finish.

3.9 Formworks and False Works

This work covers the supply, fabrication, installation, and removal of formworks and false works for reinforced concrete members such as columns, beams, slabs, walls, and other structural elements. The system shall ensure the correct shape, alignment, dimensions, and surface finish of concrete as indicated in the approved plans, while providing adequate support during placement and curing.

Materials:

- **Formworks:** Phenolic board, 3/4" thick, smooth-faced, water-resistant, and free from warping and damage. Reuse shall be allowed only if panels can produce the required surface finish.

- **Framing and Support Materials:**
 - Good quality lumber, properly seasoned, free from cracks and insect damage.
 - H-Frame: Steel H-Frames to serve as the primary false work system.
 - Shoring Jack, Base Jack, and U-Head Jack: Adjustable jacks to provide precise leveling, stability, and load distribution for beams and slabs.
 - GI Pipe: Heavy-duty galvanized iron pipes for horizontal and diagonal bracing.
 - Tie Rod and Round Wing Nut: To resist lateral pressure of fresh concrete and maintain alignment of form panels.
- **Hardware and Accessories:** Steel clamps, nails, bolts, wedges, and other necessary fittings for secure installation.
- **Release Agent:** Approved form oil or release agent to ensure smooth removal without damaging concrete surfaces.

Specifications:

- Formworks shall be designed and installed to withstand all vertical and lateral loads, including fresh concrete pressure, construction loads, and vibration.
- Joints must be tight and leak-proof to prevent slurry loss.
- H-Frames, shoring, jacks, and braces shall be installed on stable ground with proper alignment, plumb, and level.
- False works and shoring shall be adequately braced with GI pipes or equivalent members to prevent movement or settlement.
- Tolerances shall conform to the following:
 - Deviation from plumb: ≤ 5 mm per 3 m height
 - Deviation from level: ≤ 5 mm per 3 m length
 - Deviation in member size: ± 5 mm
- Stripping of formworks shall only be carried out upon approval of the Engineer and after the concrete has attained sufficient strength, in accordance with standard specifications.

3.10 Steel Works for Roofing

This item of work covers the supply, fabrication, delivery, installation, welding, bolting, alignment, and erection of all structural steel members and accessories required for the roof framing system of the electrical and genset room of One Stop Student Services Center.

Fabrication and Workmanship:

- All cutting, drilling, and welding shall be done in accordance with AWS (American Welding Society) standards.
- Welds shall be continuous, free from porosity, slag inclusions, and shall develop the full strength of the connected members.
- Bolt holes shall be drilled (not gas-cut) and aligned properly before installation.
- All fabricated members shall be inspected prior to painting and installation.
- The caged ladder shall be fabricated with safety in mind, with spacing of rungs not exceeding 300 mm and cage hoops installed at intervals not greater than 900 mm.

Erection and Installation:

- Roof framing members shall be lifted, aligned, and secured using proper lifting equipment.
- Anchor bolts shall be properly set in concrete with templates to ensure accuracy.
- Temporary bracing shall be provided during erection to maintain alignment and stability.
- Sag rods shall be installed at specified spacing to prevent lateral buckling of C-purlins.
- Base plates shall be welded/bolted securely to the supporting structure.

- *The caged ladder shall be installed vertically with secure anchorage to the wall and roof framing.*

Surface Preparation and Painting:

- *All steel members shall be cleaned of rust, oil, and foreign matter prior to painting.*
- *Apply one coat of red oxide primer immediately after fabrication/cleaning.*
- *Apply two coats of epoxy enamel or equivalent weather-resistant paint after erection.*
- *Galvanized C-purlins shall not be painted, except for field welds or cut edges, which must be touched up with zinc-rich paint.*

3.11 Tinsmith Works

This work consists of the supply, delivery, fabrication, and installation of roofing and architectural sheet metal works for the Catfish Hatchery. The works include roof covering, insulation, flashings, spandrel eaves, fascia board, sealants, end moldings, and other accessories necessary to complete a weather-tight, durable, and aesthetically pleasing roofing system.

Specifications:

- *Roofing sheets shall be installed in strict accordance with manufacturer's recommendations, ensuring proper overlaps (side and end laps) and alignment.*
- *Insulation shall be laid continuously under the roofing sheets, properly joined with aluminum tapes to prevent gaps and condensation.*
- *Flashings and moldings shall be cut, bent, and installed neatly, providing a watertight seal at ridges, hips, valleys, and eaves.*
- *Spandrel eaves with vents shall be installed at uniform levels, ensuring continuous ventilation.*
- *Fascia boards shall be installed securely, aligned straight, and finished to conceal roof framing members.*
- *All joints, laps, and penetrations (vents, pipes, skylights if any) shall be sealed with approved sealant to ensure waterproofing.*
- *Fasteners shall be driven perpendicular to the sheet surface without over-tightening to avoid sheet deformation.*

Surface Protection and Finishes:

- *Pre-painted surfaces must be free from scratches, dents, and damages; any minor field damage shall be touched up with approved paint.*
- *Cut edges of roofing sheets and flashings shall be coated with zinc-rich paint to prevent corrosion.*
- *Completed roof works shall be watertight, rust-resistant, and aesthetically aligned.*

3.12 Tile Works

This work includes the supply, delivery, preparation of substrate, laying, cutting, grouting, and finishing of floor and wall tiles, including all accessories and materials necessary for a complete installation, in accordance with the approved plans, design, and specifications. Tiles shall be of high quality and subject to the approval of the Project Management Unit (PMU) prior to installation. All works shall comply with applicable standards, approved drawings, and manufacturer's recommendations.

Workmanship:

- *Tiles shall be of uniform size, color, texture, and finish, free from cracks, chips, warping, or other visible defects, and shall be approved by the Project Management Unit before installation.*

- *The substrate or base surface shall be properly prepared, clean, dry, level, and structurally sound prior to tile installation.*
- *Tiles shall be laid true to line, level, plumb, and in the pattern indicated in the approved plans, with consistent joint widths throughout the installation.*
- *Tile surfaces shall be even and free from lippage, cracks, hollow spots, loose pieces, or other defects that may affect durability and appearance.*
- *Tile cutting shall be done neatly and accurately. Cut tiles at corners, edges, and penetrations shall be uniform and properly fitted to provide a clean and professional finish.*
- *Tile adhesive and grout materials shall be of approved quality and shall be applied strictly in accordance with the manufacturer's recommendations.*
- *Grout joints shall be fully filled, uniform in color, neatly finished, and free from cracks, pinholes, stains, or discoloration.*
- *Expansion and movement joints, where required, shall be properly installed and sealed with approved flexible sealant materials.*
- *Floor tiles shall be installed with the required slope toward floor drains in wet areas to ensure proper drainage and prevent water ponding.*
- *Tile surfaces shall be thoroughly cleaned after installation and shall be free from adhesive residue, grout haze, stains, dust, or any other foreign materials.*
- *Any damaged, cracked, loose, chipped, or defective tiles identified during inspection or within the defect liability period shall be replaced by the Contractor at no additional cost to the Procuring Entity.*
- *The completed tiling works shall present a neat, durable, and aesthetically pleasing finish consistent with the approved architectural design and quality standards.*
- *All work shall be carried out safely and in compliance with applicable building codes, safety regulations, and industry standards.*

3.13 Ceiling Works

This work includes the supply, delivery, installation, joint treatment, finishing, and all incidental work necessary for the completion of ceiling systems in accordance with the approved plans, details, and specifications. Ceiling works shall include framing systems, ceiling boards, suspension systems, access panels, moldings, fasteners, and finishing materials necessary to achieve a complete and durable ceiling assembly.

All ceiling materials shall be new, of approved quality, and free from defects. Ceiling boards for wet areas such as toilets, bathrooms, wash areas, and other moisture-prone spaces shall be 3.5 mm thick Fiber Cement Board installed on an approved framing system. For all other interior areas, the ceiling shall be 5/8-inch thick, 2 feet x 2 feet Mineral Fiber Acoustic Ceiling Board installed on an approved suspended grid system. Materials shall be subject to the approval of the Project Management Unit (PMU) prior to installation.

All works shall conform to the approved drawings, manufacturer's recommendations, applicable building codes, and industry standards.

Workmanship:

- *Ceiling framing members shall be properly aligned, securely fastened, and adequately braced to provide a rigid and stable ceiling system.*
- *Wet areas shall use 3.5 mm thick Fiber Cement Board ceiling panels. Boards shall be moisture-resistant and suitable for areas exposed to high humidity and occasional water splashes.*
- *All other interior areas shall use 5/8-inch thick, 2 feet x 2 feet Mineral Fiber Acoustic Ceiling Boards with approved suspension grid systems, providing both acoustic and aesthetic performance.*
- *Ceiling boards and panels shall be installed level, plumb, and true to line, with joints properly aligned and finished to produce a smooth and uniform appearance.*

- *Exposed surfaces shall be free from sagging, cracks, warping, visible fasteners, stains, dents, or any other defects that may affect the appearance and performance of the ceiling system.*
- *Joints, corners, edges, and intersections with walls, beams, columns, and other building components shall be neat, straight, and properly finished.*
- *Ceiling access panels, where required, shall be installed flush with the ceiling surface and shall allow easy access to concealed utilities without damaging adjacent ceiling materials.*
- *Openings for light fixtures, air conditioning units, sprinklers, exhaust fans, and other fixtures shall be accurately cut and neatly finished.*
- *Mineral Fiber Acoustic Ceiling Boards shall be installed in accordance with the manufacturer's recommended suspension system and shall provide a clean, level, and aesthetically pleasing ceiling surface.*
- *Fiber Cement Boards shall be properly fastened using corrosion-resistant screws and accessories, with joints treated and finished in accordance with the manufacturer's recommendations.*
- *The completed ceiling shall be clean, free from dust, stains, adhesive residues, and construction debris upon completion of the works.*
- *Any damaged, loose, sagging, stained, or defective ceiling components identified during inspection or within the defect liability period shall be repaired or replaced by the Contractor at no additional cost to the Procuring Entity.*
- *All ceiling works shall be executed safely and in compliance with applicable building codes, safety regulations, and approved construction practices.*

3.14 Doors

This work consists of the supply, delivery, fabrication, and installation of various door types, frames, hardware, and accessories as indicated in the approved plans. All doors shall be installed complete with hinges, locks, handles, stoppers, closers (if required), and all other accessories necessary for full functionality.

Workmanship:

- *Doors and frames shall be installed plumb, level, square, and properly aligned with adjoining walls and partitions.*
- *Gaps and clearances shall conform to industry standards (2–3 mm at jambs and head; 10 mm max. at floor unless otherwise specified).*
- *Glass doors shall be free from cracks, scratches, or blemishes, with edges properly polished and supported.*
- *Door jambs with no molding/casing installed on concrete walls shall have construction grooves all around. Provide details.*
- *All doors and windows shall have reinforced concrete lintel beams. Provide details.*
- *All hardware shall be securely fitted and in good working condition.*
- *Paint finish shall be uniform, smooth, and free from runs, sags, or uneven coatings.*

3.15 Windows

This work includes the supply, delivery, fabrication, and installation of windows complete with frames, glass panels, hardware, and accessories as specified in the approved plans and specifications.

Workmanship:

- *All windows shall be installed plumb, level, and square, ensuring smooth operation of sliding or opening mechanisms.*
- *Glass panels shall be free from cracks, scratches, or surface defects.*
- *Aluminum frames shall have a uniform powder-coated finish, free from peeling, bubbles, or discoloration.*

- *Weather strips and sealants shall be properly applied to ensure water tightness and minimize air infiltration.*
- *All accessories (rollers, locks, handles) shall be heavy-duty, rust-proof, and securely fitted.*

3.16 Glass Partition

This work includes the supply, delivery, fabrication, installation, and completion of frameless tempered glass partitions, including all necessary fittings, hardware, sealants, accessories, and incidental works required to provide a complete, safe, and functional partition system in accordance with the approved plans, details, and specifications.

The glass partitions shall consist of 12 mm thick clear tempered safety glass, frameless type, with polished edges and complete accessories. All hardware, including patch fittings, clamps, brackets, floor guides, hinges, handles, locks, channels, and other accessories, shall be of heavy-duty quality, corrosion-resistant, and approved by the Project Management Unit (PMU) prior to installation.

All materials shall be new, free from defects, and installed in accordance with the approved shop drawings, manufacturer's recommendations, applicable building codes, and industry standards.

Workmanship:

- *Glass panels shall be fabricated from 12 mm thick tempered safety glass of uniform thickness, free from bubbles, waves, scratches, cracks, chips, distortions, or other visible defects.*
- *All exposed edges of the glass shall be machine-polished and finished smoothly to eliminate sharp edges and provide a clean, professional appearance.*
- *The frameless glass partition system shall include all necessary accessories and hardware required for complete installation, including patch fittings, clamps, channels, hinges, handles, locks, floor guides, and approved sealants.*
- *Hardware and fittings shall be made of high-quality stainless steel or equivalent corrosion-resistant materials, with finishes approved by the Project Management Unit.*
- *Glass panels shall be installed plumb, level, square, and true to line, with uniform gaps and alignment throughout the entire partition system.*
- *Joints between glass panels and adjoining walls, floors, ceilings, or structural members shall be neatly sealed using approved clear silicone sealant or equivalent materials to ensure a clean appearance and proper weather and dust resistance where applicable.*
- *Glass doors forming part of the partition system shall be complete with heavy-duty hinges, pull handles, locks, floor springs, or other accessories as indicated in the approved drawings.*
- *All fittings and anchorage shall be securely fixed and capable of safely resisting operational loads, impact, and normal usage without loosening, rattling, or deformation.*
- *The installation shall ensure that glass panels are free from stress caused by improper fitting, misalignment, or uneven support.*
- *Protective measures should be provided during construction to prevent scratches, breakage, or damage to the glass surfaces and accessories.*
- *Upon completion, all glass surfaces shall be thoroughly cleaned and shall be free from stains, adhesive residues, fingerprints, scratches, dust, or other foreign materials.*
- *Any glass panel or accessory found to be damaged, scratched, cracked, chipped, loose, or otherwise defective during inspection or within the defect liability period shall be replaced by the Contractor at no additional cost to the Procuring Entity.*

- *The completed glass partition system shall provide a durable, safe, aesthetically pleasing, and functional enclosure consistent with the approved architectural design and intended use of the space.*
- *All works shall be executed safely and in compliance with applicable building codes, safety regulations, and approved construction practices.*

3.17 Painting Works

This work includes the supply, delivery, surface preparation, application of primers, putty, skim coat where required, and finishing coats for all interior and exterior walls, ceilings, doors, frames, and other surfaces indicated in the approved plans. The work shall include all materials, labor, tools, equipment, scaffolding, protection, and incidental work necessary to provide a complete and durable paint finish.

All paint materials shall be new, of high quality, and approved by the Project Management Unit (PMU) prior to application. Paint systems shall be suitable for their intended use, with weather-resistant coatings for exterior surfaces and durable, washable coatings for interior surfaces. All works shall conform to the approved color scheme, manufacturer's recommendations, applicable standards, and approved drawings.

Workmanship:

- *All surfaces to be painted shall be properly prepared by cleaning, scraping, sanding, patching, and removing dust, grease, loose materials, or other contaminants that may affect paint adhesion and finish quality.*
- *Cracks, holes, uneven surfaces, and minor imperfections shall be repaired using approved fillers, putty, or skim coat materials prior to the application of paint.*
- *Paint shall be applied only on dry and properly cured surfaces and under environmental conditions recommended by the manufacturer.*
- *Interior walls and ceilings shall receive the required primer and finishing coats to achieve a smooth, uniform, washable, and aesthetically pleasing finish.*
- *Exterior walls shall be painted using high-quality weather-resistant paint systems capable of resisting moisture, ultraviolet exposure, mildew, and other environmental conditions.*
- *Doors and frames shall receive the appropriate primer and finishing coats suitable for the substrate material and intended use, resulting in a durable and smooth finish resistant to scratches and wear.*
- *The number of coats shall be in accordance with the manufacturer's recommendations or as required to achieve complete hiding, uniform color, and consistent finish without visible streaks, brush marks, roller marks, sagging, blistering, peeling, or pinholes.*
- *Painting colors and finishes shall conform to the approved color schedule and samples approved by the Project Management Unit prior to full application.*
- *Adjacent surfaces, fixtures, floors, glass, hardware, and other completed works shall be adequately protected from paint splatters, stains, or damage during painting operations.*
- *Touch-up painting shall be performed as necessary to correct defects and ensure a uniform appearance throughout the finished surfaces.*
- *Upon completion, painted surfaces shall exhibit an even color, smooth texture, and consistent sheen, free from runs, drips, brush marks, discoloration, or other visible imperfections.*
- *All paint containers, debris, masking materials, and other waste generated during the painting works shall be removed from the site. Finished surfaces shall be thoroughly cleaned and left in neat and acceptable condition.*
- *Any painted surface found to be peeling, blistering, cracking, fading, or otherwise defective during inspection or within the defect liability period shall be repaired or repainted by the Contractor at no additional cost to the Procuring Entity.*

- *All painting works shall be executed safely and in compliance with applicable building codes, safety regulations, environmental requirements, and approved construction practices.*

3.18 Stainless Steel Railing Works

This work includes the supply, fabrication, delivery, installation, and completion of stainless steel railing systems, including handrails, posts, balusters, brackets, anchors, connectors, fasteners, and all accessories necessary to provide a complete, safe, and durable railing assembly in accordance with the approved plans, details, and specifications.

The railing system shall be fabricated using high-quality stainless steel tubular sections and stainless steel round bars as indicated in the approved drawings. All stainless steel materials shall be corrosion-resistant, free from defects, and suitable for both interior and exterior applications. The Contractor shall submit shop drawings and material samples for approval by the Project Management Unit (PMU) prior to fabrication and installation.

All works shall conform to the approved plans, applicable building codes, manufacturer's recommendations, and accepted industry standards.

Workmanship:

- *Stainless steel railings shall be fabricated from high-quality stainless steel tubular sections and stainless steel round bars of the sizes and configurations indicated in the approved drawings.*
- *All stainless steel materials shall be straight, true, and free from dents, scratches, corrosion, deformation, cracks, or other visible defects.*
- *Railings shall be accurately fabricated to the required dimensions and assembled to provide a rigid, stable, and structurally sound installation.*
- *Handrails, posts, and intermediate members shall be aligned, plumb, level, and true to line, maintaining consistent spacing and uniform appearance throughout the installation.*
- *Welded connections shall be continuous where required, properly executed, ground smooth, and finished to match adjacent stainless steel surfaces. No visible welding defects, cracks, porosity, or sharp edges shall be permitted.*
- *Exposed stainless steel surfaces shall have a uniform brushed, satin, or polished finish as specified in the approved design and shall be free from discoloration, burn marks, grinding marks, or surface imperfections.*
- *Stainless steel round bars used as balusters, infill members, or decorative elements shall be securely fixed and evenly spaced in accordance with the approved drawings and applicable safety requirements.*
- *Anchors, base plates, brackets, and fixing devices shall be securely fastened to structural members capable of supporting the design loads without movement, loosening, or deformation.*
- *Connections between railing components and adjacent construction elements shall be neat, secure, and properly detailed to ensure structural stability and aesthetic appearance.*
- *Exposed edges, corners, and joints shall be smooth, properly finished, and free from burrs or sharp projections that may cause injury.*
- *The completed railing system shall be capable of withstanding normal service loads and shall comply with applicable structural and safety requirements.*
- *Protective coverings shall be maintained during construction to prevent damage, staining, or scratching of finished stainless steel surfaces.*
- *Upon completion, all railing surfaces shall be thoroughly cleaned and free from dirt, grease, fingerprints, adhesive residues, welding debris, and other contaminants.*
- *Any railing component found to be loose, damaged, misaligned, corroded, scratched, or otherwise defective during inspection or within the defect liability*

period shall be repaired or replaced by the Contractor at no additional cost to the Procuring Entity.

- *The completed stainless steel railing system shall provide a durable, safe, functional, and aesthetically pleasing installation consistent with the approved architectural design and quality standards.*
- *All works shall be executed safely and in compliance with applicable building codes, safety regulations, accessibility requirements, and approved construction practices.*

3.19 Signages and Markers Works

This work includes the supply, fabrication, delivery, installation, and completion of all building signages, identification markers, directional signs, room signages, and other graphic information systems indicated in the approved plans and schedules. The work shall include all materials, mounting devices, fasteners, adhesives, supports, accessories, and incidental works necessary to provide a complete and functional signage system.

Building identification signages and markers shall utilize three-dimensional (3D) stainless steel letters with dimensions, font style, thickness, finish, and layout as indicated in the approved plans and details. Room signages shall be fabricated from high-quality acrylic plastic with text, graphics, and dimensions as specified in the approved drawings.

All materials, samples, shop drawings, color schemes, layouts, and installation details shall be submitted to the Project Management Unit (PMU) for approval prior to fabrication and installation. All works shall conform to the approved plans, architectural details, accessibility requirements, and applicable standards.

Workmanship:

- *Stainless steel letters shall be fabricated from high-quality corrosion-resistant stainless steel and formed into three-dimensional (3D) characters with the dimensions, thickness, font style, and finish specified in the approved plans.*
- *Stainless steel letters shall be free from dents, scratches, distortions, sharp edges, discoloration, welding marks, or other visible defects.*
- *All exposed stainless steel surfaces shall have a uniform brushed, satin, mirror-polished, or approved finish as indicated in the approved design.*
- *Acrylic room signages shall be fabricated from high-quality acrylic plastic sheets of approved thickness, color, and finish, free from cracks, chips, warping, bubbles, or surface imperfections.*
- *Text, symbols, graphics, logos, and directional information shall be accurately reproduced, clearly legible, properly aligned, and consistent with the approved signage schedule and design standards.*
- *Signage dimensions, lettering sizes, spacing, and layout shall conform strictly to the approved plans and details.*
- *Signages shall be installed plumb, level, centered, and accurately positioned at the locations indicated in the approved drawings.*
- *Mounting systems, fasteners, adhesives, anchors, spacers, and support components shall be suitable for the intended substrate and shall securely support the signage without movement, sagging, or misalignment.*
- *Concealed fixing systems shall be utilized whenever specified in the approved design to provide a clean and professional appearance.*
- *Stainless steel letters shall be installed with uniform spacing and alignment to achieve a consistent and aesthetically pleasing presentation.*
- *Room signages shall be securely mounted using approved fixing methods and positioned at standardized heights to ensure visibility and accessibility.*
- *Signages shall not obstruct doors, windows, emergency equipment, circulation paths, or building operations.*
- *Protective coverings shall be maintained during installation to prevent scratches, stains, or damage to completed signage surfaces.*

- *Upon completion, all signages shall be thoroughly cleaned and free from fingerprints, dust, adhesive residues, stains, scratches, and other contaminants.*
- *Any signage found to be damaged, faded, loose, misaligned, defective, or otherwise unsatisfactory during inspection or within the defect liability period shall be repaired or replaced by the Contractor at no additional cost to the Procuring Entity.*
- *The completed signage system shall provide clear identification, effective wayfinding, durability, accessibility, and an aesthetically pleasing appearance consistent with the approved architectural design.*
- *All works shall be executed safely and in compliance with applicable building codes, accessibility standards, safety regulations, and approved construction practices.*

3.20 Toilet Cubicles and Urinal Partition Works

This work includes the supply, delivery, fabrication, installation, adjustment, and completion of toilet cubicles and urinal partitions, including doors, panels, pilasters, supports, fittings, accessories, fasteners, anchors, and all incidental works necessary to provide a complete, durable, and functional partition system in accordance with the approved plans, details, and specifications.

Toilet cubicles and urinal partitions shall be fabricated from **12 mm thick Phenolic Compact Board** suitable for wet and high-humidity environments. All hardware and accessories shall consist of ****heavy-duty black nylon fittings****, including hinges, door knobs, indicator locks, coat hooks, brackets, panel supports, and other necessary components for complete installation.

All materials shall be new, moisture-resistant, impact-resistant, and free from defects. Shop drawings, color selections, panel layouts, and hardware samples shall be submitted to the Project Management Unit (PMU) for approval prior to fabrication and installation. All works shall conform to the approved plans, manufacturer's recommendations, applicable building codes, and industry standards.

Workmanship:

- *Toilet cubicle panels, doors, pilasters, and urinal partitions shall be fabricated from 12 mm thick Phenolic Compact Board with smooth, non-porous, moisture-resistant surfaces suitable for continuous use in wet areas.*
- *Phenolic Compact Board panels shall be uniform in thickness, color, texture, and finish, free from warping, cracks, delamination, chips, scratches, or other visible defects.*
- *All exposed edges shall be factory-finished, smooth, and free from sharp edges, burrs, or irregularities.*
- *Black nylon fittings and accessories shall be of heavy-duty commercial grade, resistant to corrosion, moisture, impact, and normal wear and tear.*
- *Toilet cubicle doors shall be provided with complete black nylon hardware, including self-closing hinges, occupancy indicator locks, doorknobs or pulls, coat hooks, and door stops where required.*
- *Urinal partitions shall be securely anchored and properly supported using approved black nylon brackets and fixing systems.*
- *Panels, doors, and pilasters shall be installed plumb, level, square, and true to line, maintaining consistent alignment and uniform clearances throughout the installation.*
- *Gaps between doors, panels, pilasters, and adjacent construction shall be uniform and consistent, ensuring proper operation and a professional appearance.*
- *Anchors, fasteners, brackets, and support systems shall be securely fixed to structural substrates capable of supporting operational loads without movement, loosening, or deformation.*

- Toilet cubicle doors shall swing freely and operate smoothly without binding, excessive gaps, misalignment, or obstruction.
- Locks and hardware shall function properly and reliably, providing privacy, security, and ease of operation.
- All fittings shall be installed in accordance with the manufacturer's recommendations and approved shop drawings.
- The completed cubicle and partition system shall be rigid, stable, vandal-resistant, and capable of withstanding normal public use.
- Protective measures should be maintained during construction to prevent damage, staining, scratches, or contamination of installed panels and fittings.
- Upon completion, all surfaces shall be thoroughly cleaned and free from dust, adhesive residues, fingerprints, stains, scratches, and construction debris.
- Any panel, fitting, hardware component, lockset, hinge, or accessory found to be damaged, loose, defective, misaligned, or otherwise unsatisfactory during inspection or within the defect liability period shall be repaired or replaced by the Contractor at no additional cost to the Procuring Entity.
- The completed toilet cubicle and urinal partition system shall provide a durable, hygienic, moisture-resistant, safe, and aesthetically pleasing installation consistent with the approved architectural design and intended facility use.
- All works shall be executed safely and in compliance with applicable building codes, accessibility requirements, health regulations, safety standards, and approved construction practices.

3.21 Cabinetry Works:

This work includes the supply, delivery, fabrication, assembly, finishing, installation, and completion of all built-in cabinets, storage units, counters, shelves, overhead cabinets, base cabinets, and other cabinetry works indicated in the approved plans and details. The work shall include all materials, hardware, accessories, supports, fasteners, adhesives, edge treatments, and incidental works necessary to provide a complete and functional cabinetry system.

Cabinet carcasses, shelves, doors, drawers, partitions, and other major components shall be fabricated from **3/4-inch thick Marine Plywood**. All exposed surfaces shall be finished with **High Pressure Laminate (HPL)** of approved color, texture, and pattern. Exposed edges shall be finished with matching edge bands or approved edge treatment to provide a clean and durable appearance.

All materials, hardware, finishes, shop drawings, and samples shall be submitted to the Project Management Unit (PMU) for approval prior to fabrication and installation. All works shall conform to the approved plans, manufacturer's recommendations, applicable standards, and accepted industry practices.

Workmanship:

- Cabinet components shall be fabricated from 3/4-inch thick Marine Plywood of approved quality, free from warping, delamination, excessive voids, cracks, moisture damage, or other defects.
- High Pressure Laminate (HPL) finishes shall be securely bonded to the substrate using approved adhesives and shall be free from bubbles, wrinkles, lifting, separation, discoloration, scratches, or other surface defects.
- Cabinet surfaces shall have a uniform appearance, consistent color, texture, and finish throughout the installation.
- Exposed edges of plywood components shall be fully covered with matching HPL edge bands or approved edge finishing materials to provide protection and a neat appearance.
- Cabinets shall be fabricated accurately to the dimensions indicated in the approved plans and shop drawings, with square corners, straight edges, and precise joinery.

- *Joints, seams, and connections shall be tight-fitting, properly aligned, and neatly executed to provide structural integrity and a professional finish.*
- *Shelves, partitions, and structural members shall be adequately reinforced and capable of supporting their intended loads without sagging, distortion, or failure.*
- *Cabinet doors and drawers shall be properly aligned and fitted with approved hardware, including concealed hinges, drawer slides, pulls, handles, locks, catches, and other accessories as indicated in the approved plans.*
- *Hinges, drawer runners, and hardware shall operate smoothly without binding, excessive play, misalignment, or noise.*
- *Cabinet units shall be securely anchored to walls, floors, or structural members as required to ensure stability and safety during use.*
- *Openings for plumbing fixtures, electrical outlets, switches, appliances, and other building services shall be accurately cut and neatly finished.*
- *All exposed surfaces shall be smooth, level, and free from dents, chips, scratches, adhesive residue, stains, visible fasteners, or other imperfections.*
- *Protective measures shall be maintained during construction to prevent damage to completed cabinetry and finishes.*
- *Upon completion, all cabinetries shall be thoroughly cleaned and free from dust, markings, adhesive residue, stains, and construction debris.*
- *Any cabinet component, laminate finish, hardware, drawer, shelf, hinge, lock, or accessory found to be damaged, loose, defective, misaligned, or otherwise unsatisfactory during inspection or within the defect liability period shall be repaired or replaced by the Contractor at no additional cost to the Procuring Entity.*
- *The completed cabinetry system shall provide a durable, functional, moisture-resistant, and aesthetically pleasing installation consistent with the approved architectural design and intended use of the facility.*
- *All works shall be executed safely and in compliance with applicable building codes, fire safety requirements, accessibility standards, manufacturer's recommendations, and approved construction practices.*

3.22 Plumbing Works:

This work includes the supply, delivery, installation, testing, commissioning, and completion of all plumbing systems required for the project, including domestic water supply lines, sanitary drainage lines, vent systems, storm drainage lines, plumbing fixtures, valves, cleanouts, floor drains, fittings, accessories, and all incidental works necessary to provide a complete, safe, and fully operational plumbing system.

The work shall likewise include the construction of catch basins, connection of storm drainage pipes, and tapping of the new drainage system to the existing main drainage line, including all excavation, trenching, bedding, backfilling, concrete works, restoration, testing, and other related works required for a complete installation.

The domestic water distribution system shall utilize **Polypropylene Random Copolymer (PPR)** pipes and fittings of approved quality. Drainage, waste, and vent piping shall utilize uPVC pipes and fittings or other approved equivalent materials suitable for their intended application.

All plumbing works shall be performed under the supervision of a duly licensed Master Plumber. All materials shall be new, free from defects, and approved by the Project Management Unit (PMU) prior to installation.

The entire plumbing installation shall comply with the latest edition of the National Plumbing Code of the Philippines, National Building Code of the Philippines, applicable sanitary regulations, local utility requirements, manufacturer's recommendations, and approved plans and specifications.

Workmanship:

- *All plumbing materials, fixtures, fittings, valves, accessories, and equipment shall be new, of approved quality, and free from defects.*
- *Domestic water supply lines shall utilize PPR pipes and fittings of approved pressure rating, properly joined in accordance with the manufacturer's recommended heat fusion procedures.*
- *Sanitary, waste, vent, and storm drainage systems shall utilize approved uPVC pipes and fittings with appropriate sizes indicated in the approved plumbing plans.*
- *Pipe layouts shall conform to the approved drawings and shall be installed neatly, securely supported, properly aligned, and protected from physical damage.*
- *Pipes embedded in concrete, masonry walls, concrete hollow blocks, floors, or slabs shall be properly positioned before casting or finishing works and shall not compromise the structural integrity of the building.*
- *All pipe penetrations through walls, floors, and ceilings shall be properly sleeved and sealed after installation.*
- *Plumbing fixtures shall be installed plumb, level, securely anchored, and properly connected to water supply and drainage systems.*
- *Valves, cleanouts, floor drains, hose bibbs, and other plumbing devices shall be installed at accessible locations for maintenance and operation.*
- *Water supply lines shall be protected against leakage, contamination, excessive pressure, and mechanical damage.*
- *Drainage pipes shall be installed with the proper slope to ensure efficient flow and prevent ponding, clogging, or backflow.*
- *All joints shall be watertight, properly aligned, and free from leakage or visible defects.*
- *The Contractor shall provide temporary caps or plugs to prevent debris from entering the piping system during construction.*

Catch Basin Construction:

- *Catch basins shall be constructed at the locations and dimensions indicated in the approved plans.*
- *Catch basins shall be reinforced concrete construction using the specified concrete strength and reinforcing steel indicated in the approved structural details.*
- *Interior surfaces shall be smoothly plastered with cement mortar to provide a watertight finish.*
- *Catch basins shall be provided with removable heavy-duty reinforced concrete or cast iron covers and frames as indicated in the approved drawings.*
- *Pipe inlets and outlets shall be accurately positioned, securely connected, and sealed to prevent leakage or soil infiltration.*
- *Catch basin invert elevations shall be constructed to provide positive drainage and prevent sediment accumulation.*

Connection to Existing Main Drainage Line:

- *The Contractor shall verify the location, elevation, size, and condition of the existing main drainage line prior to commencing tapping works.*
- *Connection to the existing drainage system shall be carefully executed without causing damage to existing utilities or interruption to normal building operations.*
- *All tapping works shall utilize approved fittings, connectors, and transition materials compatible with the existing drainage system.*
- *Existing drainage lines affected by the work shall be protected during construction and restored to full service immediately after completion of the connection.*
- *Excavation, trenching, shoring, dewatering, bedding, backfilling, compaction, and restoration of disturbed surfaces shall be included in the scope of work.*

- *Any damaged pavement, concrete slab, landscaping, or other affected structures resulting from the plumbing works shall be restored to their original condition or better.*

Testing and Commissioning:

- *All water supply lines shall undergo hydrostatic pressure testing to verify leak-free performance prior to concealment and commissioning.*
- *Sanitary, waste, vent, and storm drainage systems shall be subjected to water or air testing in accordance with the National Plumbing Code of the Philippines.*
- *Catch basins and drainage lines shall be tested to verify proper flow and positive drainage.*
- *All plumbing fixtures shall be tested for proper operation, flow, drainage, and watertight performance.*
- *The Contractor shall immediately repair any leaks, defects, or deficiencies identified during testing at no additional cost to the Procuring Entity.*

Reportorial Requirements:

- *Approved shop drawings and coordination drawings.*
- *Product data sheets and manufacturer's specifications.*
- *Construction methodology and installation procedures.*
- *Material inspection and approval records.*
- *Pressure testing, leakage testing, and drainage testing reports.*
- *As-built plumbing plans showing actual pipe routing and invert elevations.*
- *Operation and maintenance manuals, warranty certificates, and equipment documentation.*
- *Certificate of Completion signed and sealed by the supervising Master Plumber.*

General Requirements:

- *Upon completion, all plumbing systems shall be fully operational, leak-free, clean, and ready for service.*
- *All debris, excess materials, temporary supports, and construction waste shall be removed from the work area.*
- *Any defective materials, fixtures, piping, valves, catch basins, drainage structures, or installations identified during inspection or within the defect liability period shall be repaired or replaced by the Contractor at no additional cost to the Procuring Entity.*
- *All plumbing works shall be executed safely and in compliance with the National Plumbing Code of the Philippines, Occupational Safety and Health Standards, environmental regulations, and all applicable laws, rules, and regulations.*

3.23 Electrical Works

This work includes the supply, delivery, installation, testing, commissioning, and completion of all electrical systems and components required for the project, including but not limited to conduits, raceways, wiring devices, conductors, panelboards, circuit breakers, grounding systems, lighting fixtures, switches, convenience outlets, disconnecting means, auxiliary devices, and all other electrical materials and accessories necessary to provide a complete, safe, and operational electrical installation.

All electrical work shall be performed by and supervised by a Registered Electrical Engineer, as applicable. All materials shall be new, of approved quality, and suitable for their intended purpose. Materials and equipment shall be subject to approval by the Project Management Unit (PMU) prior to installation.

The entire electrical installation shall comply with the latest edition of the Philippine Electrical Code (PEC), applicable provisions of the National Building Code of the Philippines, local utility requirements, fire safety regulations, manufacturer's recommendations, and approved plans and specifications.

Workmanship:

- *All electrical materials and equipment shall be new, free from defects, and listed or certified for their intended application.*
- *Voltage ratings, conductor sizes, insulation types, overcurrent protection devices, and installation methods shall conform to the latest Philippine Electrical Code and approved electrical plans.*
- *Conductors shall be copper, stranded where applicable, with insulation suitable for the operating voltage and environmental conditions of the installation.*
- *Electrical conduits shall be installed in a neat and workmanlike manner and shall be securely supported, aligned, and protected from physical damage.*
- *Conduits embedded in concrete, masonry walls, concrete hollow blocks, slabs, or other building elements shall be properly installed before casting or finishing works and shall not impair the structural integrity of the building.*
- *Junction boxes, pull boxes, utility boxes, and outlet boxes shall be installed at accessible locations and provided with suitable covers.*
- *Wiring shall be continuous between outlet and junction points whenever practical. Splices and terminations shall only be made inside approved electrical boxes and using approved connectors.*
- *Conductors shall be properly identified and arranged to facilitate maintenance, troubleshooting, and future modifications.*
- *Panelboards shall be of approved manufacture and shall be provided with properly sized circuit breakers, complete circuit directories, grounding connections, and identification labels.*
- *Circuit breakers shall be of the correct rating and interrupting capacity as indicated in the approved electrical design.*
- *Lighting fixtures shall be securely mounted, properly aligned, and installed in accordance with the manufacturer's recommendations and approved plans.*
- *Switches, convenience outlets, and wiring devices shall be installed plumb, level, securely mounted, and located at the elevations indicated in the approved plans.*
- *All metallic electrical equipment, enclosures, raceways, and panelboards shall be properly grounded and bonded in accordance with the Philippine Electrical Code.*
- *A complete grounding system shall be provided, including grounding conductors, grounding electrodes, connectors, and accessories necessary to achieve safe system operation.*
- *Electrical installations shall be coordinated with architectural, structural, plumbing, mechanical, and other building systems to avoid conflicts and ensure proper integration.*
- *Penetrations through walls, floors, ceilings, and fire-rated assemblies shall be properly sealed and restored after installation.*
- *All electrical equipment shall be protected from moisture, dust, corrosion, vibration, and other environmental conditions that may affect performance.*
- *The Contractor shall conduct insulation resistance tests, continuity tests, grounding tests, operational tests, and other required testing procedures prior to energization and turnover.*
- *The Contractor shall submit test reports, inspection records, as-built drawings, equipment manuals, warranties, and other required documentation prior to project acceptance.*
- *All circuits, panelboards, disconnect switches, and electrical equipment shall be permanently labeled for identification and maintenance purposes.*
- *Temporary electrical installations required during construction shall comply with applicable safety standards and shall be removed upon project completion unless otherwise specified.*

- *Upon completion, all electrical systems shall be fully operational, safe, properly adjusted, and ready for intended use.*
- *All exposed electrical installations shall present a neat, professional, and workmanlike appearance free from visible defects, loose components, exposed conductors, or damaged materials.*
- *Any defective materials, equipment, devices, fixtures, wiring, or installations identified during inspection or within the defect liability period shall be repaired or replaced by the Contractor at no additional cost to the Procuring Entity.*
- *The Contractor shall ensure that all electrical works are executed safely and in compliance with the Philippine Electrical Code, Occupational Safety and Health Standards, fire safety regulations, and all applicable laws, rules, and regulations.*

Testing and Commissioning Requirements:

- *Perform continuity testing of all branch circuits and feeders.*
- *Perform insulation resistance testing of conductors and feeders prior to energization.*
- *Verify proper grounding and bonding of the entire electrical system.*
- *Test all lighting fixtures, switches, outlets, circuit breakers, and electrical equipment for proper operation.*
- *Verify proper phase balancing and voltage levels where applicable.*
- *Conduct functional testing of panelboards and protective devices.*
- *Submit complete testing and commissioning reports certified by the supervising Electrical Engineer.*

Reportorial Requirements:

- *Approved shop drawings and coordination drawings.*
- *Product data sheets and manufacturer's specifications.*
- *Construction methodology and installation procedures.*
- *Material inspection and approval records.*
- *Testing and commissioning reports.*
- *As-built electrical plans.*
- *Warranty certificates and operation manuals.*
- *Certificate of Completion signed and sealed by the Electrical Engineer responsible.*

3.24 Fire Detection and Alarm System Works

This work includes the supply, delivery, installation, testing, commissioning, and completion of the Fire Detection and Alarm System (FDAS), including smoke detectors, fire alarm control panel (FACP), manual pull stations, audible and visual alarm devices, power supplies, batteries, conduits, cables, junction boxes, accessories, and all other materials necessary to provide a complete and fully operational fire detection and alarm system.

The system should provide early detection of fire and smoke conditions, prompt alarm notification, and centralized monitoring and control. All equipment shall be new, of approved quality, compatible with each other, and suitable for the intended application. The Fire Detection and Alarm System shall comply with the approved plans, manufacturer's recommendations, applicable provisions of the National Building Code of the Philippines, Fire Code of the Philippines, latest applicable standards of the Bureau of Fire Protection (BFP), Philippine Electrical Code (PEC), and recognized fire alarm system standards.

All materials, equipment, shop drawings, calculations, and installation details shall be submitted to the Project Management Unit (PMU) for approval prior to installation.

Workmanship:

- *The Fire Detection and Alarm System shall consist of a Fire Alarm Control Panel (FACP), smoke detectors, manual pull stations, alarm notification devices, power supplies, batteries, wiring, conduits, and all associated accessories required for a complete and operational system.*
- *Smoke detectors shall be listed, approved, and suitable for ceiling installation and the intended environmental conditions of the protected area.*
- *Smoke detectors shall be installed at locations indicated in the approved plans and in accordance with applicable codes, standards, and manufacturer's recommendations to ensure proper coverage and performance.*
- *The Fire Alarm Control Panel (FACP) shall be of approved manufacture and shall be capable of monitoring all connected devices, indicating alarm, trouble, and supervisory conditions, and maintaining system operation during power interruptions through standby batteries.*
- *The FACP shall be installed in an accessible location approved by the Project Management Unit and relevant authorities having jurisdiction.*
- *Standby batteries shall be provided and sized in accordance with applicable standards to maintain system operation during loss of normal power supply.*
- *Wiring for the Fire Detection and Alarm System shall be installed in approved conduits, raceways, or cable management systems and shall be adequately protected from physical damage.*
- *Fire alarm cables shall be properly identified, neatly routed, and terminated in accordance with the manufacturer's recommendations and approved shop drawings.*
- *Junction boxes, pull boxes, and terminal cabinets shall be properly sized, accessible, securely mounted, and provided with appropriate covers and identification labels.*
- *All devices shall be securely mounted, properly aligned, and installed in accordance with approved plans and manufacturer's installation requirements.*
- *Device locations shall be coordinated with architectural, structural, electrical, plumbing, and mechanical systems to avoid conflicts and ensure proper accessibility and maintenance.*
- *Penetrations through walls, floors, ceilings, and fire-rated assemblies shall be properly sealed and restored using approved firestopping materials.*
- *The completed installation shall present a neat and professional appearance, with all conduits, cables, devices, and equipment properly supported and protected.*
- *Labels should be provided for the Fire Alarm Control Panel, circuits, zones, devices, and other components to facilitate operation, maintenance, and troubleshooting.*
- *All exposed equipment shall be free from dents, scratches, corrosion, loose components, and installation defects.*
- *Any defective device, cable, panel component, battery, accessory, or installation identified during inspection or within the defect liability period shall be repaired or replaced by the Contractor at no additional cost to the Procuring Entity.*
- *All work shall be executed safely and in compliance with applicable fire safety regulations, electrical codes, occupational safety requirements, and approved construction practices.*

Testing and Commissioning Requirements:

- *Conduct continuity testing and insulation resistance testing of all fire alarm circuits prior to system energization.*
- *Verify proper installation, wiring integrity, and termination of all devices and circuits.*
- *Test each smoke detector to verify proper detection and alarm initiation functions.*
- *Test manual pull stations, alarm notification devices, and all initiating devices for proper operation.*

- *Verify proper operation of the Fire Alarm Control Panel, including alarm, supervisory, trouble, silence, reset, and monitoring functions.*
- *Test standby battery operation and automatic transfer between normal and emergency power supply conditions.*
- *Conduct full functional testing of the entire Fire Detection and Alarm System to verify compliance with the approved design and applicable standards.*
- *Coordinate final testing and inspection with the Project Management Unit and, when required, the Bureau of Fire Protection (BFP).*
- *Submit complete testing, commissioning, and acceptance reports prior to project turnover.*

Reportorial Requirements:

- *Approved shop drawings and system layout drawings.*
- *Product data sheets and manufacturer's specifications.*
- *Construction methodology and installation procedures.*
- *Material inspection and approval records.*
- *Cable testing reports.*
- *Device testing and functional testing reports.*
- *Battery capacity and standby operation test reports.*

Testing and commissioning reports.

- *As-built FDAS plans and diagrams.*
- *Operation and maintenance manuals.*
- *Warranty certificates.*
- *Certificate of Completion signed by the responsible Professional Electrical Engineer or qualified fire alarm system specialist.*

3.25 Data and Telecommunication Provision Works

This work includes the supply, delivery, installation, testing, and completion of the raceway system for data and telecommunication services, including conduits, utility boxes, outlet boxes, pull boxes, cable pull wires, supports, fittings, and all accessories necessary to provide a complete and serviceable pathway for future installation of structured cabling systems.

The work shall provide complete conduit infrastructure from the designated Data/Telecommunication Distribution Point to all data outlet locations as indicated in the approved plans. The installation shall include *cable pull wires* in all conduits to facilitate the future installation of data and telecommunication cables by the Owner or designated service provider.

All materials shall be new, of approved quality, and suitable for communications infrastructure. The installation shall comply with the approved plans, applicable provisions of the Philippine Electrical Code (PEC), National Building Code of the Philippines, applicable information and communications technology (ICT) standards, manufacturer's recommendations, and accepted industry practices.

Workmanship:

- *All conduits, outlet boxes, pull boxes, fittings, and accessories shall be new, free from defects, and approved by the Project Management Unit (PMU) prior to installation.*
- *Conduits shall be of the type, diameter, and routing indicated in the approved plans and shall provide adequate capacity for future structured cabling requirements.*
- *Conduits shall be installed in a neat and workmanlike manner, securely supported, properly aligned, and protected against physical damage.*

- Conduits embedded within concrete, masonry walls, concrete hollow blocks, slabs, or other structural members shall be installed prior to casting or finishing works without compromising the structural integrity of the building.
- Separate conduit systems shall be provided for data and telecommunication services and shall not share raceways with power wiring unless specifically permitted by applicable codes and approved by the Project Management Unit.
- Conduit bends shall be smooth and shall not exceed the allowable number of bends between pull points as recommended by the manufacturer and applicable standards.
- Pull boxes and junction boxes shall be installed at appropriate intervals and at changes in direction to facilitate future cable installation and maintenance.
- A continuous nylon cable pull wire (pull string) of adequate tensile strength shall be installed inside every conduit run intended for future data and telecommunication cabling.
- Cable pull wires shall extend continuously between outlet boxes, pull boxes, telecommunications cabinets, and distribution points, with sufficient excess length at each termination to facilitate future cable pulling operations.
- Data outlet boxes shall be securely mounted, plumb, level, and installed at the locations and elevations indicated in the approved plans.
- Conduit ends shall be properly bushed or fitted with protective fittings to prevent damage to future cables during installation.
- Conduit openings shall be temporarily sealed during construction to prevent the entry of dust, debris, moisture, insects, or foreign materials.
- The Contractor shall verify that all conduit runs are free from obstructions by performing pull-through tests prior to project turnover.
- All conduits, boxes, and pathways shall be permanently identified where required to facilitate future installation, maintenance, and troubleshooting.
- The completed raceway system shall be clean, continuous, unobstructed, and ready for the installation of structured cabling without requiring additional civil or architectural works.
- Coordination shall be maintained with architectural, structural, electrical, mechanical, and fire protection works to prevent conflicts and ensure accessibility for future maintenance.
- Any damaged conduits, pull wires, outlet boxes, fittings, or accessories identified during inspection or within the defect liability period shall be repaired or replaced by the Contractor at no additional cost to the Procuring Entity.
- All works shall be executed safely and in compliance with applicable building codes, the Philippine Electrical Code, occupational safety regulations, and approved construction practices.

Testing and Commissioning Requirements:

- Verify continuity and accessibility of all conduits runs using an approved pull-through test.
- Confirm the installation of continuous cable pull wires in every conduit run.
- Verify proper routing, support, alignment, and accessibility of conduits, pull boxes, and outlet boxes.
- Inspect all conduits to ensure they are free from obstruction, moisture, and construction debris.
- Submit inspection and testing reports certifying that the raceway system is complete and ready for future structured cabling installation.

Reportorial Requirements:

- Approved shop drawings and conduit layout drawings.
- Product data sheets and manufacturer's specifications.
- Construction methodology and installation procedures.
- Material inspection and approval records.
- Conduit pull-through testing reports.

- *As-built drawings indicating conduit routing, pull box locations, outlet locations, and telecommunications distribution points.*
- *Warranty certificates.*
- *Certificate of Completion signed by the responsible Professional Electrical Engineer or Registered Electrical Engineer.*

3.26 Fire protection System Works

This work includes the supply, delivery, installation, testing, commissioning, and completion of the Fire Protection System, including fire protection piping, fittings, valves, sprinkler heads, supports, hangers, fire hose cabinets, hose reels, Siamese connections, alarm check valves, flow switches, drain assemblies, accessories, and all other components necessary to provide a complete and fully operational fire suppression system in accordance with the approved plans and specifications.

Fire protection piping shall be constructed using *Black Iron (B.I.) Pipe, Schedule 40, conforming to ASTM A-J5*, complete with approved fittings, couplings, supports, and accessories suitable for fire protection applications. All materials shall be new, free from defects, and approved by the Project Management Unit (PMU) prior to installation.

The entire fire protection system shall comply with the latest edition of the Fire Code of the Philippines, National Building Code of the Philippines, applicable Bureau of Fire Protection (BFP) requirements, Philippine Electrical Code (for associated electrical components), recognized fire protection standards, manufacturer's recommendations, and approved plans and specifications.

Workmanship:

- *All fire protection materials, equipment, valves, fittings, sprinkler heads, and accessories shall be new, free from defects, and suitable for fire protection service.*
- *Fire protection piping shall utilize Black Iron (B.I.) Pipe, Schedule 40, conforming to ASTM A53, or approved equivalent where specifically indicated in the approved plans.*
- *Pipes shall be properly cut, threaded, grooved, welded, or joined as required by the approved system design and manufacturer's recommendations.*
- *Piping installations shall be aligned, level, plumb, and securely supported using approved hangers, brackets, anchors, and support systems designed for fire protection applications.*
- *Pipe supports and hangers should be installed at intervals sufficient to prevent sagging, vibration, movement, or excessive stress on the piping system.*
- *Sprinkler heads shall be installed at the locations, spacing, elevations, and orientations indicated in the approved plans and in accordance with applicable fire protection standards.*
- *Sprinkler heads shall remain free from paint, debris, damage, or obstructions that may affect proper operation.*
- *Control valves, alarm valves, check valves, drain valves, test valves, and other system appurtenances shall be installed in accessible locations to facilitate operation, inspection, testing, and maintenance.*
- *Fire hose cabinets, hose reels, landing valves, Siamese connections, and associated equipment shall be securely mounted and installed at locations indicated in the approved plans.*
- *Flow switches, supervisory switches, pressure switches, and other monitoring devices shall be properly installed and coordinated with the Fire Detection and Alarm System where applicable.*
- *Pipe penetrations through walls, floors, ceilings, and fire-rated assemblies shall be properly sealed using approved firestopping materials.*
- *Exposed fire protection piping shall receive the required protective coating and identification markings as specified in the approved plans and applicable standards.*

- The Contractor shall ensure proper coordination with architectural, structural, electrical, mechanical, and plumbing systems to avoid conflicts and maintain accessibility.
- The installation shall be performed in a neat and workmanlike manner, with all piping, valves, and equipment properly aligned and identified.
- Temporary protective caps shall be installed on open pipe ends during construction to prevent the entry of dirt, debris, or foreign materials.
- The completed system shall be free from leaks, obstructions, excessive vibration, corrosion, and installation defects.
- Upon completion, all equipment, piping, valves, cabinets, and accessories shall be cleaned and left in fully operational condition.
- Any defective pipe, fitting, valve, sprinkler head, support, cabinet, accessory, or installation identified during testing, inspection, or within the defect liability period shall be repaired or replaced by the Contractor at no additional cost to the Procuring Entity.
- All works shall be executed safely and in compliance with applicable fire safety regulations, occupational safety requirements, approved construction practices, and the requirements of the Bureau of Fire Protection (BFP).

Testing and Commissioning Requirements:

- Conduct hydrostatic pressure testing of all fire protection piping systems in accordance with applicable fire protection standards and approved specifications.
- Verify proper operation of all control valves, alarm valves, drain valves, and supervisory devices.
- Conduct flushing and cleaning of all fire protection piping prior to commissioning.
- Test all sprinkler systems, hose reel systems, and associated fire protection components for proper operation.
- Verify proper operation of flow switches, supervisory switches, and monitoring devices connected to the Fire Detection and Alarm System.
- Conduct full system operational testing and commissioning in the presence of the Project Management Unit and authorized representatives when required.
- Submit complete testing, flushing, pressure testing, and commissioning reports prior to project turnover.

Reportorial Requirements:

- Approved shop drawings and fire protection layout drawings.
- Hydraulic calculations, where applicable.
- Product data sheets and manufacturer's specifications.
- Construction methodology and installation procedures.
- Material inspection and approval records.
- Hydrostatic pressure testing reports.
- Flushing and cleaning reports.
- System operational testing and commissioning reports.
- As-built fire protection plans.
- Operation and maintenance manuals.
- Warranty certificates.
- Certificate of Completion signed and sealed by the responsible Professional Mechanical Engineer, Fire Protection Engineer, or other authorized professional as required by applicable regulations.

3.27 Occupancy Permit Application

This section covers the preparation, facilitation, and submission of all necessary documents, certificates, and clearances required for the issuance of the Certificate of

Occupancy for the project. The issuance of the Certificate of Occupancy shall form part of the documentary requirements prior to the full acceptance and turnover of the project.

Objectives:

- *To ensure that the completed project complies with all applicable building codes, fire safety standards, health and sanitation regulations, and local government requirements.*
- *To secure the official Certificate of Occupancy from the Local Government Unit (LGU), through the Office of the Building Official (OBO), in accordance with the National Building Code of the Philippines (P.D. 1096) and its Implementing Rules and Regulations.*
- *To provide proof that the facility is safe, functional, and ready for use by the end-user.*

Requirements for Application:

- *As-built plans signed and sealed by duly licensed professionals (Architect, Civil Engineer, Electrical Engineer, Mechanical Engineer, Sanitary Engineer, Electronics Engineer as applicable).*
- *Fire Safety Inspection Certificate (FSIC) issued by the Bureau of Fire Protection.*
- *Certificate of Completion duly signed by the Contractor and Project Engineer/Architect.*
- *Logbook of construction activities and construction photographs.*
- *Results of Testing and Commissioning of building utilities and safety systems (e.g., Wet Standpipe, FDAS, Electrical System, Plumbing System).*
- *Clearances from the Department of Labor and Employment (DOLE) and other agencies concerned, if applicable.*
- *Other documents may be required by the OBO or LGU.*

Contractor's Responsibilities:

- *Facilitate the complete preparation and submission of all required documents.*
- *Coordinate with the Project Management Unit, OBO, and concerned regulatory agencies to ensure compliance with all requirements.*
- *Shoulder all costs incidental to the application process, including professional fees, reproduction of plans/documents, and regulatory fees unless otherwise provided in the contract.*
- *Rectify or address any deficiencies identified by the OBO or other approving agencies.*
- *Ensure that the Certificate of Occupancy is secured and turned over to the Procuring Entity within the agreed project timeline.*

4. KEY PERSONNEL REQUIREMENT

Professional services under the contract are to be rendered by approved personnel of the contracting firm led by an experienced Project In-Charge. Standard requirements for key technical staff for the design and construction personnel are as follows:

Project In-Charge	<i>Responsible for the day-to-day supervision and implementation of the Completion of One Stop Student Services Center. Must be a duly licensed Civil Engineer or Architect, with a valid Professional Regulation Commission (PRC) license. Must have at least five (5) years of proven experience in the field of construction, repair, and maintenance works directly related to the scope of the</i>
-------------------	---

	<i>project. Must be physically present and available on-site during the duration of the project to oversee and coordinate activities, address issues, and report to the implementing agency or project owner as necessary.</i>
Registered Electrical Engineer	<i>Supervise and ensure the proper execution of all electrical work included in the project. Must be a Registered Electrical Engineer with a valid and active license issued by the Professional Regulation Commission (PRC). Must have at least five (5) years of work experience directly related to electrical system installation in construction projects of similar scope and complexity. Must be well-versed in the implementation of the Philippine Electrical Code (PEC) and other applicable laws, standards, and safety regulations governing electrical works. Should be on-site as needed or as necessary during critical stages of project implementation, including inspection, testing, coordination, and resolution of electrical issues.</i>
Registered Mechanical Engineer	<i>Must be a duly licensed Registered Mechanical Engineer (RME/ME) with a valid Professional Regulation Commission (PRC) license. Must have at least five (5) years of proven experience in supervision, inspection, installation, and testing of mechanical works in building construction projects similar in nature and scope (e.g., HVAC systems, fire protection, plumbing and sanitary systems, mechanical equipment installation). Shall be responsible for ensuring that all mechanical works are executed in compliance with the Mechanical Code of the Philippines, applicable provisions of the National Building Code, approved design plans, and project specifications.</i>
Registered Master Plumber or Sanitary Engineer	<i>Must be a duly licensed Registered Master Plumber (RMP) or Sanitary Engineer (SE) with a valid Professional Regulation Commission (PRC) license. Must have at least five (5) years of work experience in the supervision, inspection, installation, testing, and commissioning of plumbing, sanitary, water supply, sewerage, and storm drainage systems for building construction projects similar in nature and scope.</i> <i>Shall be responsible for ensuring that all plumbing and sanitary works, including domestic water distribution systems, sanitary sewer systems, storm drainage systems, catch basins, plumbing fixtures, and tapping connections to existing utility lines, are executed in compliance with the National Plumbing Code of the Philippines, applicable provisions of the National Building Code of the Philippines, approved design plans, project specifications, and other applicable laws, codes, and regulations.</i>
Electrical Foreman	<i>Assist in the supervision and implementation of electrical works covered by the project. Must be a Registered Master Electrician with a valid and active license issued by the Professional Regulation Commission (PRC), in accordance with Republic Act No. 7920 (New Electrical Engineering</i>

	<i>Law) OR a valid holder of National Certificate II (NC II) in Electrical Installation and Maintenance issued by the Technical Education and Skills Development Authority (TESDA). Must have at least five (5) years of practical experience in electrical installations specifically related to the scope of the project. Must be present on-site as required to directly oversee the execution of electrical tasks, coordinate with the Electrical Engineer, and ensure compliance with technical and safety specifications.</i>
General Foreman	<i>Directly supervise and coordinate the execution of civil and architectural works on-site. Must have at least five (5) years of hands-on experience in supervising civil works such as masonry, concrete works, and finishing works in construction project similar in nature and scope. Must possess a valid National Certificate II (NC II) issued by the Technical Education and Skills Development Authority (TESDA) in a trade relevant to the scope of the project (e.g., Carpentry, Masonry, Construction Painting, or similar). Must be physically present at the job site full-time to monitor daily work activities, resolve issues, and implement instructions from the project in-charge. Any relevant training/s from accredited agency/ies shall be considered acceptable.</i>
Draftsman	<i>Must be a graduate of Architecture, Engineering, or Technical/Vocational drafting course, OR have equivalent training and certification in drafting. Must have at least five (5) years of relevant experience in preparing construction drawings, shop drawings, and as-built plans for building projects similar in nature and scope. Must be proficient in the use of Computer-Aided Design (CAD) software (e.g., AutoCAD or equivalent) and capable of producing accurate and detailed drawings in accordance with project requirements and standards. Shall be responsible for the timely preparation, updating, and submission of as-built drawings, reflecting all approved revisions, field adjustments, and actual site conditions of the project.</i>
Materials Engineer 1	<i>Must be duly accredited by the Department of Public Works and Highways (DPWH) as Materials Engineer I, in accordance with existing DPWH regulations and guidelines. Must possess a valid PRC license as a Civil Engineer. Must have at least five (5) years of relevant experience in construction materials testing, quality control, and quality assurance works for building projects similar in nature and scope. Shall be responsible for ensuring that all construction materials used conform to the required standards and specifications prescribed by the DPWH Standard Specifications (Blue Book), project plans, and other applicable regulations. Must be available on-site as required to monitor, inspect, and certify materials incorporated into the works.</i>
Safety Officer II (SO2)	<i>Responsible for ensuring that all safety protocols, health standards, and regulatory requirements are strictly</i>

	<i>implemented and followed at the project site. Must have at least three (3) years of experience in the implementation of occupational safety and health programs in construction projects similar in scope and complexity. Must be a duly recognized Safety Officer 2 in accordance with the Department of Labor and Employment (DOLE) Department Order No. 198-18 and must possess a valid Construction Occupational Safety and Health (COSH) training certificate issued by a DOLE-accredited training organization. Must be physically present at the job site full-time to monitor daily construction activities, conduct regular safety inspections, and ensure strict adherence to all safety and health protocols. The role of Safety Officer 2 may also be performed by the assigned Project In-Charge, provided that he or she meets all the qualifications and certifications required under this provision.</i>
Other appropriate qualified support staff, as required comprising of administrative staff, surveyors, laboratory technicians, draftsman, and other sub-professional personnel.	

5. LOGISTIC SUPPORT

The URS shall provide the contracting firm;

- A copy of the project proposal report for the proposed project;
- University Document(s) as may be allowed by the laws of the land to facilitate the execution of the project;
- Liaison officer in the form of a Project Management Unit

6. CONTRACT PERIOD

The Contract Period, or term for the services described in these TOR shall be based from the date of the Official Notice to Proceed issued by the URS to the Contracting Firm, a duration of one hundred fifty (150) calendar days.

Project Name and Location	Construction Phase
Completion of One Stop Student Services Center at URS Morong Campus	150 C.D.

7. MANPOWER REQUIREMENTS (CONSTRUCTION)

Completion of one Stop Student Services Center at URS Morong Campus

DESIGNATION	CS
-------------	----

Project In-Charge	
Registered Electrical Engineer	
Registered Mechanical Engineer	
Electrical Foreman	
General Foreman	
Materials Engineer I	
Draftsman	
Safety Officer (SO2)	

Note:

1. CS - (Construction/Repair Works Supervision) involves all activities during Construction Phase until turn-over of structures.

8. CONSTRUCTION PHASE

1. The construction phase shall proceed only after the completion and approval of the design phase by the SUC President of the University.
2. Provide monitoring chart such as: S-curve, PERT/CPM, Gantt Chart, Daily Weather Chart, Daily Log Book, etc.
3. Prepare weekly and monthly work accomplishment report, material testing result, concrete pouring permits, and schedule of activities (if applicable).
4. Prepare and deliver to the University of Rizal System "as built" plans upon the completion of the project.

9. CONSTRUCTION SAFETY AND HEALTH REQUIREMENTS

1. The CONTRACTOR shall undertake specific safety policies to observe and maintain in its construction site, including the frequency of and persons responsible for conducting toolbox and gang meetings.
2. The CONTRACTOR shall see to it that the Construction Safety and Health Program shall be executed and verified by the Construction Project Manager or Project Manager and shall be submitted to the Bureau of Working Conditions (BWC) which may approve, disapprove or modify the same according to existing laws, rules and regulations and other issuances by the DOLE.

3. The CONTRACTOR shall include the cost of implementing the Construction Safety and Health Program and to be integrated into the project's construction cost, provided, that said cost shall be a separate pay item, duly quantified and stated in the project's tender documents and construction contract documents.
4. The CONTRACTOR shall provide adequate and approved type of protective equipment. Workers within the construction project site shall be required to wear the necessary Personal Protective Equipment's (PPE) at all times. The CONTRACTOR shall see to it that:
 - a. The Construction workers who are working from unguarded surfaces six (6) meters or more above water or ground, temporary or permanent floor platform, scaffold or where they are exposed to the possibility of falls hazardous to life or limb, must be provided with safety harnesses and life lines.
 - b. Specialty construction workers must be provided with special protective equipment, such as specialized goggles or respirators for welders and painters or paint applicators.
 - c. All other persons who are either authorized or allowed to be at a construction site shall wear appropriate PPE
5. The CONTRACTOR must provide for a full-time officer, who shall be assigned as the general construction safety and health officer to oversee full time the overall management of the Construction Safety and Health Program. The general construction safety and health officer shall perform the following duties:
 - a. Frequently monitor and inspect any health and safety aspect of the construction work being undertaken.
 - b. Assist government inspectors in the conduct of safety and health inspection at any time whenever work is being performed or during the conduct of accident investigation.
6. The CONTRACTOR must provide for one (1) Construction Safety and Health Officer for every ten (10) units of heavy equipment assigned to the project site, to oversee the effective compliance with the Construction Safety and Health Program at the construction project site, in terms of heavy equipment utilization and maintenance.

Section VII. Drawings

(See Annex 1)

Section VIII. Bill of Quantities

Notes on the Bill of Quantities

Objectives

The objectives of the Bill of Quantities are:

- a) to provide sufficient information on the quantities of Works to be performed to enable Bids to be prepared efficiently and accurately; and
- b) when a Contract has been entered into, to provide a priced Bill of Quantities for use in the periodic valuation of Works executed.

In order to attain these objectives, Works should be itemized in the Bill of Quantities in sufficient detail to distinguish between the different classes of Works, or between Works of the same nature carried out in different locations or in other circumstances which may give rise to different considerations of cost. Consistent with these requirements, the layout and content of the Bill of Quantities should be as simple and brief as possible.

Daywork Schedule

A Daywork Schedule should be included only if the probability of unforeseen work, outside the items included in the Bill of Quantities, is high. To facilitate checking by the Entity of the realism of rates quoted by the Bidders, the Daywork Schedule should normally comprise the following:

- a) A list of the various classes of labor, materials, and Constructional Plant for which basic daywork rates or prices are to be inserted by the Bidder, together with a statement of the conditions under which the Contractor will be paid for work executed on a daywork basis.
- b) Nominal quantities for each item of Daywork, to be priced by each Bidder at Daywork rates as Bid. The rate to be entered by the Bidder against each basic Daywork item should include the Contractor's profit, overheads, supervision, and other charges.

Provisional Sums

A general provision for physical contingencies (quantity overruns) may be made by including a provisional sum in the Summary Bill of Quantities. Similarly, a contingency allowance for possible price increases should be provided as a provisional sum in the Summary Bill of Quantities. The inclusion of such provisional sums often facilitates budgetary approval by avoiding the need to request periodic supplementary approvals as the future need arises. Where such provisional sums or contingency allowances are used, the SCC should state the manner in which they will be used, and under whose authority (usually the Procuring Entity's).

The estimated cost of specialized work to be carried out, or of special goods to be supplied, by other contractors (refer to **GCC** Clause 7) should be indicated in the relevant part of the Bill of Quantities as a particular provisional sum with an appropriate brief description. A separate procurement procedure is normally carried out by the Procuring Entity to select such specialized contractors. To provide an element of competition among the Bidders in respect of any facilities, amenities, attendance, etc., to be provided by the winning Bidder as prime Contractor for the use and convenience of the specialist contractors, each related

provisional sum should be followed by an item in the Bill of Quantities inviting the Bidder to quote a sum for such amenities, facilities, attendance, etc.

Signature Box

A signature box shall be added at the bottom of each page of the Bill of Quantities where the authorized representative of the Bidder shall affix its signature. Failure of the authorized representative to sign each and every page of the Bill of Quantities shall be a cause for rejection of its bid.

These Notes for Preparing a Bill of Quantities are intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They should not be included in the final documents.

Section IX. Philippine Bidding Documents Related Forms

Notes to the Philippine Bidding Document Related Forms

The Bidder shall complete and submit with its Bid the **Bid Form**, together with the Bill of Quantities, detailed estimates that include a summary sheet indicating the unit prices of construction materials, labor rates, and equipment rentals used in coming up with the Bid, and Cash Flow by Quarter, in accordance with **ITB** Clause 13, and all those requirements indicated in the Bidding Documents and the format set out in this Section.

When requested in the BDS, the Bidder should provide the **Bid Security**, either in the form included hereafter or in another form acceptable to the Procuring Entity, pursuant to **ITB** Clause 16.

The **Contract Form**, when it is finalized at the time of contract award, should incorporate any correction or modification to the accepted Bid resulting from price corrections. The needed attachments, as aforementioned which form part of the contract should be modified accordingly.

The **Omnibus Sworn Statement** must be completed by all Bidders in accordance with **ITB** Clause 4.3. Failure to do so and submit it with the Bid shall result in the rejection of the Bid and the Bidder's disqualification.

The **Performance Securing Declaration and Bank Guarantee Form for Advance Payment** shall be completed only by the successful Bidder in accordance with one of the forms indicated herein or in another form acceptable to the Procuring Entity and pursuant to **GCC** Clause 12 and its corresponding SCC provision.

TABLE OF CONTENTS

Bid Form 124

Contract Form 126

Omnibus Sworn Statement Form..... 129

Bid Securing Declaration Form..... 133

Bid Form for Procurement of Infrastructure Projects

[Note: The duly accomplished form shall be submitted with the Bid]

BID FORM

Project Identification No.: *[Insert number]*

To: *[Name of Procuring Entity]*

Having examined the Philippine Bidding Documents (PBD) including the Supplemental Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, declare that:

- a) I/We have no reservation to the PBD, including the Supplemental Bid Bulletins, for the Procurement Project *[Project Title]*;
- b) I/We offer to execute the Works for this Contract in accordance with the PBD;
- c) The total price of our Bid in words and figures, excluding any discount offered below, is *[insert information]*
- d) The discounts offered and the methodology for their application, if any, are: *[insert information]*; or indicate N/A if no discount offered
- e) The total bid price in words and figures, after applying the applicable discount, includes the cost of all taxes, such as, but not limited to *[specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties]*, which are itemized in the Detailed Estimates.
- f) This Bid shall remain valid within a period stated in the PBD, and it shall be binding upon me/us at any time before the expiration of that period;
- g) If our bid is accepted, I/we commit to enter to a contract and provide a performance security in the form, amounts, and within the times prescribed in the PBD, and hereby acknowledge the consequences under the IRR of RA No. 12009 on forfeiture of Bid Security or enforcement of Bid Securing Declaration and on Blacklisting.

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon the Bidder.

I/We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

I/We certify/confirm that we comply with the eligibility requirements pursuant to the PBD.

The undersigned is authorized to submit the bid on behalf of *[Name of the Bidder]* as evidenced by the attached *[State the Written Authority]*.

I/We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Duly authorized to sign the Bid for and behalf of:

[Insert Bidder's Name]

[Signature over Printed Name]

[Position/Designation]

[Date]

Contract Form

[Note: The duly accomplished form is not required to be submitted with the Bid but shall be submitted within ten (10) days after receiving the Notice of Award]

CONTRACT FOR [Insert Project Title]

THIS CONTRACT executed on the _____ day of _____ 20____ between:

[Name of Procuring Entity], a government agency of the Republic of the Philippines, hereinafter called "the Entity";

-and-

[Name of Contractor] Filipino of legal age or a company duly organized and existing under the laws of [city and country], with principal office at [insert address], hereinafter called "the Contractor".

WHEREAS, the Entity invited Bids for certain goods and ancillary services, particularly *[Brief description of Project]*;

WHEREAS, the Contractor submitted a responsive bid and was awarded the contract for the procurement in the total amount of *[Contract price in words and figures, including currency]*, hereinafter referred to as the "Contract Price."

NOW, THEREFORE, for and in consideration of the foregoing premises, the parties hereby agree as follows:

- 1) Unless otherwise stated, terms and expressions used in this Contract shall have the same meanings as those assigned to them in the Conditions of Contract, which form an integral part of this Contract.
- 2) The following documents as required by the Implementing Rules and Regulations of Republic Act No. 12009 shall be deemed to form and be read and construed as integral part of this Contract, viz.:
 - a) Philippine Bidding Documents (PBD);
 - i. Drawings/Plans;
 - ii. Scope of Work;
 - iii. Invitation to Bid;
 - iv. Instructions to Bidders;
 - v. Bid Data Sheet;
 - vi. Bid Form, including all the documents/statements contained in the Bidder's bidding envelopes, as annexes, and all other documents submitted (e.g., Bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;
 - vii. Bill of Quantities;
 - viii. General and Special Conditions of Contract;
 - ix. Supplemental Bid Bulletins, if any; and
 - x. Other contract documents that may be required by existing laws and/or the Entity.

- b) Winning bidder's bid, including the Eligibility Requirements, Technical and Financial Proposals, and all other documents or statements submitted;
 - c) Performance Security;
 - d) Notice of Award of Contract; and the Bidder's Conforme thereto; and
 - e) Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBD, such as but not limited to the Notice to Proceed and Warranty Security.
- 3) In consideration of the Contract Price of *[Contract Price in words and figures]*, or such other sums as may be determined in accordance with the terms of the Contract, the Supplier agrees to deliver and perform the items and related services for the *[Project Title]* described herein in accordance with the terms and conditions specified in the Contract and its annexed documents.
 - 4) The *[Name of the Procuring Entity]* agrees to pay the above-mentioned sum to the Supplier in accordance with the schedule and manner provided in the Bidding Documents and its annexes.
 - 5) Any dispute, difference, or claim arising out of or relating to this Contract, including its existence, validity, interpretation, breach, or termination thereof, may be submitted to arbitration or other form of alternative dispute resolution in accordance with the applicable law, such as Republic Act (RA) No. 9285 (Alternative Dispute Resolution Act of 2004) or Executive Order No 1008, series 1985 (Construction Industry Arbitration Law).

IN WITNESS WHEREOF, the parties hereto have caused this Contract to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written

For the Procuring Entity
Head of the Procuring Entity or Duly
Authorized Representative

For the Bidder
Duly authorized to sign the Contract
for and behalf of *[Bidders Name]*:

*[Signature over Printed
Name][Position/Designation]
[Date]*

*[Signature over Printed Name]
[Position/Designation]
[Date]*

Signed in the presence of:

[Name and Signature]

[Name and Signature]

Witness – Procuring Entity

Witness- Supplier

ACKNOWLEDGMENT

BEFORE ME, A Notary Public for and in the _____, City/Province of _____, this _____ day of _____, 20____, personally appeared the above-named persons who have satisfactorily proven to me their identity, through their identifying documents written below their names and signatures, that they are the same persons who executed and voluntarily signed the foregoing instrument consisting of _____ pages, including this page where this Acknowledgement is written, which they acknowledged before me as their free and voluntary act and deed.

WITNESS MY HAND AND SEAL this ____ day of *[month]* *[year]*.

NAME OF NOTARY PUBLIC

Notarial Commission No. _____

Notary Public for _____ until _____

Roll of Attorneys No. _____

PTR No. __, *[date issued]*, *[place issued]*

IBP No. __, *[date issued]*, *[place issued]*

Doc. No. _____

Page No. _____

Book No. _____

Series of _____

Omnibus Sworn Statement Form

[Note: The duly accomplished form shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES)

CITY/MUNICIPALITY OF _____) S.S.

OMNIBUS SWORN STATEMENT

I, *[Name of Affiant]*, of legal age, *[Civil Status]*, *[Nationality]*, and with residence at *[Address of Affiant]*, after having been duly sworn in accordance with law, do hereby depose and state that:

1) *Select one, delete the others:*

- *If sole proprietorship:* I am the sole proprietor or authorized representative of *[Name of Bidder]* with office address at *[Address of Bidder]*;
- *If partnership, corporation, cooperative, or joint venture:* I am the duly authorized and designated representative of *[Name of Bidder]* with office address at *[Address of Bidder]*;
- *If individual consultant not registered under a sole proprietorship, in case of Consulting Services:* I am the individual consultant or authorized representative of *[Name of Bidder]* with office address at *[Address of Bidder]*;

2) *Select one, delete the others:*

- *If sole proprietorship:* As the owner and sole proprietor or authorized representative of *[Name of Bidder]*, I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for *[Project Title]* of the *[Name of the Procuring Entity]* *[insert "as supported by the attached duly notarized Special Power of Attorney" for authorized representative]*;
- *If partnership, corporation, cooperative, or joint venture:* I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for *[Project Title]* of the *[Name of the Procuring Entity]*, as supported by the attached duly notarized Special Power of Attorney, Board/Partnership Resolution, or Secretary's Certificate, whichever is applicable;
- *If individual consultant not registered under a sole proprietorship, in case of Consulting Services:* As the individual consultant or authorized representative of *[Name of Bidder]*, I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for *[Project Title]* of the *[Name of the Procuring Entity]*, as

supported by the attached duly notarized Special Power of Attorney *for authorized representative*;

- 3) *[Name of Bidder]* is not “blacklisted” or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board; by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity;
- 4) Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5) *[Name of Bidder]* is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6) *Select one, delete the others:*
 - *If sole proprietorship* : The *[Name of Bidder]* and its spouse are not related by consanguinity or affinity up to the third civil degree to the Head of the Procuring Entity, Procurement Agent (if engaged), End-User or Implementing Unit, project consultants, head of the Project Management Office, or the members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat;
 - *If partnership* : The partnership itself and the partners of *[Name of Bidder]* are not related by consanguinity or affinity up to the third civil degree to the Head of the Procuring Entity, Procurement Agent (if engaged), End-User or Implementing Unit, project consultants, head of the Project Management Office, or the members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat;
 - *If cooperative*: The cooperative itself and members of the board of directors, general manager, or chief executive officer of *[Name of Bidder]* are not related by consanguinity or affinity up to the third civil degree to the Head of the Procuring Entity, Procurement Agent (if engaged), End-User or Implementing Unit, project consultants, head of the Project Management Office, or the members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat;
 - *If corporation, or joint venture*: The corporation or joint venture itself, and officers, directors, and controlling stockholders of *[Name of Bidder]* are not related by consanguinity or affinity up to the third civil degree to the Head of the Procuring Entity, Procurement Agent (if engaged), End-User or Implementing Unit, project consultants, head of the Project Management Office, or the members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat;
 - *If individual consultant not registered under a sole proprietorship, in case of Consulting Services*: The individual consultant and its spouse are not related by consanguinity or affinity up to the third civil degree to the Head of the Procuring

Entity, Procurement Agent (if engaged), End-User or Implementing Unit, project consultants, head of the Project Management Office, or the members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat;

- 7) It is understood that failure to faithfully disclose its relationship with the HoPE, members of the BAC, the TWG, and the BAC Secretariat, the head of the PMO or the end-user unit or implementing unit, and the project consultants of the Procuring Entity, or of the procurement agent by consanguinity or affinity up to the third civil degree, as well as its submission of beneficial ownership information containing false entries shall be subject to blacklisting under Section 100 of the IRR of RA No. 12009, without prejudice to criminal and civil liabilities under applicable laws, including their accessory penalties, if any.

Select one, delete the rest:

- *In case of corporations:* [Name of Bidder] declares its beneficial ownership information consistent with its updated General Information Sheet or Beneficial Ownership Declaration Form or any other document duly submitted to the SEC and has maintained a valid and updated file therein in compliance with Sections 20.2.9.1, 81, and 82 of the IRR of Republic Act (RA) No. 12009.
- *In case of Foreign Bidders:* [Name of Bidder] submitted an appropriate equivalent document in English issued by the country of the bidder concerned in accordance with Section 20.2.9.2 of the IRR of RA No. 12009.

- 8) [Name of Bidder] complies with existing labor laws and standards; and

- 9) [Name of Bidder] is aware of and has undertaken the following responsibilities as a Bidder:

- a) Carefully examine all of the Bidding Documents;
- b) Acknowledge all conditions, local or otherwise, affecting the implementation of the Contract;
- c) Made an estimate of the facilities available and needed for the contract to be bid, if any; and
- d) Inquire or secure Supplemental Bid Bulletin(s) issued for the [Project Title].

- 10) [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.

- 11) In case advance payment was made or given to [Name of Bidder], failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability under existing laws.

IN WITNESS WHEREOF, I have hereunto set my hand this ___ day of ___, 20___ at _____, Philippines.

Duly authorized to sign the Bid for and behalf of:

[Insert Bidder's Name]

[Affiant's Signature over Printed Name]

[Position/Designation]

[Date]

JURAT

SUBSCRIBED AND SWORN to before me this ____ day of *[month]* *[year]* at *[place of execution]*, Philippines. Affiant/s is/are personally known to me and was/were identified by me through competent evidence of identity as defined in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her *[insert type of government identification card used]*, with his/her photograph and signature appearing thereon, with no. _____.

WITNESS MY HAND AND SEAL this ____ day of *[month]* *[year]*.

NAME OF NOTARY PUBLIC

Notarial Commission No. _____

Notary Public for _____ until _____

Roll of Attorneys No. _____

PTR No. __, *[date issued]*, *[place issued]*

IBP No. __, *[date issued]*, *[place issued]*

Doc. No. _____

Page No. _____

Book No. _____

Series of _____.

Bid Securing Declaration Form

*[The duly accomplished form shall be submitted with the Bid
if bidder opts to provide this type of bid security]*

REPUBLIC OF THE PHILIPPINES)
CITY/MUNICIPALITY OF _____) S.S.

BID SECURING DECLARATION

Project Identification No.: *[Number]*

To: *[Insert name of the Procuring Entity]*

I/We, the undersigned, declare that:

- 1) I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration;
- 2) I/We accept that:
 - a) I/We shall enter into contract with the Procuring Entity and furnish the required performance security within ten (10) calendar days as indicated in the Bidding Documents, from receipt of the Notice of Award;
 - b) I/we will be automatically disqualified from bidding for any procurement contract with any Procuring Entity upon receipt of your Blacklisting Order; and
 - c) I/We will pay the applicable fine within fifteen (15) days from receipt of the written demand by the Procuring Entity for the commission of acts resulting to the enforcement of the Bid Securing Declaration under Sections 52.2 (a), 63.2, 69.1 and 100, except 100.3 (c), of the IRR of RA No. 12009; without prejudice to other legal action the government may undertake;

	<i>Applicable Fine</i>
a) in the case of a single bidder	i) two percent (2%) of the Approved Budget for the Contract (ABC); or ii) the difference between the evaluated bid price and the ABC whichever is higher
b) in the case of multiple bidders	i) two percent (2%) of the ABC; or ii) the difference between the evaluated bid prices with the

	bidder with Lowest Calculated/Highest Rated Bid and the bidder with the next Lowest Calculated/Highest Rated Bid, and so on whichever is higher
c) in case of violations committed prior to the opening of the financial envelope	i) a fixed amount of two percent of the ABC,

3) I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:

- a) Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
- b) I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right;
- c) I am/we are declared the bidder with the *[Insert Award Criterion¹]* and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of *[month]* *[year]* at *[place of execution]*.

Duly authorized to sign the Bid for and behalf of:

[Insert Bidder's Name]

[Signature over Printed Name]

[Position/Designation]

[Date]

JURAT

SUBSCRIBED AND SWORN to before me this ____ day of *[month]* *[year]* at *[place of execution]*, Philippines. Affiant/s is/are personally known to me and was/were identified by me through competent evidence of identity as defined in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her *[insert type of government identification card used]*, with his/her photograph and signature appearing thereon, with no. _____.

WITNESS MY HAND AND SEAL this ____ day of *[month]* *[year]*.

NAME OF NOTARY PUBLIC

Notarial Commission No. _____

Notary Public for _____ until _____

Roll of Attorneys No. _____

PTR No. __, *[date issued]*, *[place issued]*

IBP No. __, *[date issued]*, *[place issued]*

Doc. No. _____

Page No. _____

Book No. _____

Series of _____

